In-Station Diagnostic Test Data:

Data Collected: January - March 2007
Posted: JUNE 2007

Dispensing Rates (GPM)

$$Q_g = \frac{(G_f - G_i)}{t} \times 60$$

Where:
- Q_g = Gasoline flow rate, gallons per minute
- G_i = Initial totalizer reading, gallons
- G_f = Final totalizer reading, gallons
- t = Elapsed time during dispensing event, seconds

V/L CALCULATIONS

V/L Volumetric Ratio

$$V/L = \frac{y\,(V_f - V_i)}{(G_f - G_i)} \times 7.481$$

Where:
- V/L = Vapor to Liquid volumetric ratio
- y = Correction factor for gas volume meter, usually (1.0)
- V_i = Initial gas volume meter reading, cubic feet
- V_f = Final gas volume meter reading, cubic feet
- G_i = Initial totalizer reading, gallons
- G_f = Final totalizer reading, gallons

A.01/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous ISD V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					
1	5	1.06	87	4005 212	0.000	4.566	4.57	33.00	8.30	0.00	0.63	1.03	0.95	-0.08	10:15 AM
2	5	1.06	87	4005212	0.000	4.549	4.55	36.00	7.58	0.00	0.61	1.00	1.04	0.04	10:21 AM
3	3	0.97	87	2306158	0.000	4.512	4.51	31.00	8.73	0.00	0.58	0.96	0.98	0.02	10:27 AM
4	3	0.97	87	2306158	0.000	4.541	4.54	32.00	8.51	0.00	0.56	0.92	n/a	n/a	10:33 AM
5	1	1.08	87	4005206	0.000	4.535	4.54	32.00	8.50	0.00	0.64	1.06	0.97	-0.09	10:38 AM
6	1	1.08	87	4005206	0.000	4.560	4.56	31.00	8.83	0.00	0.64	1.05	1.03	-0.02	10:42 AM
7	11	0.90	87	4005214	0.000	4.523	4.52	32.00	8.48	0.00	0.55	0.91	0.95	0.04	10:45 AM
8	11	0.90	87	2005214	0.000	4.537	4.54	34.00	8.01	0.00	0.53	0.87	0.88	0.01	10:47 AM
9	9	0.95	87	4005208	0.000	4.568	4.57	32.00	8.57	0.00	0.57	0.93	1.07	0.14	10:51 AM
10	7	0.99	87	4005209	0.000	4.557	4.56	34.00	8.04	0.00	0.66	1.08	1.23	0.15	10:57 AM
Post-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					

B.01/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 6.39										End Pressure: 5.91					
1	10	0.97	87	3705047	0.000	4.608	4.61	35.63	7.76	204.38	204.95	0.93	1.05	0.12	9:24 AM
2	10	0.97	91	3705047	0.000	4.707	4.71	31.00	9.11	204.95	205.64	1.11	1.08	-0.03	9:29 AM
3	11	1.09	87	3705043	0.000	4.662	4.66	34.44	8.12	205.64	206.30	1.07	1.06	-0.01	9:39 AM
4	11	1.09	91	3705043	0.000	4.688	4.69	33.81	8.32	206.30	206.96	1.06	1.10	0.04	9:42 AM
5	8	1.08	87	4405453	0.000	4.679	4.68	35.87	7.83	206.96	207.64	1.10	1.12	0.02	9:49 AM
6	8	1.08	91	4405453	0.000	4.639	4.64	31.75	8.77	207.64	208.30	1.07	1.10	0.03	9:54 AM
7	6	0.94	87	3005116	0.000	4.665	4.67	31.34	8.93	208.30	208.94	1.04	1.08	0.04	9:59 AM
8	6	0.94	91	3005116	0.000	4.774	4.77	33.53	8.54	208.94	209.62	1.08	1.11	0.03	10:02 AM
9	3	1.12	87	3705022	0.000	4.708	4.71	33.14	8.52	209.62	210.32	1.12	1.16	0.04	10:11 AM
10	1	1.01	87	3705023	0.000	4.659	4.66	34.93	8.00	210.32	210.98	1.07	1.03	-0.04	10:18 AM
Post-Test Leak Check - Start Pressure: 7.06										End Pressure: 6.80					

V/L CALCULATIONS

C.01/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure:5.12										End Pressure: 5.15					
1	1	0.90	87	206773	0.000	4.564	4.56	30.50	8.98	0.000	0.547	0.89	0.94	0.05	9:14 AM
2	1	0.90	87	206773	0.000	4.541	4.54	30.22	9.02	0.547	1.071	0.86	0.89	0.03	9:16 AM
3	1	0.90	87	206773	0.000	4.553	4.55	29.91	9.13	0.000	0.514	0.84	0.89	0.05	9:19 AM
1	4	0.92	87	206447	0.000	4.565	4.57	29.54	9.27	0.000	0.549	0.90	0.91	0.01	9:23 AM
2	4	0.92	87	206447	0.000	4.535	4.54	29.35	9.27	0.000	0.566	0.93	0.95	0.02	9:25 AM
3	4	0.92	87	206447	0.000	4.529	4.53	29.75	9.13	0.000	0.551	0.91	0.88	-0.03	9:30 AM
1	8	1.13	87	3705645	0.000	4.538	4.54	31.22	8.72	0.000	0.673	1.11	1.10	-0.01	9:35 AM
1	7	0.99	87	705041	0.000	4.564	4.56	30.65	8.93	0.000	0.555	0.91	0.92	0.01	9:37 AM
2	7	0.99	87	705041	0.000	4.535	4.54	30.15	9.02	0.000	0.540	0.89	0.89	0.00	9:40 AM
3	7	0.99	87	705041	0.000	4.541	4.54	30.07	9.06	0.000	0.540	0.89	0.89	0.00	9:43 AM
1	5	0.88	87	206768	0.000	4.542	4.54	30.44	8.95	0.000	0.506	0.83	0.80	-0.03	9:47 AM
2	5	0.88	87	206768	0.000	4.561	4.56	30.69	8.92	0.000	0.505	0.83	0.80	-0.03	9:50 AM
3	5	0.88	87	206768	0.000	4.538	4.54	30.93	8.80	0.000	0.501	0.82	0.81	-0.01	9:53 AM
1	6	1.06	87	206772	0.000	4.548	4.55	29.59	9.22	0.000	0.634	1.04	1.03	-0.01	9:56 AM
1	2	1.01	87	206767	0.000	4.577	4.58	29.78	9.22	0.000	0.614	1.00	0.96	-0.04	11:40 AM
1	1	0.90	91	206773	0.000	4.527	4.53	34.53	7.87	0.000	0.540	0.89	0.92	0.03	10:29 AM
2	1	0.90	91	206773	0.000	4.551	4.55	35.47	7.70	0.000	0.532	0.87	0.87	0.00	10:36 AM
3	1	0.90	91	206773	0.000	4.524	4.52	34.25	7.93	0.000	0.508	0.84	0.85	0.01	10:38 AM
1	2	1.01	91	206767	0.000	4.561	4.56	33.19	8.25	0.000	0.566	0.93	0.92	-0.01	10:41 AM
2	2	1.01	91	206767	0.000	4.541	4.54	33.12	8.23	0.000	0.560	0.92	0.91	-0.01	10:43 AM
3	2	1.01	91	206767	0.000	4.531	4.53	33.15	8.20	0.000	0.556	0.92	0.95	0.03	10:48 AM
1	4	0.92	91	206447	0.000	4.519	4.52	33.31	8.14	0.000	0.575	0.95	0.90	-0.05	10:52 AM
1	5	0.88	91	206768	0.000	4.519	4.52	33.53	8.09	0.000	0.508	0.84	0.75	-0.09	10:55 AM
2	5	0.88	91	206768	0.000	4.505	4.51	33.93	7.97	0.000	0.506	0.84	0.76	-0.08	10:58 AM
3	5	0.88	91	206768	0.000	4.530	4.53	33.69	8.07	0.000	0.506	0.83	0.77	-0.06	11:00 AM
1	6	1.06	91	206772	0.000	4.527	4.53	32.66	8.32	0.000	0.619	1.02	0.95	-0.07	11:03 AM
1	8	1.13	91	3705645	0.000	4.529	4.53	32.90	8.26	0.000	0.660	1.09	1.05	-0.04	11:06 AM
1	7	0.99	91	705041	0.000	4.525	4.53	33.38	8.13	0.000	0.566	0.93	0.92	-0.01	11:10 AM
2	7	0.99	91	705041	0.000	4.516	4.52	33.35	8.12	0.000	0.547	0.90	0.94	0.04	11:13 AM
3	7	0.99	91	705041	0.000	4.542	4.54	32.85	8.30	0.000	0.562	0.92	0.95	0.03	11:16 AM
Post-Test Leak Check - Start Pressure: 5.04										End Pressure:5.07					

V/L CALCULATIONS

D.01/07

Run	Pump #	ISD A/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	ISD V/L Instantaneous (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: +5.15 "W.C.										End Pressure: +5.12 "W.C.					
1	12	1.02	87	4206044	0.000	4.663	4.663	33.09	8.46	5111.22	5111.87	1.04	1.06	0.02	11:57 AM
2	10	1.04	87	2406024	0.000	4.658	4.658	31.93	8.75	5111.87	5112.51	1.03	1.10	0.07	12:03 PM
3	8	0.97	87	2406015	0.000	4.668	4.668	31.67	8.84	5112.51	5113.11	0.96	1.01	0.05	12:06 PM
4	7	1.07	87	4906290	0.000	4.733	4.733	33.68	8.43	5113.11	5113.76	1.03	1.10	0.07	12:15 PM
5	9	1.02	87	1806019	0.000	4.672	4.672	32.94	8.51	5113.76	5114.40	1.02	1.05	0.03	12:19 PM
6	11	1.08	87	406322	0.000	4.66	4.66	33.03	8.47	5114.40	5115.10	1.12	1.16	0.04	12:23 PM
7	2	0.99	87	4206043	0.000	4.694	4.694	33.74	8.35	5115.75	5116.35	0.96	1.01	0.05	12:43 PM
8	1	1.00	87	2406011	0.000	4.646	4.646	32.32	8.63	5116.35	5116.96	0.98	1.08	0.10	12:46 PM
9	3	0.97	87	4206045	0.000	4.658	4.658	34.09	8.20	5116.96	5117.57	0.98	n/a	n/a	12:49 PM
10	4	1.12	87	2406021	0.000	4.664	4.664	33.90	8.25	5117.57	5118.32	1.20	1.24	0.04	12:53 PM
11	12	1.02	91	4206044	0.000	4.642	4.642	36.28	7.68	5118.33	5118.96	1.02	1.05	0.03	1:07 PM
12	10	1.04	91	2406024	0.000	4.636	4.636	34.61	8.04	5118.96	5119.61	1.05	1.09	0.04	1:09 PM
13	8	0.97	91	2406015	0.000	4.660	4.660	35.51	7.87	5119.61	5120.19	0.93	0.99	0.06	1:11 PM
14	7	1.07	91	4906290	0.000	4.692	4.692	35.47	7.94	5120.19	5120.85	1.05	1.10	0.05	1:14 PM
15	11	1.08	91	406322	0.000	4.623	4.623	35.26	7.87	5120.85	5121.54	1.12	1.11	-0.01	1:16 PM
16	9	1.02	91	1806019	0.000	4.650	4.650	35.53	7.85	5121.54	5122.18	1.03	1.06	0.03	1:20 PM
Post-Test Leak Check - Start Pressure: 5.06										End Pressure: 4.91					

V/L CALCULATIONS

E.01/07

Run	Pump #	V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	ISD Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.63" wc										End Pressure: 4.85" wc					
1	7	0.86	87	2705301	0.000	4.547	4.55	31.34	8.71	27.38	28.00	1.02	1.04	0.02	9:48 AM
2	7	0.86	87	2705301	0.000	4.550	4.55	31.53	8.66	28.00	28.63	1.04	0.98	-0.06	9:53 AM
3	7	0.86	87	2705301	0.000	4.538	4.54	31.69	8.59	28.63	29.26	1.04	1.00	-0.04	9:55 AM
4	8	0.97	87	3305003	0.000	4.530	4.53	32.03	8.49	29.27	29.92	1.08	1.08	0.00	10:00 AM
5	8	0.97	87	3305003	0.000	4.533	4.53	32.28	8.43	29.92	30.59	1.11	1.06	-0.05	10:02 AM
6	8	0.97	87	3305003	0.000	4.533	4.53	32.37	8.40	30.59	31.25	1.09	1.09	0.00	10:05 AM
7	9	1.02	87	3305005	0.000	4.542	4.54	32.81	8.31	31.26	31.90	1.06	1.10	0.04	10:09 AM
8	9	1.02	89	3305005	0.000	4.553	4.55	30.65	8.91	31.90	32.57	1.10	1.14	0.04	10:13 AM
9	9	1.02	91	3305005	0.000	4.535	4.54	31.65	8.60	32.57	33.22	1.07	1.14	0.07	10:15 AM
10	3	1.09	87	506133	0.000	4.550	4.55	32.94	8.29	33.22	33.88	1.09	1.08	-0.01	10:19 AM
11	3	1.09	89	506133	0.000	4.539	4.54	30.37	8.97	33.88	34.56	1.12	1.11	-0.01	10:22 AM
12	3	1.09	91	506133	0.000	4.535	4.54	31.44	8.65	34.56	35.22	1.09	1.09	0.00	10:24 AM
13	1	0.88	87	4905243	0.000	4.538	4.54	33.15	8.21	35.22	35.84	1.02	1.01	-0.01	10:36 AM
14	1	0.88	89	4905243	0.000	4.514	4.51	29.28	9.25	35.84	36.49	1.08	1.07	-0.01	10:38 AM
Runs 5 and 6 were erroneously conducted after the V/L from run 4 was incorrectly calculated to be 1. After the results for run 4 were corrected, it was determined that runs 5 and 6 were not necessary.							0.00							0.00	
							0.00							0.00	
							0.00							0.00	
							0.00							0.00	
							0.00							0.00	
							0.00							0.00	
Post-Test Leak Check - Start Pressure: 5.35" wc										End Pressure: 4.86" wc					

V/L CALCULATIONS

A.02/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (B)	Instantaneous ISD V/L Reading (A)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					
1	5	1.00	87	4005 212	0.000	4.522	4.52	34.00	7.98	0.00	0.63	1.04	0.99	-0.05	10:21 AM
2	5	1.00	87	4005 212	0.000	4.560	4.56	29.00	9.43	0.00	0.56	0.92	0.78	-0.14	10:25 AM
3	3	0.97	87	2306168	0.000	4.555	4.56	32.00	8.54	0.00	0.59	0.97	0.93	-0.04	10:29 AM
4	3	0.97	87	2306168	0.000	4.570	4.57	35.00	7.83	0.00	0.58	0.95	0.98	0.03	10:31 AM
5	1	1.08	87	4005 206	0.000	4.556	4.56	30.00	9.11	0.00	0.65	1.06	1.02	-0.04	10:34 AM
6	1	1.08	87	4005 206	0.000	4.506	4.51	31.00	8.72	0.00	0.65	1.08	1.07	-0.01	10:35 AM
7	8	0.88	87	0206 637	0.000	4.560	4.56	34.00	8.05	0.00	0.55	0.90	0.99	0.09	10:40 AM
8	8	0.88	87	0206 637	0.000	4.550	4.55	33.00	8.27	0.00	0.54	0.89	0.97	0.08	10:42 AM
9	10	0.89	87	4005 213	0.000	4.567	4.57	32.00	8.56	0.00	0.59	0.97	0.98	0.01	10:45 AM
10	10	0.89	87	4005 213	0.000	4.630	4.63	33.00	8.42	0.00	0.60	1.01	0.97	-0.04	10:48 AM
11	12	0.93	87	3106 135	0.000	4.531	4.53	32.00	8.50	0.00	0.59	0.97	0.99	0.02	10:52 AM
Post-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					

B.02/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L Reading (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.26										End Pressure: 5.01					
1	10	1.07	87	3705047	0.000	4.562	4.56	37.53	7.29	211.00	211.65	1.08	1.17	0.09	9:13 AM
2	10	1.07	91	3705047	0.000	4.631	4.63	33.35	8.33	211.65	212.34	1.13	1.16	0.03	9:20 AM
3	12	1.08	87	4705137	0.000	4.557	4.56	35.15	7.78	212.35	213.02	1.11	1.14	0.03	9:29 AM
4	12	1.08	91	4705137	0.000	4.885	4.89	34.91	8.40	213.02	213.75	1.13	1.19	0.06	9:35 AM
5	7	1.07	87	3705021	0.000	4.541	4.54	35.40	7.70	213.75	214.33	0.97	1.11	0.14	9:45 AM
6	7	1.07	91	3705021	0.000	4.532	4.53	33.84	8.04	214.33	214.91	0.97	1.13	0.16	9:51 AM
7	5	1.09	87	3705025	0.000	4.516	4.52	33.25	8.15	214.91	215.60	1.15	1.15	0.00	10:08 AM
8	5	1.09	91	3705025	0.000	4.556	4.56	32.85	8.32	215.60	216.29	1.14	1.23	0.09	10:16 AM
9	1	1.03	87	3705023	0.000	4.549	4.55	37.35	7.31	216.29	216.88	0.98	1.07	0.09	10:25 AM
10	3	1.01	87	3705022	0.000	4.518	4.52	34.12	7.94	216.88	217.56	1.14	1.16	0.02	10:31 AM
Post-Test Leak Check - Start Pressure: 5.84										End Pressure: 5.57					

V/L CALCULATIONS

C.02/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.03										End Pressure: 5.03					
1	3	1.04	87	406283	0.041	4.582	4.54	30.81	8.84	0.000	0.595	0.98	0.96	-0.02	9:31 AM
1	4	1.05	87	206447	0.000	4.544	4.54	30.41	8.97	0.000	0.577	0.95	0.96	0.01	9:33 AM
1	7	1.08	87	3705041	0.000	4.527	4.53	33.47	8.12	0.000	0.608	1.00	1.00	0.00	9:36 AM
1	8	1.18	87	3706645	0.000	4.545	4.55	32.13	8.49	0.000	0.691	1.13	1.15	0.02	9:39 AM
1	6	1.07	87	206772	0.000	4.552	4.55	30.53	8.95	0.000	0.612	1.00	N/A	**N/A**	9:50 AM
1	5	0.82	87	206068	0.000	4.543	4.54	31.12	8.76	0.000	0.536	0.88	0.92	0.04	9:52 AM
2	5	0.82	87	206068	0.000	4.533	4.53	30.94	8.79	0.000	0.551	0.91	0.92	0.01	10:05 AM
3	5	0.82	87	206068	0.000	4.547	4.55	31.50	8.66	0.000	0.545	0.89	0.91	0.02	10:09 AM
1	1	1.02	87	206773	0.000	4.530	4.53	32.00	8.49	0.000	0.575	0.95	0.97	0.02	10:17 AM
1	2	1.05	87	206767	0.000	4.553	4.55	30.91	8.84	0.000	0.579	0.95	0.97	0.02	10:19 AM
1	2	1.05	91	206767	0.000	4.541	4.54	33.03	8.25	0.000	0.597	0.98	1.01	0.03	10:33 AM
1	1	1.02	91	206773	0.000	4.520	4.52	34.50	7.86	0.000	0.577	0.95	0.96	0.01	10:36 AM
1	3	1.04	91	406283	0.000	4.539	4.54	30.31	8.99	0.000	0.582	0.96	0.94	-0.02	10:39 AM
1	4	1.05	91	206447	0.000	4.531	4.53	33.59	8.09	0.000	0.592	0.97	0.96	-0.01	10:41 AM
1	8	1.18	91	3706645	0.000	4.532	4.53	33.31	8.16	0.000	0.688	1.13	1.13	0.00	10:44 AM
1	7	1.08	91	3705041	0.000	4.528	4.53	32.94	8.25	0.000	0.604	0.99	1.00	0.01	10:46 AM
1	6	1.07	91	206772	0.000	4.521	4.52	32.91	8.24	0.000	0.610	1.01	1.00	-0.01	10:56 AM
1	5	0.82	91	206068	0.000	4.468	4.47	33.97	7.89	0.000	0.518	0.86	N/A	**N/A**	11:00 AM
Post-Test Leak Check - Start Pressure: 5.21										End Pressure: 5.47					

V/L CALCULATIONS

D.02/07

Run	Pump #	ISD A/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: +5.47 "W.C. End Pressure: +5.40 "W.C.															
1	12	1.03	87	4206044	0.000	4.578	4.578	32.14	8.55	5123.06	5123.68	1.01	1.09	0.08	10:59 AM
2	10	0.98	87	2406024	0.000	4.591	4.591	32.15	8.57	5123.68	5124.31	1.03	1.04	0.01	11:02 AM
3	8	0.97	87	2406015	0.000	4.656	4.656	31.97	8.74	5124.31	5124.90	0.95	1.00	0.05	11:06 AM
4	7	1.06	87	4906290	0.000	4.594	4.594	33.25	8.29	5124.90	5125.53	1.03	1.08	0.05	11:09 AM
5	9	1.04	87	1806019	0.000	4.576	4.576	33.11	8.29	5125.53	5126.13	0.98	1.04	0.06	11:11 AM
6	11	1.12	87	406322	0.000	4.62	4.62	31.94	8.68	5126.13	5126.81	1.10	1.14	0.04	11:14 AM
7	2	1.04	87	4906115	0.000	4.570	4.570	32.61	8.41	5127.49	5128.10	1.00	1.07	0.07	11:24 AM
8	4	0.97	87	4006086	0.000	4.562	4.562	32.20	8.50	5128.10	5128.68	0.95	0.99	0.04	11:26 AM
9	6	0.95	87	1506069	0.000	4.591	4.591	32.79	8.40	5128.68	5129.26	0.95	0.98	0.03	11:31 AM
10	5	1.00	87	2306049	0.000	4.583	4.583	32.15	8.55	5129.26	5129.83	0.93	0.95	0.02	11:34 AM
11	3	1.04	87	4206105	0.000	4.572	4.572	32.27	8.50	5129.83	5130.45	1.01	1.07	0.06	11:36 AM
12	1	1.00	87	4206116	0.000	4.628	4.628	32.93	8.43	5130.45	5131.04	0.95	1.12	0.17	11:44 AM
13	2	1.04	89	4906115	0.000	4.564	4.564	32.54	8.42	5131.72	5132.33	1.00	1.05	0.05	11:58 AM
14	4	0.97	89	4006086	0.000	4.523	4.523	32.00	8.48	5132.33	5132.91	0.96	1.03	0.07	12:01 PM
15	6	0.95	89	1506069	0.000	4.537	4.537	32.90	8.27	5132.91	5133.49	0.96	0.97	0.01	12:05 PM
16	5	1.00	89	2306049	0.000	4.560	4.560	33.09	8.27	5133.50	5134.07	0.94	0.94	0.00	12:09 PM
17	3	1.04	89	4206105	0.000	4.547	4.547	32.19	8.48	5134.07	5134.65	0.95	1.10	0.15	12:12 PM
18*	1	1.00	89	4206116	0.000	5.162	5.162	37.27	8.31	5134.65	5135.34	1.00	1.03	0.03	12:17 PM
19	8	0.97	89	2406015	0.000	4.543	4.543	33.84	8.05	5136.01	5136.60	0.97	1.01	0.04	12:29 PM
20	10	0.98	89	2406024	0.000	4.689	4.689	33.33	8.44	5136.47**	5137.12	1.04	1.09	0.05	12:32 PM
21	12	1.03	89	4206044	0.000	4.559	4.559	31.98	8.55	5137.14	5137.79	1.07	1.10	0.03	12:35 PM
22	11	1.12	89	406322	0.000	4.526	4.526	32.85	8.27	5137.81	5138.48	1.11	1.15	0.04	12:38 PM
23	9	1.04	89	1806019	0.000	4.557	4.557	33.16	8.25	5138.50	5139.10	0.98	1.03	0.05	12:40 PM
24	7	1.06	89	4906290	0.000	4.535	4.535	32.14	8.47	5139.10	5139.72	1.02	1.10	0.08	12:42 PM
Post-Test Leak Check - Start Pressure: 5.42 End Pressure: 5.37															

V/L CALCULATIONS

E.02/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (B)	ISD Instantaneous V/L (A)	V/L Difference(B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure:										End Pressure:					
1	10	0.91	87	4905246	0.000	4.521	4.52	32.75	8.28	3.39	3.98	0.98	1.02	0.04	10:30 AM
2	10	0.91	89	4905246	0.000	4.531	4.53	29.47	9.22	3.98	4.59	1.01	1.03	0.02	10:33 AM
3	10	0.91	91	4905246	0.000	4.509	4.51	30.56	8.85	4.59	5.20	1.01	1.08	0.07	10:36 AM
4	8	1.01	87	3305003	0.000	4.521	4.52	32.97	8.23	5.15	5.81	1.09	1.13	0.04	10:40 AM
5	8	1.01	89	3305003	0.000	4.551	4.55	31.41	8.69	5.81	6.48	1.10	1.08	-0.02	10:42 AM
6	8	1.01	91	3305003	0.000	4.591	4.59	31.50	8.74	6.48	7.14	1.08	1.09	0.01	10:44 AM
7	2	0.92	87	4305351	0.000	4.513	4.51	34.31	7.89	7.15	7.79	1.06	1.10	0.04	10:48 AM
8	2	0.92	89	4305351	0.000	4.555	4.56	30.35	9.00	7.79	8.47	1.12	1.15	0.03	10:52 AM
9	2	0.92	91	4305351	0.000	4.564	4.56	31.23	8.77	8.47	9.14	1.10	1.12	0.02	10:54 AM
10	1	0.96	87	3305006	0.000	4.525	4.53	33.28	8.16	9.18	9.79	1.01	1.06	0.05	11:32 AM
Post-Test Leak Check - Start Pressure: 5.06" WC										End Pressure: 4.79" WC					

A.03/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)*	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					
1	1	1.03	87	4005 206	0.000	4.568	4.57	32.00	8.57	0.00	0.71	1.16	1.02	-0.14	10:38 AM
2	1	1.03	87	4005 206	0.000	4.524	4.52	33.00	8.23	0.00	0.71	1.17	1.18	0.01	10:44 AM
3	5	1.09	87	4005 212	0.000	4.558	4.56	32.00	8.55	0.00	0.71	1.17	1.30	0.13	10:50 AM
4	5	1.09	87	4005 212	0.000	4.534	4.53	33.00	8.24	0.00	0.69	1.14	1.24	0.10	10:51 AM
5	3	0.96	87	2303 168	0.000	4.446	4.45	32.00	8.34	0.00	0.59	0.99	1.02	0.03	10:54 AM
6	3	0.96	87	2303 168	0.000	4.543	4.54	32.00	8.52	0.00	0.61	1.00	1.09	0.09	10:56 AM
8	12	0.98	87	3106133	0.000	4.548	4.55	33.00	8.27	0.00	0.68	1.12	1.19	0.07	11:02 AM
9	12	0.98	87	3106133	0.000	4.521	4.52	32.00	8.48	0.00	0.66	1.09	1.18	0.09	11:05 AM
10	11	1.06	87	4005 214	0.000	4.545	4.55	32.00	8.52	0.00	0.66	1.09	1.12	0.03	11:11 AM
11	9	0.98	87	4005 208	0.000	4.545	4.55	33.00	8.26	0.00	0.65	1.07	1.32	0.25	11:17 AM
12	7	0.99	87	4005 213	0.000	4.555	4.56	32.00	8.54	0.00	0.64	1.05	1.10	0.05	11:22 AM
Post-Test Leak Check - Start Pressure: N/A										End Pressure: N/A					

V/L CALCULATIONS

B.03/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L Reading (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.37										End Pressure: 5.14					
1	10	1.05	87	3705047	0.000	4.670	4.67	36.25	7.73	218.01	218.66	1.05	1.06	0.01	9:20 AM
2	10	1,05	91	3705047	0.000	4.992	4.99	34.25	8.75	218.66	219.34	1.03	1.08	0.05	9:27 AM
3	12	1.14	87	4705137	0.000	4.677	4.68	34.69	8.09	219.34	219.98	1.03	1.14	0.11	9:38 AM
4	12	1.14	91	4705137	0.000	4.570	4.57	33.00	8.31	219.98	220.67	1.14	1.13	-0.01	9:41 AM
5	8	0.98	87	3005116	0.000	4.590	4.59	37.69	7.31	220.67	221.30	1.04	1.10	0.06	9:51 AM
6	8	0.98	91	3005116	0.000	4.621	4.62	32.69	8.48	221.30	221.96	1.08	1.09	0.01	9:56 AM
7	6	1.14	87	4405453	0.000	4.592	4.59	33.72	8.17	221.96	222.58	1.02	1.17	0.15	10:06 AM
8	6	1.14	91	4405453	0.000	4.592	4.59	33.94	8.12	222.58	223.26	1.12	1.10	-0.02	10:11 AM
9	3	1.12	87	3705022	0.000	4.561	4.56	36.16	7.57	223.26	223.92	1.09	n/a	n/a	10:20 AM
10	1	1.07	87	3705023	0.000	4.662	4.66	35.55	7.87	223.92	224.58	1.07	1.03	-0.04	10:31 AM
Post-Test Leak Check - Start Pressure: 5.24										End Pressure: 5.07					

V/L CALCULATIONS

C.03/07

Run	Pump #	ISD Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.25										End Pressure: 5.29					
1	1	1.00	87	3705041	0.000	4.569	4.57	30.62	8.95	0.000	0.653	1.07	1.16	0.09	9:16 AM
1	2	1.11	87	206767	0.000	4.564	4.56	30.88	8.87	0.000	0.623	1.02	1.07	0.05	9:22 AM
1	5	0.84	87	15054	0.000	4.534	4.53	30.71	8.86	0.000	0.569	0.94	1.01	0.07	9:29 AM
2	5	0.84	87	15054	0.000	4.532	4.53	31.25	8.70	0.000	0.566	0.93	1.00	0.07	9:31 AM
3	5	0.84	87	15054	0.000	4.531	4.53	30.97	8.78	0.000	0.564	0.93	0.95	0.02	9:35 AM
1	6	1.12	87	206772	0.000	4.529	4.53	30.09	9.03	0.000	0.627	1.03	1.06	0.03	9:39 AM
1	8	0.98	87	3706645	0.000	4.536	4.54	31.85	8.55	0.000	0.695	1.14	1.13	-0.01	9:41 AM
1	7	1.02	87	206773	0.000	4.538	4.54	32.03	8.50	0.000	0.592	0.97	0.93	-0.04	9:46 AM
1	4	1.00	87	206447	0.000	4.551	4.55	30.50	8.95	0.000	0.545	0.89	0.93	0.04	9:50 AM
2	4	1.00	87	206447	0.000	4.529	4.53	30.09	9.03	0.000	0.529	0.87	0.91	0.04	9:53 AM
3	4	1.00	87	206447	0.000	4.534	4.53	29.87	9.11	0.000	0.510	0.84	0.86	0.02	9:58 AM
1	3	1.05	87	406283	0.000	4.594	4.59	32.32	8.53	0.000	0.629	1.02	1.04	0.02	10:01 AM
1	7	1.02	91	206773	0.000	4.533	4.53	34.13	7.97	0.000	0.595	0.98	0.94	-0.04	10:33 AM
1	8	0.98	91	3706645	0.000	4.532	4.53	32.75	8.30	0.000	0.715	1.18	1.16	-0.02	10:35 AM
2	8	0.98	91	3706645	0.000	4.517	4.52	32.60	8.31	0.000	0.701	1.16	1.15	-0.01	10:38 AM
3	8	0.98	91	3706645	0.000	4.523	4.52	32.88	8.25	0.000	0.684	1.13	1.12	-0.01	10:40 AM
1	6	1.12	91	206772	0.000	4.511	4.51	32.60	8.30	0.000	0.619	1.02	1.00	-0.02	10:44 AM
1	5	0.84	91	15054	0.000	4.533	4.53	33.34	8.16	0.000	0.553	0.91	0.93	0.02	10:45 AM
2	5	0.84	91	15054	0.000	4.551	4.55	33.28	8.20	0.000	0.564	0.92	0.91	-0.01	10:50 AM
3	5	0.84	91	15054	0.000	4.508	4.51	33.47	8.08	0.000	0.551	0.91	0.94	0.03	10:51 AM
1	4	1.00	91	206447	0.000	4.525	4.53	33.19	8.18	0.000	0.558	0.92	0.97	0.05	10:54 AM
2	4	1.00	91	206447	0.000	4.515	4.52	33.69	8.04	0.000	0.555	0.92	0.96	0.04	10:57 AM
3	4	1.00	91	206447	0.000	4.510	4.51	33.00	8.20	0.000	0.549	0.91	0.92	0.01	10:59 AM
1	3	1.05	91	406283	0.000	4.560	4.56	34.65	7.90	0.000	0.582	0.95	0.97	0.02	11:02 AM
1	1	1.00	91	3705041	0.000	4.527	4.53	34.31	7.92	0.000	0.612	1.01	1.01	0.00	11:07 AM
1	2	1.11	91	206767	0.000	4.518	4.52	33.18	8.17	0.000	0.610	1.01	1.00	-0.01	11:11 AM
Post-Test Leak Check - Start Pressure: 5.12										End Pressure: 5.14					

V/L CALCULATIONS

D.03/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (A)	Instantaneous V/L (B)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: +5.13 End Pressure: +5.10 "W.C. @ 1119															
1	12	1.05	87	4206044	0.000	4.653	4.653	33.17	8.42	5162.88	5163.53	1.05	1.03	-0.02	11:35 AM
2	10	1.07	87	2406024	0.000	4.630	4.630	31.70	8.76	5163.53	5164.19	1.07	1.09	0.02	11:38 AM
3	8	0.99	87	2406015	0.000	4.673	4.673	33.15	8.46	5164.20	5164.81	0.98	0.99	0.01	11:43 AM
4	7	1.15	87	4906290	0.000	4.660	4.660	34.21	8.17	5164.82	5165.47	1.04	1.03	-0.01	11:46 AM
5	9	1.05	87	1806019	0.000	4.675	4.675	32.92	8.52	5165.48	5166.12	1.02	1.04	0.02	11:48 AM
6	11	1.10	87	4906079	0.000	4.67	4.67	32.60	8.60	5166.12	5166.77	1.04	1.03	-0.01	11:52 AM
7	6	0.96	87	1505069	0.000	4.662	4.662	33.08	8.46	5167.40	5167.98	0.93	0.94	0.01	12:04 PM
8	4	0.96	87	4906086	0.000	4.673	4.673	32.17	8.72	5167.98	5168.57	0.94	0.93	-0.01	12:07 PM
9	2	1.03	87	4906115	0.000	4.637	4.637	33.13	8.40	5168.57	5169.21	1.03	1.08	0.05	12:09 PM
10	1	1.01	87	4206116	0.000	4.651	4.651	33.76	8.27	5169.21	5169.84	1.01	1.01	0.00	12:12 PM
11	3	1.02	87	4206105	0.000	4.656	4.656	32.94	8.48	5169.84	5170.46	1.00	1.00	0.00	12:14 PM
12	5	1.01	87	2306049	0.000	4.714	4.714	33.55	8.43	5170.46	5171.06	0.95	0.98	0.03	12:18 PM
13	6	0.96	91	1505069	0.000	4.605	4.605	34.15	8.09	5171.64	5172.22	0.94	0.95	0.01	12:40 PM
14	4	0.96	91	4906086	0.000	4.644	4.644	33.16	8.40	5172.22	5172.83	0.98	0.92	-0.06	12:42 PM
15	2	1.03	91	4906115	0.000	4.677	4.677	34.50	8.13	5172.83	5173.50	1.07	1.11	0.04	12:45 PM
16	1	1.01	91	4206116	0.000	4.642	4.642	34.86	7.99	5173.50	5174.15	1.05	1.06	0.01	12:48 PM
17	3	1.02	91	4206105	0.000	4.649	4.649	34.24	8.15	5174.15	5174.77	1.00	0.98	-0.02	12:51 PM
18	5	1.01	91	2306049	0.000	4.688	4.688	34.34	8.19	5174.77	5175.37	0.96	N/A	n/a	12:36 PM
Post-Test Leak Check - Start Pressure: +5.20 End Pressure: +5.16 @ 1306															

E.03/07

Run	Pump #	ISD V/L Daily Average	Fuel Grade	Nozzle Name / Serial #	Initial Dispenser Totalizer, Gallons	Final Dispenser Totalizer Gallons	Total Gas Pumped Gallons	Time Seconds	Flow Rate, gpm	Initial Meter Reading ft3	Final Meter Reading ft3	Calculated V/L (B)	ISD Instantaneous V/L (A)	V/L Difference (B-A)	Time of Each Test
Pre-Test Leak Check - Start Pressure: 5.17" WC End Pressure: 4.65" WC															
1	1	1.01	87	4905243	0.000	4.568	4.57	34.56	7.93	30.94	31.60	1.08	1.12	0.04	10:02 AM
2	1	1.01	89	4905243	0.000	4.567	4.57	30.16	9.09	31.60	32.26	1.08	1.15	0.07	10:05 AM
3	1	1.01	91	4905243	0.000	4.572	4.57	31.34	8.75	32.27	32.94	1.10	1.12	0.02	10:07 AM
4	3	1.02	87	506133	0.000	4.551	4.55	35.75	7.64	33.15	33.80	1.07	1.11	0.04	10:12 AM
5	3	1.02	89	506133	0.000	4.565	4.57	30.00	9.13	33.80	34.45	1.07	1.15	0.08	10:15 AM
6	3	1.02	91	506133	0.000	4.560	4.56	31.53	8.68	34.45	35.12	1.10	1.12	0.02	10:17 AM
7	7	0.97	87	2705301	0.000	4.564	4.56	32.54	8.42	35.25	35.90	1.07	1.06	-0.01	10:23 AM
8	7	0.97	89	2705301	0.000	4.545	4.55	30.38	8.98	35.90	36.55	1.07	1.07	0.00	10:26 AM
9	7	0.97	91	2705301	0.000	4.561	4.56	31.50	8.69	36.55	37.19	1.05	1.06	0.01	10:29 AM
10	9	1.02	87	3305005	0.000	4.543	4.54	34.18	7.97	37.19	37.81	1.02	1.05	0.03	10:36 AM
Post-Test Leak Check - Start Pressure: 5.12" WC End Pressure: 4.86" WC															

ORVR VEHICLE DETERMINATION DATA

A.01/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1995	Chevrolet	Blazer	9	10:50 AM	4.00	0.98	NO	YES
2007	Toyota	Corolla	3	11:05 AM	9.51	0.28	YES	YES
2002	Cadillac	SLS	3	11:09 AM	10.00	0.21	YES	YES
2003	Pontiac	Grand Am	4	11:17 AM	11.83	0.32	YES	YES
1986	Mazda	2600 Truck	11	11:19 AM	3.56	0.89	NO	YES
2001	Toyota	Highlander	2	11:22 AM	13.06	0.20	*ND	N/A
2000	Daewoo	Nuhira	12	11:37 AM	11.58	0.22	YES	YES
2005	Lincoln	LS	3	11:41 AM	15.99	0.19	YES	YES
1988	Honda	Prelude	6	11:40 AM	2.00	0.92	NO	YES
1990	Ford	Explorer	8	11:15 AM	5.50	N/A	NO	N/A
1997	Toyota	T100	9	11:19 AM	18.00	0.96	NO	YES
2006	Ford	Ranger	6	11:23 AM	14.87	0.37	YES	YES
2005	Chrysler	PT Cruiser	10	11:26 AM	1.10	0.77	YES	**NO**
2002	Isuzu	Rodeo	11	11:32 AM	7.80	0.51	YES	**NO**
1998	Honda	Accord	10	11:33 AM	13.80	N/A	NO	N/A
2005	Dodge Pick-Up		9	11:30 AM	8.00	0.32	YES	YES
1999	Chevrolet	Tahoe	8	11:38 AM	4.50	N/A	NO	N/A
2005	Toyota	Prius	9	11:38 AM	5.79	0.48	YES	YES
2002	Honda	Odyssey	11	11:40 AM	14.30	0.28	YES	YES
1997	Toyota	Corolla	12	11:44 AM	2.23	0.77	NO	YES
2005	Toyota	Prius	3	11:47 AM	4.50	0.35	YES	YES

ORVR VEHICLE DETERMINATION DATA

B.01/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2002	Ford	Escort	8	9:32 AM	7.93	0.69	YES	**NO**
2003	Honda	Accord	4	9:35 AM	15.11	0.34	YES	YES
1998	Ford	Explorer	8	9:43 AM	19.23	1.11	ND*	N/A
2006	Nissan	Altima	6	9:44 AM	4.33	0.57	YES	**NO**
2003	Chevrolet	3500 (1-ton Van)	2	9:53 AM	18.32	1.05	YES	**NO**
2005	Hummer	H2	5	9:53 AM	17.18	0.36	YES	YES
1999	Mazda	626	6	10:21 AM	4.13	0.33	ND*	N/A
1998	Chevrolet	Cavalier	5	10:23 AM	5.98	1.12	ND*	N/A
2003	Nissan	Murano	8	10:23 AM	4.14	0.56	YES	**NO**
2006	Ford	Explorer	3	10:26 AM	18.60	0.24	YES	YES
2006	Lexus	GX470	4	10:32 AM	13.01	0.22	YES	YES
1996	Nissan	Pickup	11	10:40 AM	8.27	1.02	NO	YES
2003	Nissan	Altima	5	10:49 AM	8.27	0.25	YES	YES
1995	Chevrolet	Barretta	10	10:53 AM	5.37	0.92	NO	YES
2000	Nissan	Frontier	7	10:57 AM	6.20	0.93	NO	YES
2004	Honda	CRV	2	11:02 AM	12.15	0.33	YES	YES
1996	Jeep	Cherokee	6	11:01 AM	4.13	0.93	NO	YES
2003	Mazda	323	6	11:28 AM	6.03	0.28	YES	YES
2000	Dodge	Dakota	2	11:29 AM	12.41	1.08	NO	YES
2006	Ford	Taurus	11	11:31 AM	13.78	0.25	YES	YES

ORVR VEHICLE DETERMINATION DATA

C.01/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1996	Lexus	ES 500	7	9:06 AM	13.09	N/A	NO	N/A
1991	Toyota	Camry	6	9:07 AM	7.79	1.06	NO	YES
2001	Chevrolet	Suburban	5	9:13 AM	12.00	0.81	NO	YES
1994	Honda	Accord	7	9:14 AM	13.31	0.96	NO	YES
2006	Ford	Mustang	4	9:16 AM	13.48	0.24	YES	YES
2006	Chrystler	Town & Country	5	9:23 AM	13.24	0.19	YES	YES
2004	Chevrolet	Cheyenne	1	9:29 AM	9.73	0.92	YES	**NO**
2006	Scion	tC	2	9:36 AM	12.03	0.27	YES	YES
2007	Chrystler	Sebring	4	9:53 AM	3.89	1.17	YES	**NO**
2003	Ford	F-150	4	9:57 AM	5.31	0.84	YES	**NO**
1998	Ford	Explorer	4	9:59 AM	5.84	0.93	NO	YES
1994	Oldsmobile	Eighty Eight	5	10:07 AM	9.73	0.83	NO	YES
2004	Toyota	Sienna	1	10:13 AM	18.21	0.26	YES	YES
1990	Ford	Ranger	4	10:17 AM	9.73	0.91	NO	YES
2004	Mercury	Mountaineer	4	10:27 AM	3.89	0.44	YES	YES
1991	Mazda	323	7	10:27 AM	3.89	0.93	NO	YES
2001	Mazda	MPV	5	10:33 AM	14.42	0.37	YES	YES
2006	Honda	Accord	8	10:35 AM	13.28	0.29	YES	YES
1976	Chevrolet	Cheyenne	4	11:13 AM	7.79	1.18	NO	YES
1990	Ford	Mustang	7	11:25 AM	8.12	0.93	NO	YES

ORVR VEHICLE DETERMINATION DATA

D.01/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1995	Dodge	Ram 1500	9(87)	11:55 AM	16.27	1.18	NO	YES
2001	Oldsmobile	Intrigue	11(87)	12:01 PM	4.07	0.28	YES	YES
1991	Lincoln	Towncar	7(89)	12:09 PM	7.82	1.06	NO	YES
1999	Ford	F150	11(87)	12:13 PM	16.27	1.13	NO	YES
2003	Toyota	Tundra SR5	11(87)	12:15 PM	21.83	0.26	YES	YES
1996	Chevrolet	Corsica	7(87)	12:23 PM	4.33	1.14	NO	YES
1996	Chevrolet	Cavalier	9(87)	12:30 PM	4.07	0.98	NO	YES
2007	Pontiac	G6	7(87)	12:32 PM	7.73	0.23	YES	YES
1990	Oldsmobile	Cutlass	9(87)	12:35 PM	4.07	1.01	NO	YES
1993	Cadilac	Seville	7(87)	12:40 PM	16.27	1.09	NO	YES
1999	Ford	Explorer XLT	7(87)	12:44 PM	5.69	0.91	NO	YES
2004	Honda	Civic	7(87)	12:48 PM	5.70	0.22	YES	YES
1999	Lincoln	Navigator	7(87)	12:50 PM	4.08	0.59	NO	YES
1999	Dodge	1500	7(87)	12:55 PM	4.07	0.75	NO	YES
2006	Suburu	Impreza	7(87)	1:00 PM	7.86	0.20	YES	YES
1982	Mazda	Rx-7	11(89)	1:02 PM	11.72	n/a	NO	N/A
1998	Mazda	Protégé	7(87)	1:07 PM	4.07	1.07	N/A	N/A
1999	Toyota	Tacoma	9(87)	1:12 PM	10.17	0.98	NO	YES
1999	Ford	Windstar	9(87)	1:15 PM	4.07	1.04	NO	YES
2001	Suburu	Forester	11(87)	1:21 PM	8.01	0.66	YES	**NO**
1998	Mitsubishi	Montero Sport	9(87)	1:24 PM	8.13	1.02	NO	YES

ORVR VEHICLE DETERMINATION DATA

E.01/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2005	Jaguar	S-type	1	10:59 AM	11.07	0.23	YES	YES
2005	Chevrolet	Express	10	10:59 AM	19.86	N/A	YES	N/A
1999	Chevrolet	Express	4	11:09 AM	15.37	0.88	NO	YES
2000	Jeep	Grand Cherokee	6	11:12 AM	20.31	0.87	YES	**NO**
2007	Ford	Ranger	4	11:17 AM	12.30	0.26	YES	YES
1995	Chevrolet	1500	8	11:22 AM	4.84	0.85	NO	YES
2002	Subaru	Outback	7	11:24 AM	4.03	0.33	YES	YES
2006	Nissan	Titan	6	11:36 AM	24.21	0.33	YES	YES
2005	Chevrolet	Aveo	3	11:36 AM	4.03	0.37	YES	YES
2005	Dodge	Caravan	2	11:37 AM	14.86	0.23	YES	YES
2002	Toyota	Highlander	4	11:42 AM	14.52	0.25	YES	YES
2007	Acura	TL	7	11:47 AM	8.98	0.30	YES	YES
1986	Ford	F150	4	11:50 AM	19.42	0.91	NO	YES
1999	Ford	Econoline Van	1	11:52 AM	10.27	0.89	NO	YES
2003	Ford	Escape	1	12:01 PM	4.03	0.45	YES	YES
2005	Chevrolet	Silverado	10	12:03 PM	19.39	0.22	YES	YES
2005	Nissan	Quest	1	12:05 PM	6.05	0.28	YES	YES
1986	Ford	Econolone E150	3	12:06 PM	4.03	0.90	NO	YES
2002	Toyota	Sequoia	7	12:08 PM	21.19	0.90	YES	**NO**
2004	Nissan	Frontier	2	12:17 PM	8.07	1.11	YES	**NO**
1986	Mitsubishi	Pickup	7	12:17 PM	7.75	0.87	NO	YES

ORVR VEHICLE DETERMINATION DATA

A.02/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2000	Nissan	Sentra	7	10:24 AM	10.10	0.33	YES	YES
2004	Saturn	Vue	8	10:25 AM	13.11	0.89	YES	**NO**
2001	Chrysler	PT Cruiser	11	10:29 AM	10.94	0.18	YES	YES
1969	GMC	1500 Truck	7	10:34 AM	14.65	1.03	NO	YES
2002	Lexus	IS 300	12	10:39 AM	15.93	0.20	YES	YES
2006	Toyota	Sienna	6	10:46 AM	18.06	0.27	YES	YES
2005	Ford	F150	8	10:50 AM	7.45	0.63	YES	**NO**
1996	Mercury	Mountaineer	8	10:56 AM	17.00	0.84	NO	YES
1999	Mercedes	E20	10	10:58 AM	10.75	1.19	NO	YES
2001	Jaguar	S Type	12	10:59 AM	8.33	0.19	YES	YES
1992	Ford	Mustang	10	11:02 AM	5.61	0.93	NO	YES
2005	Jeep	Liberty	12	11:04 AM	16.16	0.18	YES	YES
1993	Ford	Bronco	3	11:08 AM	3.71	1.08	NO	YES
2002	Kia	Sedona	7	11:05 AM	15.74	0.27	YES	YES
2003	Chrysler	Sebring	9	11:06 AM	4.45	0.35	YES	YES
2005	Toyota	Prius	8	11:09 AM	3.92	0.44	YES	YES
2002	Ford	Explorer	4	11:12 AM	20.16	0.33	YES	YES
1995	Saturn	SL1	11	11:16 AM	9.36	0.95	NO	YES
2003	Honda	CRV	11	11:08 AM	12.18	0.20	YES	YES
1996	BMW	525i	12	11:10 AM	14.71	0.90	NO	YES
2005	BMW	745Li	8	11:15 AM	23.46	0.26	YES	YES

ORVR VEHICLE DETERMINATION DATA

B.02/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1993	Dodge	Grand Caravan	5	9:24 AM	3.50	1.10	NO	YES
2003	Chevrolet	Avalanche	6	9:40 AM	29.73	0.99	YES	**NO**
1994	Ford	Ranger	6	9:54 AM	12.46	1.02	NO	YES
2006	Honda	Accord	8	10:03 AM	3.89	0.42	YES	YES
2003	Toyota	Highlander	1	10:12 AM	11.57	0.27	YES	YES
2005	Cadillac	Escalade	8	10:43 AM	15.01	0.26	YES	YES
2005	Chevrolet	Suburban	10	11:00 AM	22.99	0.34	YES	YES
2001	Toyota	Camry	10	11:07 AM	15.90	0.26	YES	YES
1997	GMC	Sierra	6	11:14 AM	5.25	0.63	NO	YES
2002	Toyota	Camry	1	11:16 AM	15.58	0.39	YES	YES
2002	Kia	Sportage	7	11:20 AM	5.25	0.49	ND*	N/A
2004	Volkswagon	Beetle	1	11:23 AM	5.25	0.37	YES	YES
2006	Hummer	H3	7	11:25 AM	13.53	1.18	YES	**NO**
2001	Ford	Expedition	10	11:39 AM	23.09	1.12	ND*	N/A
1997	Mercury	Grand Marquis	6	11:53 AM	10.50	1.00	NO	YES
1987	Saab	900S	11	11:53 AM	7.00	1.13	NO	YES
2004	Chevrolet	Tahoe	1	11:56 AM	20.85	0.27	YES	YES
1995	Saturn	SE	8	11:59 AM	4.20	1.11	NO	YES
2003	Nissan	Titan	10	12:02 PM	20.64	0.29	YES	YES
1996	Toyota	Camry	8	12:03 PM	15.00	1.11	NO	YES

ORVR VEHICLE DETERMINATION DATA

C.02/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1995	Ford	Econoline	2	9:03 AM	20.99	1.06	NO	YES
2007	Nissan	Quest	4	9:06 AM	7.00	0.28	YES	YES
1995	Ford	F-150	1	9:08 AM	13.43	1.03	NO	YES
1991	Ford	Aerostar	1	9:14 AM	3.50	1.02	NO	YES
2004	Honda	CRV	7	9:16 AM	7.00	0.21	YES	YES
2000	Honda	Civic	8	9:20 AM	10.37	0.55	YES	**NO**
2005	Nissan	Sentra	4	9:23 AM	9.45	N/A	YES	N/A
2000	Toyota	Sienna	2	9:23 AM	10.59	1.00	YES	**NO**
1996	Saturn	SL-2	7	9:32 AM	7.00	1.01	NO	YES
1991	Honda	Civic	6	9:36 AM	11.46	0.28	NO	**NO**
2004	Honda	Accord	1	9:39 AM	3.50	0.65	YES	**NO**
2001	Chevrolet	Monte Carlo	2	9:42 AM	4.25	N/A	YES	N/A
2005	Mercedes	Kompressor	7	9:45 AM	10.39	1.23	YES	**NO**
2005	Nissan	Altima	2	9:54 AM	7.13	0.33	YES	YES
2006	Toyota	Camry	4	10:01 AM	3.49	0.33	YES	YES
1988	Mazda	626	2	10:14 AM	3.50	1.05	NO	YES
1986	Mercedes	560SEL	7	10:18 AM	11.87	1.07	NO	YES
1995	Toyota	Camry	5	10:26 AM	12.00	0.93	NO	YES
1995	Honda	Civic	4	10:29 AM	3.50	0.99	NO	YES
1992	Mazda	MPV	5	10:39 AM	7.00	0.89	NO	YES

ORVR VEHICLE DETERMINATION DATA

D.02/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2001	Nissan	Sentra GXE	9	10:30 AM	3.87	0.33	YES	YES
1991	Plymouth	Voyager	7	10:32 AM	7.18	1.04	NO	YES
1989	Nissan	240SX	11	10:37 AM	7.19	0.99	NO	YES
2002	Mercedes	C240	11	10:41 AM	5.39	1.31	YES	**NO**
1995	Suzuki	Sidekick	1	10:43 AM	7.17	1.01	NO	YES
1991	Honda	Accord	2	10:46 AM	5.04	1.05	NO	YES
1982	Toyota	Truck	7	10:49 AM	7.75	1.03	NO	YES
2006	Ford	Freestar	7	10:54 AM	18.53	0.18	YES	YES
2001	Toyota	Camry XLE	9	10:59 AM	11.83	0.23	YES	YES
1991	Honda	Civic LX	6	11:04 AM	4.67	0.99	NO	YES
1996	Honda	Prelude	6	11:15 AM	13.49	0.98	NO	YES
2002	Honda	Civic EX	3	11:31 AM	4.65	0.21	YES	YES
2005	Chevrolet	Uplander LS	6	11:39 AM	19.38	0.14	*ND	N/A
2001	Mitsubishi	Eclipse	5	11:42 AM	10.21	0.18	YES	YES
2004	Mitsubishi	Galant ES	2	11:49 AM	11.63	0.27	YES	YES
2004	Nissan	350Z	2	12:01 PM	5.32	N/A	YES	N/A
1993	Toyota	4 Runner	1	12:02 PM	7.74	N/A	NO	N/A
1984	Pontiac	Fiero	11	12:05 PM	3.87	1.18	NO	YES
2000	Nissan	Quest	8	12:16 PM	9.69	1.01	*ND	N/A
1970	Chevrolet	Nova	2	12:27 PM	3.87	1.05	NO	YES
1987	Jeep	Cherokee	7	12:32 PM	4.26	1.01	NO	YES

ORVR VEHICLE DETERMINATION DATA

E.02/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2001	BMW	740 iL	9	11:00 AM	6.45	1.12	YES	**NO**
2004	Honda	Element	1	11:11 AM	4.01	0.29	YES	YES
2000	Hyundai	Accent	7	11:24 AM	6.98	0.39	YES	YES
1996	Toyota	4-Runner	1	11:24 AM	11.62	0.93	NO	YES
2003	Nissan	Frontier	3	11:24 AM	16.62	0.26	YES	YES
1995	Jeep	Cherokee	1	11:29 AM	13.97	0.83	NO	YES
2000	Infiniti	G20	7	11:35 AM	7.67	0.36	YES	YES
2007	Lexus	GX470	4	11:38 AM	10.28	0.26	YES	YES
2004	Subaru	Lancer	10	11:45 AM	11.27	0.38	YES	YES
2000	Ford	Focus	7	11:48 AM	3.49	0.33	YES	YES
2002	GMC	Safari	1	11:57 AM	16.00	0.22	YES	YES
1989	Dodge	Caravan	1	12:15 PM	3.49	0.90	NO	YES
2000	Dodge	Caravan	9	12:19 PM	6.97	0.76	YES	**NO**
2000	Toyota	Camry	1	12:19 PM	6.97	0.60	YES	**NO**
2004	Lexus	GS300	4	12:25 PM	6.45	0.25	YES	YES
1978	Oldsmobile	Cutlass	10	12:31 PM	12.90	0.90	NO	YES
2007	Saturn	Aura XE	1	12:37 PM	12.20	1.14	YES	**NO**
2000	Honda	Civic	8	12:43 PM	11.26	0.23	YES	YES
2004	Volvo	XL 90	2	12:43 PM	14.81	1.10	YES	**NO**
1994	Honda	Accord	1	12:47 PM	3.23	0.87	NO	YES

ORVR VEHICLE DETERMINATION DATA

A.03/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assesment?
2003	Mazda	6	4	10:47 AM	14.00	0.24	YES	YES
2006	Mazda	MX5	7	10:47 AM	10.00	0.45	YES	YES
2000	Toyota	Sienna	11	10:55 AM	17.95	1.09	YES	**NO**
2000	Honda	Accord	11	11:30 AM	15.19	0.28	YES	YES
2000	Nissan	Pick-up	8	11:36 AM	9.49	N/A	NO	N/A
2006	Honda	Accord	10	11:41 AM	6.33	0.21	YES	YES
2005	Ford	Windstar	9	11:45 AM	18.16	0.26	YES	YES
1996	honda	Accord	11	11:50 AM	10.07	1.07	NO	YES
2000	Chrysler	Voyager	3	11:48 AM	9.50	0.99	NO	YES
1996	Chrysler	Sebring	7	11:48 AM	6.65	1.00	NO	YES
2006	Honda	Civic	11	12:00 PM	11.37	N/A	YES	N/A
1993	Chevrolet	Blazer	3	12:02 PM	12.66	0.98	NO	YES
1993	Infiniti	J30t	11	12:10 PM	6.13	1.09	NO	YES
2000	Chevrolet	Corvette	8	12:14 PM	2.96	0.35	YES	YES
1993	Nissan	Pick-up	3	12:15 PM	2.85	0.80	NO	YES
2005	Honda	CRV	10	12:18 PM	12.67	0.24	YES	YES
2000	Lexus	RX300	3	12:20 PM	11.24	N/A	YES	N/A
2004	Subaru	Forrester	2	12:20 PM	11.76	0.23	YES	YES
2006	Mazda	RX8	4	12:30 PM	5.92	0.25	YES	YES
2007	Toyota	Corolla	9	12:28 PM	9.94	0.33	YES	YES

ORVR VEHICLE DETERMINATION DATA

B.03/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2005	Chevrolet	Impala	1	9:11 AM	5.99	0.30	YES	YES
2002	Lexus	S300	4	9:13 AM	6.17	0.25	YES	YES
2005	GMC	Sierra	2	9:14 AM	8.95	0.53	YES	**NO**
1978	Chevrolet	Silverado	5	9:25 AM	7.06	1.20	NO	YES
1996	Chevrolet	Impala	8	9:24 AM	3.09	1.04	ND*	N/A
2002	Chevrolet	Avalanche	6	9:27 AM	11.46	1.15	ND*	N/A
2006	Lexus	RX330	4	9:31 AM	6.17	N/A	YES	N/A
2005	Chevrolet	Silverado	1	9:37 AM	21.27	1.16	YES	**NO**
2006	Ford	F-150	5	9:42 AM	22.39	0.29	YES	YES
2005	Nissan	Titan	8	9:43 AM	16.74	0.33	YES	YES
2004	Ford	F-150	6	9:46 AM	22.37	N/A	YES	N/A
2006	Chrysler	300	4	9:54 AM	16.75	0.23	YES	YES
1996	Ford	Explorer	6	9:58 AM	3.09	1.10	ND*	YES
1994	Honda	Civic	2	10:02 AM	4.63	1.09	NO	YES
2006	Mitsubishi	Endeavor	8	10:07 AM	13.89	0.29	YES	YES
1992	Chevrolet	1500	4	10:10 AM	12.35	1.04	NO	YES
2001	Chevrolet	Suburban	2	10:10 AM	5.59	1.09	ND*	N/A
2006	GMC	Sierra	8	10:21 AM	8.47	0.55	YES	**NO**
2006	Scion	TYCXB	6	10:22 AM	3.09	0.47	YES	YES
2002	Chevrolet	Camaro	8	10:26 AM	13.81	0.19	YES	YES

ORVR VEHICLE DETERMINATION DATA

C.03/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
2007	Mercedes	GL450	2	9:02 AM	22.00	0.37	YES	YES
2004	Jeep	4x4	5	9:09 AM	6.06	0.34	YES	YES
2005	Chrystler	Town & Country	4	9:10 AM	7.86	0.27	YES	YES
1995	Ford	Ecoline	6	9:11 AM	6.29	1.11	NO	YES
1993	Ford	Thunderbird	5	9:18 AM	6.29	0.91	NO	YES
1999	Toyota	Tacoma	5	9:24 AM	4.34	0.91	YES	**NO**
1996	Chevrolet	Astro	7	9:26 AM	4.74	N/A	NO	N/A
2004	BMW	325CI	7	9:32 AM	5.88	0.33	YES	YES
1996	Nissan	Frontier	3	9:32 AM	12.58	1.03	NO	YES
1999	Volkswagon	Passat	1	9:38 AM	13.01	0.25	YES	YES
1989	Toyota	Corrolla	5	9:42 AM	6.29	0.90	NO	YES
2004	Lincoln	Navigator	4	9:44 AM	23.59	0.99	YES	**NO**
1996	Acura	3.5RL	7	9:50 AM	6.40	1.11	NO	YES
2005	Nissan	Altima	2	10:00 AM	4.77	0.28	YES	YES
2007	Jeep	4x4	6	10:03 AM	10.00	0.34	YES	YES
2005	Chrystler	Town & Contry	8	10:07 AM	16.13	0.71	YES	**NO**
1994	Ford	Explorer	1	10:13 AM	6.62	1.12	NO	YES
1989	Sonoma	GMC truck	7	10:24 AM	6.66	N/A	NO	N/A
1993	Ford	Aerostar	2	10:27 AM	4.79	1.01	NO	YES
1990	Chevrolet	Suburban	1	10:32 AM	23.59	1.11	NO	YES

D.03/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assesment?
1996	Chevrolet	Camaro	7	11:15 AM	12.80	1.00	NO	YES
2002	Ford	Focus	7	11:22 AM	8.00	0.21	YES	YES
2002	Honda	Accord	1	11:43 AM	9.60	0.21	YES	YES
1986	Jeep	Cherokee	7	11:50 AM	4.90	1.00	NO	YES
1988	Honda	Accord	4	11:57 AM	3.80	0.97	NO	YES
2003	Hyundai	Elantra	9	12:02 PM	12.20	0.19	YES	YES
2005	Ford	Mustang	10	12:09 PM	9.60	1.25	YES	**NO**
1996	Jeep	Cherokee	9	12:12 PM	6.40	1.00	YES	**NO**
1992	Volvo	940 GL	5	12:14 PM	12.40	1.03	NO	YES
1997	Toyota	Corolla	12	12:16 PM	3.20	1.02	*ND	N/D
1991	Lexus	SC 400	5	12:24 PM	12.40	0.76	NO	YES
1998	Ford	Explorer	4	12:31 PM	6.41	1.07	NO	YES
2000	Honda	Odyssey	6	12:32 PM	12.81	0.97	YES	**NO**
1990	Dodge	Ram Van	10	12:45 PM	6.40	1.07	NO	YES

ORVR VEHICLE DETERMINATION DATA

E.03/07

Year	Make	Model	Fueling Point	Starting Dispensing Time	Gallons Dispensed	V/L from TLS	ORVR Vehicle?	Did ISD Make Correct Assessment?
1992	Nissan	Hardbody	8	10:41 AM	12.74	1.03	NO	YES
2000	Dodge	Caravan	7	10:52 AM	11.00	1.00	YES	**NO**
2008	Saturn	Sky	4	10:56 AM	12.38	0.26	YES	YES
2003	Nissan	Pathfinder	10	10:58 AM	3.50	0.40	YES	YES
2003	Honda	CRV	8	10:58 AM	12.19	0.22	YES	YES
2008	Ford	Escape	9	11:19 AM	11.24	1.14	YES	**NO**
2005	Chevrolet	Express	8	11:29 AM	24.93	0.23	YES	YES
2002	Ford	Ranger	1	11:31 AM	11.91	0.32	YES	YES
2002	Honda	Civic	10	11:37 AM	10.68	0.28	YES	YES
1992	Jeep	Wrangler	4	11:38 AM	6.37	1.03	NO	YES
2007	Mercedes	C320	8	11:44 AM	6.24	1.11	YES	**NO**
2003	Toyota	Tundra	10	11:46 AM	15.29	0.25	YES	YES
1990	Mercedes	420 SEL	2	11:48 AM	19.06	0.95	NO	YES
2005	GMC	Yukon XL	2	12:04 PM	3.19	0.26	YES	YES
2003	Ford	Focus	7	12:06 PM	6.38	0.16	YES	YES
2000	Chevrolet	Silverado	7	12:10 PM	6.37	0.93	NO	YES
1984	Honda	Civic DX	10	12:17 PM	4.78	0.88	NO	YES
2001	Ford	E350	8	12:18 PM	21.82	1.02	NO	YES
2004	Jeep	Grand Cherokee	2	12:20 PM	17.81	1.13	YES	**NO**
2007	Mercedes	ML500	9	12:23 PM	16.38	0.42	YES	YES

VAPOR PRESSURE SENSOR AMBIENT REFERENCE TEST

A.01/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	1	2
Pressure Sensor Serial Number		
Serial Number:	1227	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.097	Must be between +0.20 and -0.20

B.01/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1232	
Non-Calibrated Sensor Value		
In. of Water Column:	-0.032	Must be between +0.20 and -0.20

C.01/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	3	4
Pressure Sensor Serial Number		
Serial Number:	1163	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.027	Must be between +0.20 and -0.20

D.01/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	11	12
Pressure Sensor Serial Number		
Serial Number:	1258	
Non-Calibrated Sensor Value		
Inches of Water Column:	-0.079	Must be between +0.20 and -0.20

E.01/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1124	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.056	Must be between +0.20 and -0.20

VAPOR PRESSURE SENSOR AMBIENT REFERENCE TEST

A.02/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	1	2
Pressure Sensor Serial Number		
Serial Number:	1227	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.096	Must be between +0.20 and -0.20

B.02/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1232	
Non-Calibrated Sensor Value		
Inches of Water Column:	-0.032	Must be between +0.20 and -0.20

C.02/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	3	4
Pressure Sensor Serial Number		
Serial Number:	1163	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.017	Must be between +0.20 and -0.20

D.02/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	11	12
Pressure Sensor Serial Number		
Serial Number:	1258	
Non-Calibrated Sensor Value		
Inches of Water Column:	-0.080	Must be between +0.20 and -0.20

E.02/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1124	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.054	Must be between +0.20 and -0.20

VAPOR PRESSURE SENSOR AMBIENT REFERENCE TEST

A.03/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	1	2
Pressure Sensor Serial Number		
Serial Number:	1227	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.097	Must be between +0.20 and -0.20

B.03/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1232	
Non-Calibrated Sensor Value		
In. of Water Column:	-0.034	Must be between +0.20 and -0.20

C.03/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	3	4
Pressure Sensor Serial Number		
Serial Number:	1163	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.018	Must be between +0.20 and -0.20

D.03/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	11	12
Pressure Sensor Serial Number		
Serial Number:	1258	
Non-Calibrated Sensor Value		
Inches of Water Column:	-0.078	Must be between +0.20 and -0.20

E.03/07

Pressure Sensor Location		
	FP	FP
Fueling Point Numbers:	9	10
Pressure Sensor Serial Number		
Serial Number:	1124	
Non-Calibrated Sensor Value		
Inches of Water Column:	0.057	Must be between +0.20 and -0.20

DATA SHEET FOR DETERMINATION OF PRESSURE IN UNDERGROUND GASOLINE STORAGE TANKS

A.01/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)					Observed Underground Storage Tank Pressure		
							Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	9:50 AM	Initial Ambient Temperature (Degrees F):				51.60	-8.879	-6.000	*
	9:52 AM						-8.801	-6.000	*
	9:54 AM						-8.714	-6.000	*
	9:56 AM						-8.654	-6.000	*
	9:58 AM						-8.969	-6.000	*
									*
Stop Time:	10:00 AM	Final Ambient Temperature (Degrees F):				52.30	-9.003	-6.000	*
		Ambient Temperature Change (Degrees F):				0.70			

B.01/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	8:52 AM	Initial Ambient Temperature (Degrees F):	38.40	4.520	4.648	0.128
Stop Time:	9:02 AM	Final Ambient Temperature (Degrees F):	39.10	4.340	4.442	0.102
		Ambient Temperature Change (Degrees F):	0.70			

Note: The underground storage tank was under a vacuum; therefore, the observed "pressure" readings are actually negative values.

C.01/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	10:12 AM	Initial Ambient Temperature (Degrees F):	56.4	0.110	0.150	0.040
Stop Time:	10:22 AM	Final Ambient Temperature (Degrees F):	59.90	-0.800	-0.066	0.014
		Ambient Temperature Change (Degrees F):	3.50			

** Difference is not shown because TLS console reading max/min is +/--6.0*

DATA SHEET FOR DETERMINATION OF PRESSURE IN UNDERGROUND GASOLINE STORAGE TANKS

D.01/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure				
				Manometer Reading (inches H2O)			TLS Reading (inches H2O)	Difference
Start Time:	11:34 AM	Initial Ambient Temperature (Degrees F):	50.50		-9.255		-6.000	3.255
Stop Time:	11:44 AM	Final Ambient Temperature (Degrees F):	53.40		-9.427		-6.000	3.427
		Ambient Temperature Change (Degrees F):	2.90					

E.01/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	8:54 AM	Initial Ambient Temperature (Degrees F):	52.70	-8.270	-6.000	2.270
Stop Time:	9:04 AM	Final Ambient Temperature (Degrees F):	54.60	-8.130	-6.000	2.130
		Ambient Temperature Change (Degrees F):	1.90			

A.02/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)					Observed Underground Storage Tank Pressure		
							Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	9:45 AM	Initial Ambient Temperature (Degrees F):				55.10	-9.228		
	9:47 AM						-9.069	-6.000	3.069
	9:49 AM						-9.121	-6.000	3.121
	9:51 AM						-9.091	-6.000	3.091
	9:53 AM						-9.134	-6.000	3.134
Stop Time:	9:55 AM	Final Ambient Temperature (Degrees F):				55.40	-9.059	-6.000	3.059
		Ambient Temperature Change (Degrees F):				0.30			

DATA SHEET FOR DETERMINATION OF PRESSURE IN UNDERGROUND GASOLINE STORAGE TANKS

B.02/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	8:52 AM	Initial Ambient Temperature (Degrees F):	44.40	3.720	3.731	0.011
Stop Time:	9:02 AM	Final Ambient Temperature (Degrees F):	47.6	4.700	4.651	-0.049
		Ambient Temperature Change (Degrees F):	3.20			

Note: The underground storage tank was under a vacuum; therefore, the observed "pressure" readings are actually negative values.

C.02/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	11:28 AM	Initial Ambient Temperature (Degrees F):	59.3	-3.440	-3.330	0.110
Stop Time:	11:38 AM	Final Ambient Temperature (Degrees F):	56.90	-3.580	-3.583	-0.003
		Ambient Temperature Change (Degrees F):	-2.40			

D.02/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	10:35 AM	Initial Ambient Temperature (Degrees F):	60.60	-9.713	-6.000	*
Stop Time:	10:45 AM	Final Ambient Temperature (Degrees F):	59.70	-9.685	-6.000	*
		Ambient Temperature Change (Degrees F):	-0.90			

*Difference is not shown because TLS console reading max/min is +/- 6.0

DATA SHEET FOR DETERMINATION OF PRESSURE IN UNDERGROUND GASOLINE STORAGE TANKS

E.02/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	9:56 AM	Initial Ambient Temperature (Degrees F):	53.80	-6.650	-6.000	*
Stop Time:	10:06 AM	Final Ambient Temperature (Degrees F):	54.20	-6.660	-6.000	*
		Ambient Temperature Change (Degrees F):	0.40			

A.03/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)					Observed Underground Storage Tank Pressure				
								Manometer Reading (inches H2O)		TLS Reading (inches H2O)	Difference
Start Time:	10:00 AM	Initial Ambient Temperature (Degrees F):				49.20		-9.482		-6.000	*
	10:02 AM							-9.434		-6.000	*
	10:04 AM							-9.302		-6.000	*
	10:06 AM							-9.349		-6.000	*
	10:08 AM							-10.299		-6.000	*
Stop Time:	10:10 AM	Final Ambient Temperature (Degrees F):				50.80		-9.945		-6.000	*
		Ambient Temperature Change (Degrees F):				1.60					

* Difference is note shown because TLS console reading max/min is +/- 6.0

DATA SHEET FOR DETERMINATION OF PRESSURE IN UNDERGROUND GASOLINE STORAGE TANKS

B.03/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	8:50 AM	Initial Ambient Temperature (Degrees F):	48.1	-5.550	-5.459	0.091
Stop Time:	9:00 AM	Final Ambient Temperature (Degrees F):	51.4	-5.780	-5.795	-0.015
		Ambient Temperature Change (Degrees F):	3.30			

C.03/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	11:30 AM	Initial Ambient Temperature (Degrees F):	60.5	0.090	0.086	-0.004
Stop Time:	11:40 AM	Final Ambient Temperature (Degrees F):	58.70	0.030	0.02	-0.010
		Ambient Temperature Change (Degrees F):	-1.80			

D.03/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	11:02 AM	Initial Ambient Temperature (Degrees F):	55.30	-4.910	-5.160	-0.250
Stop Time:	11:12 AM	Final Ambient Temperature (Degrees F):	56.00	-4.627	-5.410	-0.783
		Ambient Temperature Change (Degrees F):	0.70			

E.03/07

Test Start/Stop Times		Observed Ambient Temperature (Cannot Exceed +/- 5 degrees F)		Observed Underground Storage Tank Pressure		
				Manometer Reading (inches H2O)	TLS Reading (inches H2O)	Difference
Start Time:	9:21 AM	Initial Ambient Temperature (Degrees F):	57.10	-8.210	-6.000	*
Stop Time:	9:31 AM	Final Ambient Temperature (Degrees F):	56.80	-8.390	-6.000	*
		Ambient Temperature Change (Degrees F):	-0.30			

*Difference is not shown because TLS console reading max/min +/- 6.0

ISD VAPOR FLOW METER OPERABILITY TEST

A.01/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1	6518	1.06	1.03	0.03	P					
3	6564	0.97	0.96	0.01	P					
5	6566	1.05	1.03	0.02	P					
7	6527	0.99	1.08	-0.09	P					
9	6567	0.95	0.93	0.02	P					
11	6565	0.93	0.91	0.02	P					

B.01/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
9	6349	0.99	0.93	0.06	P					
11	6374	1.09	1.07	0.02	P					
8	6372	1.08	1.10	-0.02	P					
6	6345	0.94	1.04	-0.10	P					
3	6336	1.12	1.12	0.00	P					
1	6353	1.01	1.07	-0.06	P					

C.01/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1-87	6418	0.90	0.89	0.01	P					
4-87	6333	0.92	0.90	0.02	P					
8-87	6419	1.13	1.11	0.02	P					
7-87	6419	0.99	0.91	0.08	P					
5-87	6373	0.88	0.83	0.05	P					
6-87	6373	1.06	1.04	0.02	P					
2-87	6418	1.01	1.00	0.01	P					
1-91	6481	0.90	0.89	0.01	P					
2-91	6418	1.01	0.93	0.08	P					
4-91	6333	0.92	0.95	-0.03	P					
5-91	6373	0.88	0.84	0.04	P					
6-91	6373	1.06	1.02	0.04	P					
8-91	6419	1.13	1.09	0.04	P					
7-91	6419	0.99	0.93	0.06	P					

ISD VAPOR FLOW METER OPERABILITY TEST

D.01/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1/2	6789	1.00	0.99	0.01	P					
3/4	6352	0.97	0.98	-0.01	P					
5/6	6408	0.97	*N/A	*N/A						
7/8	6405	1.07	1.03	0.04	P					
9/10	6720	1.02	1.02	0.00	P					
11/12	6409	1.08	1.12	-0.04	P					

**Nozzles #5 & #6 tagged out due to drive-off*

E.01/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1	6299	0.88	1.02	-0.14	P					
3	6300	1.09	1.09	0.00	P					
7	6295	0.86	1.02	-0.16	F	1.04	1.04	1.03	-0.17	
8	6295	0.97	1.08	-0.11	P					
9	6298	1.02	1.06	-0.04	P					

A.02/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
5	6566	1.04	1.04	0.00	P					
				0.00						

B.02/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
10	6349	1.07	1.08	-0.01	P					
12	6374	1.08	1.11	-0.03	P					
7	6372	1.07	0.97	0.10	P					
5	6345	1.09	1.15	-0.06	P					
1	6353	1.03	0.98	0.05	P					
3	6336	1.01	1.14	-0.13	P					

ISD VAPOR FLOW METER OPERABILITY TEST

C.02/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
3-87	6333	1.04	0.98	0.06	P					
4-87	6333	1.05	0.95	0.10	P					
7-87	6419	1.08	1.00	0.08	P					
8-87	6419	1.18	1.13	0.05	P					
6-87	6373	1.07	1.00	0.07	P					
5-87	6373	0.82	0.88	-0.06	P					
1-87	6418	1.02	0.95	0.07	P					
2-87	6418	1.05	0.95	0.10	P					
2-91	6418	1.05	0.98	0.07	P					
1-91	6418	1.02	0.95	0.07	P					
3-91	6333	1.04	0.96	0.08	P					
4-91	6333	1.05	0.97	0.08	P					
8-91	6419	1.18	1.13	0.05	P					
7-91	6419	1.08	0.99	0.09	P					
6-91	6373	1.07	1.01	0.06	P					
5-91	6373	0.82	0.86	-0.04	P					

D.02/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1/2	6789	1.00	0.95	0.05	P					
3/4	6352	1.04	1.01	0.03	P					
5/6	6408	1.00	0.93	0.07	P					
7/8	6405	1.06	1.03	0.03	P					
9/10	6720	1.04	0.98	0.06	P					
11/12	6409	1.12	1.10	0.02	P					

E.02/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
2	6299	0.92	1.06	-0.14	P					
4	6300	1.01	0.99	0.02	P					
8	6295	1.01	1.09	-0.08	P					
10	6298	0.91	0.98	-0.07	P					

ISD VAPOR FLOW METER OPERABILITY TEST

A.03/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1	6518	1.03	1.16	-0.13	P					
3	6564	0.96	0.99	-0.03	P					
5	6566	1.09	1.17	-0.08	P					
7	6527	0.99	1.05	-0.06	P					
9	6567	0.98	1.07	-0.09	P					
11	6565	1.06	1.09	-0.03	P					

B.03/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
10	6349	1.05	1.05	0.00	P					
12	6374	1.14	1.03	0.11	P					
8	6372	0.98	1.04	-0.06	P					
6	6345	1.14	1.02	0.12	P					
3	6336	1.12	1.09	0.03	P					
1	6353	1.07	1.07	0.00	P					

ISD VAPOR FLOW METER OPERABILITY TEST

C.03/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1-87	6418	1.00	1.07	-0.07	P					
2-87	6418	1.11	1.02	0.09	P					
5-87	6373	0.84	0.94	-0.10	P					
6-87	6373	1.12	1.03	0.09	P					
8-87	6419	0.98	1.14	-0.16	F					
7-87	6419	1.02	0.97	0.05	P					
4-87	6333	1.00	0.89	0.11	P					
3-87	6333	1.05	1.02	0.03	P					
7-91	6419	1.02	0.98	0.04	P					
8-91	6419	0.98	1.18	-0.20	F	1.16	1.13	1.16	-0.18	F
6-91	6373	1.12	1.02	0.10	P					
5-91	6373	0.84	0.91	-0.07	P					
4-91	6333	1.00	0.92	0.08	P					
3-91	6333	1.05	0.95	0.10	P					
1-91	6418	1.00	1.01	-0.01	P					
2-91	6418	1.11	1.01	0.10	P					

D.03/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1/2	6789	1.01	1.01	0.00	P					
3/4	6352	1.00	1.00	0.00	P					
5/6	6408	1.01	0.95	0.06	P					
7/8	6405	1.15	1.04	0.11	P					
9/10	6720	1.05	1.02	0.03	P					
11/12	6409	1.10	1.04	0.06	P					

E.03/07

Dispenser Fueling Point	Vapor Flow Meter serial number	ISD Daily Gross V/L Value:	V/L Test Result (1)	Difference bet. Daily Gross and (1)	Pass (P) or Fail (F)? (+/- 0.15)	V/L Test Result(2)	V/L Test Result(3)	Average of (1),(2),(3)	Difference bet. Daily Gross and Average of (1),(2),(3)	Pass (P) or Fail (F)?
1	6299	1.01	1.08	-0.07	P					
3	6300	1.02	1.07	-0.05	P					
7	6295	0.97	1.07	-0.10	P					
9	6298	1.02	1.02	0.00	P					