# *The Asian Continental Aerosol Plume: Impacts on California*

**Richard VanCuren, Ph.D.**

**ARB Research**

**January 22, 2004**



# Carbon Monoxide over Pacific Ocean

NASA MOPITT March-Dec. 2000

# Recognizing Asian Dust Transport













VanCuren, R., and T. Cahill, *J. Geophys. Res.* 107, December, 2002.

# Mean Aerosol Composition

## March - October 1989-1999 at Crater Lake and Mt. Lassen




VanCuren, R. A., *J. Geophys. Res.,* 108, October 2003.

# ITCT-2K2 Confirms Asian Influence






# Mountain vs. Coastal Impact

## Asian Dust Frequency %









# Findings

- Some Asian dust is natural - not itself a major problem
- Dust is accompanied by biomass smoke, agricultural dust, motor vehicle and industrial emissions
- Average Asian aerosol load at mountain sites is about 1/4 of CA PM10 and PM2.5 standards; 1/5 and 1/10 or Federal PM10 and PM2.5 standards.
- Asian aerosols can be a major component of PM in otherwise "clean" rural sites.
- Asian aerosols are a minor component of PM in heavily polluted areas, and the same conditions that trap pollutants near the ground preclude Asian PM from contributing to peak PM concentrations.

# Implications

- Typical low concentrations are a “floor” for PM concentrations
  - Only a small contribution to human exposure
  - Needs to be considered in Regional Haze programs
- Rare high concentrations (e.g. 1998 dust storms) may exceed PM standards
  - Low frequency (once a decade?) has little health significance
  - Need to be recognized as exceptional events
- Asian emissions may grow with economic expansion
  - Need to improve understanding and track changes