

California Global Warming Solutions Act of 2006

**General Stationary
Combustion Facility
GHG Emissions
Reporting Guidance**

California Air Resources Board

December 5, 2008

Participation Information

- Workshop materials:

<http://www.arb.ca.gov/cc/reporting/ghg-rep/ghg-rep.htm>

- Regulation and Staff Report
(includes Regulation and other materials):

<http://www.arb.ca.gov/regact/2007/GHG2007/GHG2007.htm>

- Webinar and Dial-In Information

- <https://www2.gotomeeting.com/register/752141161>

- Phone Dial-In: 888-677-4199
Access Code: 49578

Agenda

- Introduction and Overview
 - Process and implementation
- General Reporting Requirements
 - Preparing for reporting
- Detailed Cement Plant Requirements and Examples
- Questions

Mandatory Reporting Rulemaking Process

- Regulation approved by Board
December 2007
- Modifications released for comment
- Final Statement of Reasons (FSOR)
completed October 2008
- OAL approval December 2, 2008

Coordination with Future Regulations

- ARB Scoping Plan
- U.S. EPA Mandatory Reporting
- WCI Regional Reporting

ARB Instructional Guidance for Reporting

- Instructional guidance document available at:
<http://www.arb.ca.gov/cc/reporting/ghg-rep/ghg-rep.htm>
- Provides explanatory detail and examples, suggested best practices
- Not a substitute for the regulation

ARB's GHG Reporting Tool

- ARB providing web-based platform for GHG reporting
 - Available January 2009
- Reporting tool demonstration workshop
 - December 19, 2008, 9:30 – 12:30

Review of General GHG Reporting Requirements

Who's Responsible for Reporting?

- At facilities, the entity with operational control
- For electricity transactions, a retail provider, marketer, or facility operator

Exempt from Reporting

- Primary and secondary schools
- Hospitals
- Nuclear, hydroelectric, wind and solar power plant (except hybrids)
- Portable equipment
- Backup or emergency generators (permitted by air districts)

What Sources Are Reported

- Stationary combustion
- Process and fugitive emissions when specified
- Mobile emissions optional

What Gases Are Reported

- CO₂, CH₄, N₂O
- CO₂ from biomass fuels tracked separately
- HFCs, SF₆, PFCs where specified

Preparing for 2009 Reports

- Must report 2008 emissions in 2009
- 2009 reports should be complete
- Emissions calculations may be based on best available data and methods
 - Regulation methods preferred
- Verification is optional for 2009 emissions reports

Preparing for 2010 Reports

- 2010 emissions data report must meet full requirements of the regulation
- Monitoring equipment should be in place by January 1, 2009
- Everyone must verify their 2009 emissions data reports in 2010

Reporting Schedules

- Power and cogen plants within larger facilities/entities are on the larger facility/entity schedule
- Other power and cogen plants and most general combustion facilities report by April 1
- Other facilities (including oil & gas) and entities report by June 1

Fuel Analytical Data Capture

- Data collected to support calculations of GHG combustion emissions
 - Mass, volume, flow rate, heat content, carbon content
- Need 80% capture rate for source verification
- For <20% missing data:
 - Use 40 CFR Part 75/60 if applicable
 - Use mean of data captured if not

Fuel Use Measurement Accuracy

- Measurement procedures must assure fuel use is quantified within $\pm 5\%$ accuracy
- Maintain and calibrate devices to achieve $\pm 5\%$ accuracy
- Quarterly calibrations of operators' solid fuel scales
- Keep records for verification

Interim Data Collection Procedure

- ARB Executive Officer can approve interim procedure if fuel monitoring equipment breaks down
- When breakdown will result in $>20\%$ data loss for report year
- Limitations and procedure in section 95103

Using CEMS

- CEMS may be used to calculate combustion and process CO₂ emissions in most cases
- Operators may install new CEMS prior to January 2011
 - Meet 40 CFR Part 75 requirements
- Operators must choose between CEMS and fuel-based options for consistent reporting

Reporting *de minimis* Emissions

- Sources $\leq 3\%$ of facility emissions, not to exceed 20,000 MT CO₂e
- Emissions still reported, but may be estimated using alternative methods

Data Completeness, Record Keeping

- Retain documents on GHG inventory design, development and maintenance for five years
- Implement internal audit and QA for reporting program
- Log changes in accounting methods, instrumentation
- Specifications in sections 95104-95105

Third Party Verification

- Optional for 2009 emissions reports
- Required beginning in 2010
- Verification opinion due 6 months after report submittal

Verification: Key Steps

- Reporter contacts ARB-accredited verification body (VB)
- VB submits COI assessment to ARB
- Verification conducted following ARB OK
- Verification results discussed with reporter
- Reporter may revise report if time permits
- Verification body submits verification opinion to ARB and reporter

Verification Oversight

- ARB will provide training and accredit verifiers and verification bodies in 2009
- Verification process will assist compliance efforts and assure quality data
- Targeted review of submitted data and verifiers
- ARB responsible for enforcing regulation



Comments on general reporting requirements?



Mandatory GHG Emissions Reporting

General Stationary Combustion (GSC) Facilities

GHG Reporting Regulation §95115



What is a GSC?

- Not already included in another sector (refinery, cement, cogen, etc.)
- Emits $\geq 25,000$ metric tonnes CO₂/year from stationary combustion sources
 - Facility-wide total CO₂ emissions
 - Single facility only, even if multiple facilities under common ownership
 - Do include biomass or biogas combustion
 - Do not include process, fugitive, mobile emissions in assessment

Major GSC Sectors Affected

(only if $\geq 25,000$ metric tonnes/yr CO₂ from combustion)

- Natural gas transmission
- Industrial gases
- Paperboard manufacture
- Colleges and universities
- Oil production
- Food processing
- Steel foundries
- Mineral processes
- Glass container
- Malt beverages

How Will You Know If You Are a GSC Facility?

- ARB is working to inform all GSC facilities emitting $\geq 25,000$ metric tonnes of CO₂ of requirements
- Mailing out letters
- Fuel usage can be used to quickly approximate CO₂ emissions
 - Appendix A provides fuel usage and emissions factors to estimate CO₂ emissions

Is Your Facility a GSC?

- Regulation provides a look-up table to make preliminary assessment
- Compare annual fuel use to emissions

<i>Fuel Type</i>	<i>Fuel Units</i>	<i>Emission Factor Kg CO₂/Unit</i>	<i>Amount of fuel to produce 25,000 MT CO₂</i>
Natural Gas (unspecified)	scf	0.05	459,140,464
	MMBtu	53.02	471,520
Distillate Fuel (#1,2 &4)	Gal	10.14	2,466,011
Motor Gasoline	Gal	8.80	2,841,174
Coal (unspecified other industrial)	Short Ton	2,082.89	12,003
Petroleum Coke	MMBtu	102.04	244,996
	Short Ton	2530.70	9,830

Example: Evaluating Facility Emissions

- This facility is subject to reporting
- We will attempt to notify, but the responsibility is yours to report

Example. Evaluating CO₂ Emissions

ACME Rockets has 4 pieces of stationary equipment: three boilers and an onsite cogeneration unit with over 1 MW generating capacity producing over 2,500 tonnes CO₂/year.

The boilers burned 411,830 MMBtu of natural gas with a heat content of 1060 Btu/Scf. This produces 22,000 metric tonnes CO₂. (Using an emission factor of 53.42 kg CO₂/MMBtu, provided in the regulation)

The cogen unit burned 93,597 MMBtu of natural gas. This produces 5,000 metric tonnes of CO₂. (Using same emission factor above.)

Total CO₂ from stationary combustion:

Boilers + Cogen = 22,000 + 5,000 = 27,000 metric tonnes of CO₂

The facility emissions exceed the 25,000 metric tonne CO₂ reporting threshold and so must submit a GHG emissions data report to the ARB.

GSC Reporting



- First reports due by April 1, 2009, reporting on 2008 emissions
 - Verification optional
- May use “best available” data, for 2009
 - But reports must include all sources specified in reg.
- All 2010 reports must meet full requirements of regulation
 - Begin collecting fuel activity data by January 1, 2009
- Report emissions for GSC sources and gases by fuel type

GSC Verification: 2010

- First verification opinion due by October 1, 2010 (on 2010 report)
 - Optional for 2009, but suggested
- Re-Verification of reports triennially
 - Exception:
 - GSCs with Electric Generating or Cogeneration Facilities with nameplate generating capacity ≥ 10 MW and burning fossil fuels ($>3\%$ of total fuel) must verify annually (interim-year data checks)

GSC with Cogen or Electricity Generation

- If cogeneration or electricity generation ≥ 1 MW and emits $\geq 2,500$ metric tonnes from these sources:
 - Additional reporting requirements apply
 - Refer to cogen and electricity generation reporting requirements
 - Descriptive flow chart in guidance
- If generation thresholds not met, report emissions as part of stationary combustion

What to Report

- Fuel use, by fuel type for facility
- GHG combustion emissions by type (i.e., CO₂, CH₄, N₂O)
 - Emissions also for each fuel used
- Emissions from on-site electricity generation and cogeneration units as required
- Indirect energy use (electricity, heat, cooling)



Reporting Fuel Consumption



Estimating Fuel Consumption for Complete Facility

- Report all fuel consumed (by type) for stationary combustion sources
 - Mobile or portable equipment excluded
- May use fuel purchase records or on-site fuel meters
- May use “stock method” for fuels stored on site:
 - Annual Use = (Purchases – Sales) + (Initial Stock – Final stock)


Estimating Fuel Consumption by Process Unit

- If separately metered, report fuel use separately for each unit or group of units
 - Individual units could include boilers, driers, heaters, cogen systems, etc.
- Sum of unit-based fuel use may not necessarily equal facility-wide fuel totals

Reporting Fuel Use

- Units for reporting
 - Million standard cubic feet for gases
 - Gallons for liquids
 - Short tons for non-biomass solids
 - Bone dry short tons for biomass-derived solid fuels
- See Appendix A of regulation for conversion factors

Stationary Combustion GHG Emissions



Estimating CO₂ Emissions

- Calculate and report CO₂ at two levels of detail
 - Overall facility CO₂ emissions
 - Including fossil fuel and biomass totals
 - Emissions of CO₂ for each fuel type used
 - Fossil fuels, by type
 - Biomass fuels, by type
 - Waste derived fuels, by type

Example – CO₂ Reporting

- Facility Description
 - Natural gas boiler producing 20,000 metric tonnes of CO₂ per year
 - Oil-fired heater producing 5,000 tonnes of CO₂ per year
 - Cogeneration facility burning pure biomass producing 10,000 metric tonnes of CO₂ per year

Report

Total Facility Fossil CO ₂ Emissions	25,000 tonnes/year
Total Facility Biomass CO ₂ Emissions	10,000 tonnes/year
Natural Gas CO ₂ Emissions	20,000 tonnes/year
Fuel Oil CO ₂ Emissions	5,000 tonnes/year
Biomass CO ₂ Emissions	10,000 tonnes/year

Methods for Computing CO₂ from Combustion

- Multiple options available
- Default emission factors (EF) in regulation (§95125(a))
 - Simple calculation and inputs
 - $$\text{CO}_2 = \text{Fuel Use} \times \text{ARB High Heat Value} \times \text{ARB CO}_2 \text{ EF for Fuel} \times 0.001$$
- Continuous Emissions Monitoring Systems (CEMS)
 - Real-time measurement of emissions
 - Must meet specifications in regulation (§95125(g))

Example ARB Emission Factors

Fuel	Kg CO ₂ /MMBtu
Bituminous Coal	93.40
Natural Gas (unspec.)	53.02
Distillate Oil/Diesel	73.10
Gasoline	70.83
Wood Waste	93.90
Biogas (includes CO ₂ pass-through)	104.06

Source: ARB GHG Regulation, 15-day review draft, May 15, 2008

Methods for Computing CO₂ from Combustion (continued)

■ Measure Heat Content

- Measure fuel heat content as specified (§95125(c))
- Must report heat content

■ Measure Carbon Content

- Measure fuel carbon content as specified (§95125(c))
- Report measured carbon content
- Like heat content approach, requires additional resources but may provide greater accuracy

Methods for Computing CO₂ from Combustion (continued)

■ Source Testing

- Allowed for biomass or waste-derived fuels
- Requires approval of source test plan by ARB
- See 95115(b)(2), 95125(h) and guidance document Appendix B

■ Additional options for biomass, municipal solid waste, or waste-derived fuels burned with biomass

- See 95125(h)

Source Testing for GHGs

- Regulation provides specific source test options
 - CH₄ and N₂O combustion emissions (§95125(b)(4))
 - CO₂ from the combustion of biomass solid fuels, waste-derived fuels, or municipal solid waste (§95125 (h)(3))
 - CO₂ from geothermal generating facilities (§95111(i)(2))
 - Sulfur recovery process emissions at refineries (§95113(b)(5)(B))

GSC Facilities

CO₂ from Crude Oil or Natural Gas Production

- These facilities are a special case
 - NAICS Code of 211111
- Cannot use default emission factors
 - Fuels more variable
- Measure fuel heat, carbon, etc.
- See regulation and guidance document

Calculating CH₄ and N₂O Emissions

- Use default emission factors
 - Use ARB high heat value if available
 - Or measure high heat value
- Optional source testing
 - Requires preparation of source test plan and approval by ARB
 - Section 95125(b)(4) describes process
 - Appendix B of guidance includes methods and plan requirements

Computing CH₄ and N₂O

■ Compute emissions using EFs

Compute N₂O and CH₄ emissions from Natural Gas Combustion

--- Situation ---

500 MMScf of Natural Gas are burned per year at the facility

Question: How much N₂O and CH₄ does this produce?

Default heat content (HHV_D) : 1,027 Btu/scf {From fuel supplier

Default N₂O emission factor: 0.1g/ MMBtu {Values from regulation

Default CH₄ emission factor: 0.9 g/MMBtu

Equation from regulation Method 95125(b)(3):

$$\text{CH}_4 \text{ or N}_2\text{O} = \text{Fuel Use} * \text{HHV}_D * \text{EF}_D * 0.001$$

Computing CH₄ and N₂O

■ Step 1: Convert Units

Ensure all inputs are in the correct units.

The default emission factors are provided in *g*/MMBtu and not *kg*/MMBtu, as required for the emissions calculation equation

Convert the default emission factors from *g*/MMBtu to *kg*/MMBtu:

$$\text{N}_2\text{O}: 0.1 \text{ g/MMBtu} * 0.001 \text{ kg/g MMBtu} = 0.0001 \text{ kg/ MMBtu}$$

$$\text{CH}_4: 0.9 \text{ g/MMBtu} * 0.001 \text{ kg/g MMBtu} = 0.0009 \text{ kg/MMBtu}$$

Computing CH₄ and N₂O

■ Step 2: Apply the Emissions Equation

Step 2: Apply the equation:

$$\text{N}_2\text{O} = 500,000,000 \text{ scf} * 0.001027 \text{ MMBtu/scf} * 0.0001 \text{ kg N}_2\text{O/MMBtu} \\ * 0.001 \text{ metric tonne/kg}$$

$$\text{CH}_4 = 500,000,000 \text{ scf} * 0.001027 \text{ MMBtu/scf} * 0.0009 \text{ kg CH}_4\text{/MMBtu} \\ * 0.001 \text{ metric tonne/kg}$$

$$\text{N}_2\text{O} = 0.05 \text{ metric tonne}$$

$$\text{CH}_4 = 0.46 \text{ metric tonne}$$

Repeat this process for any other fuels burned

■ Use similar approach for computing CO₂ emissions using EFs

Other Reporting Requirements

Additional Reporting

- Electricity generation or cogeneration under control of GSC
 - If facility has capacity of 1 MW or more and CO₂ from generation is 2,500 tonnes or more, report using detailed electricity and cogen regulation requirements
 - If thresholds not triggered, report emissions and fuel combustion as stationary combustion sources for plant
- Report indirect energy usage
 - Electricity, heat, cooling (kWh or Btu)
 - Emissions not required

Other Data

- Mobile source emissions reporting is voluntary
 - Will be able to tag data as voluntarily in reporting tool
- Be very careful about unit conversions and maintaining consistent units during calculations

Data Requirements Summary (Part 1)

General Stationary Combustion		
Field Name	Description	Notes
Facility Level Totals		
Total CO ₂ Emissions (with biomass split out)	metric tons	* Note: This table is provided for information only. If any conflict is found between this table and the regulation, the regulation always takes precedence.
Total N ₂ O Emissions	metric tons	
Total CH ₄ emissions	metric tons	
Stationary Combustion Emissions (CO ₂ , CH ₄ , N ₂ O)		
Fuel Type	name	
Fuel consumed annually	scf, gal, tons	
Annual Average Carbon Content (if measured)	facility specific	
Annual Average Heat Content (if measured)	facility specific	
facility specific emission factors (if applicable)	kg CO ₂ /unit	by fuel type (multiple)
CEMS if applicable	metric tons	
Total Stationary Combustion Emissions	metric tons	by gas CO ₂ , CH ₄ , N ₂ O

Data Requirements Summary (Part 2)

Indirect Energy Use		
Annual Electricity Purchases	kWh	
Electricity Provider	name	
Annual Energy Purchase (steam)	BTUs	
Energy Provider	name	
Direct Process Emissions		
not applicable		
Fugitive Emissions		
not applicable		
Electricity Generation		
Use electricity generation reporting requirements		
Cogeneration		
Use cogeneration reporting requirements		

* Note: This table is provided for information only. If any conflict is found between this table and the regulation, the regulation always takes precedence.

What Can You Do Now?

- Become familiar with regulation
 - §95103, 95104, 95115, 95125, Appendix A
- Read appropriate guidance document chapters
<http://www.arb.ca.gov/cc/reporting/ghg-rep/ghg-rep.htm>
- Set up systems for tracking fuel and energy use during 2009
- Confirm availability of default EFs for fuels (Appendix A) if using this approach
 - Evaluate need for fuel testing based on fuel types
- Participate in reporting tool demo (12/18/2008)
- Begin preparing 2008 emissions report

Comments on GSC reporting requirements?



ARB Contacts

General Email Address for Questions

ghgreport@arb.ca.gov

Richard Bode – Chief
Emissions Inventory Branch

rbode@arb.ca.gov

(916) 323-8413

Doug Thompson – Manager
Climate Change Reporting Section

dthompson@arb.ca.gov

(916) 322-7062

GHG Mandatory Reporting Website

<http://www.arb.ca.gov/cc/reporting/>

[ghg-rep/ghg-rep.htm](http://www.arb.ca.gov/cc/reporting/ghg-rep/ghg-rep.htm)



Staff Contacts

General Reporting & GSCs, Patrick Gaffney

pgaffney@arb.ca.gov (916) 322-7303

Cogeneration, Renée Lawver

rlawver@arb.ca.gov (916) 323-0296

Cement, Patrick Gaffney

pgaffney@arb.ca.gov (916) 322-7303

Refineries & Hydrogen Plants, Byard Mosher

bmosher@arb.ca.gov (916) 323-1185

Electric Power Sector, Pamela Burmich

pburmich@arb.ca.gov (916) 323-8475

Verification Lead, Rajinder Sahota

rsahota@arb.ca.gov (916) 323-8503





Thanks for
participating