

Preliminary Draft - Do Not Cite or Quote

2006 Consumer and Commercial Products Survey

Table C - Categories Ranked by Mass Emissions

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
30508	Deodorant body spray	11,889.3	1,355.8	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
80105	Nonflat paint products	8,797.9	7.6	R	0.0	R	R	R	R	R	R	0.0	0.0
40403	Crawling bug insecticide (aerosol)	5,869.8	10,603.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80212	Ground traffic/marketing coatings	3,069.5	12.8	R	0.0	R	R	R	0.0	0.0	0.0	0.0	0.0
80106	Primers	2,947.1	0.2	R	0.0	0.0	R	R	R	R	R	0.0	R
80102	Flat paint products	2,605.2	2.0	R	0.0	R	0.0	R	0.0	0.0	R	0.0	0.0
60211	Paint remover or stripper	2,534.0	372.2	R	0.0	0.0	0.0	R	R	0.0	0.0	R	R

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound;

PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes;

CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)	Cumulative wt % VOC
30508	Deodorant body spray	0.0	R	R	0.0	0.0	0.0	0.0	0.0	128.9	162.2	241.0	5.945	19.44
80105	Nonflat paint products	R	0.0	0.0	0.0	0.0	R	0.0	0.0	1,701.4	779.9	3.6	4.399	33.82
40403	Crawling bug insecticide (aerosol)	0.0	R	R	0.0	0.0	R	0.0	0.0	385.3	41.6	77.9	2.935	43.41
80212	Ground traffic/markings coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	590.8	930.2	0.2	1.535	48.43
80106	Primers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	616.3	1,305.0	19.4	1.474	53.25
80102	Flat paint products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	456.7	381.5	0.3	1.303	57.51
60211	Paint remover or stripper	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	392.7	593.8	5.8	1.267	61.65

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80101	Clear coatings	1,877.7	1.6	R	0.0	R	0.0	R	R	R	0.0	0.0	0.0
30217	Heavy-duty hand cleaner or soap	1,667.1	1,367.1	R	0.0	0.0	R	0.0	0.0	0.0	0.0	R	0.0
40416	Lawn and garden insecticide (non-aerosol)	1,609.7	254.7	R	0.0	0.0	R	0.0	R	0.0	0.0	R	0.0
80104	Metallic coatings	1,458.0	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
40408	Flying bug insecticide (aerosol)	1,250.7	436.7	R	0.0	0.0	0.0	R	R	0.0	0.0	0.0	0.0
40414	Insect repellent (aerosol)	1,085.0	304.1	R	0.0	R	0.0	R	0.0	0.0	0.0	0.0	0.0
21106	Permanent markers (ink portion)	1,029.8	36.8	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
20315	Metal polish/cleaner	1,015.6	450.9	R	0.0	R	R	R	R	R	R	R	0.0
70101	Automotive wax/polish/sealant/glaze (all other forms)	960.7	553.1	R	0.0	R	R	0.0	R	R	0.0	R	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80101	Clear coatings	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	296.4	58.3	0.2	0.939	64.72
30217	Heavy-duty hand cleaner or soap	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4,466.9	2,813.1	44.6	0.834	67.44
40416	Lawn and garden insecticide (non-aerosol)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34,730.0	41,008.6	4.8	0.805	70.07
80104	Metallic coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	203.2	125.2	6.3	0.729	72.46
40408	Flying bug insecticide (aerosol)	0.0	R	0.0	0.0	0.0	R	0.0	0.0	101.3	9.0	5.3	0.625	74.50
40414	Insect repellent (aerosol)	0.0	R	0.0	0.0	0.0	R	0.0	0.0	149.5	4.6	5.3	0.542	76.28
21106	Permanent markers (ink portion)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	207.8	2.1	7.5	0.515	77.96
20315	Metal polish/cleaner	R	0.0	0.0	0.0	0.0	R	0.0	0.0	1,781.4	4,274.0	21.6	0.508	79.62
70101	Automotive wax/polish/sealant/glaze (all other forms)	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	1,873.0	749.1	66.5	0.480	81.19

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80226	Vinyl/fabric/leather/polycarbonate coatings	777.9	0.0	R	0.0	0.0	0.0	R	R	0.0	R	0.0	0.0
21010	Silicone-based multi-purpose lubricant	768.0	66.9	R	0.0	0.0	0.0	R	R	0.0	0.0	0.0	R
40424	Wasp and hornet insecticide	693.6	2,681.7	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
80202	Auto body primers	559.0	0.7	R	0.0	0.0	R	R	0.0	0.0	0.0	0.0	0.0
21103	Dry erase markers (ink portion)	546.1	3.0	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
20405	Grill cleaner	535.3	211.6	R	0.0	R	R	0.0	0.0	0.0	0.0	R	0.0
70102	Automotive rubbing or polishing compound	528.7	310.1	R	0.0	R	R	0.0	R	0.0	0.0	R	0.0
30606	Hair shine (aerosol)	442.6	137.2	R	0.0	R	0.0	0.0	R	0.0	0.0	0.0	0.0
30411	Sunscreen (aerosol)	441.0	1.2	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80226	Vinyl/fabric/leather/polycarbonate coatings	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	78.2	23.8	0.0	0.389	82.46
21010	Silicone-based multi-purpose lubricant	R	R	R	0.0	0.0	R	0.0	0.0	135.1	21.4	1.7	0.384	83.72
40424	Wasp and hornet insecticide	0.0	0.0	0.0	0.0	0.0	R	R	0.0	83.5	33.9	0.0	0.347	84.85
80202	Auto body primers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77.1	115.1	0.0	0.280	85.76
21103	Dry erase markers (ink portion)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	143.1	0.4	0.2	0.273	86.66
20405	Grill cleaner	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3,303.4	2,263.6	5.1	0.268	87.53
70102	Automotive rubbing or polishing compound	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	509.5	1,255.8	2.6	0.264	88.40
30606	Hair shine (aerosol)	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	482.3	89.6	2.4	0.221	89.12
30411	Sunscreen (aerosol)	0.0	0.0	0.0	0.0	R	0.0	R	0.0	189.0	0.0	1.3	0.220	89.84

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
21021	Other special purpose lubricants	426.4	40.3	R	0.0	R	R	R	R	0.0	0.0	R	0.0
21020	Special purpose lubricant: rust preventative/rust control	391.2	149.1	R	0.0	0.0	0.0	R	R	R	0.0	0.0	R
21018	Special purpose lubricant: gear, chain and wire lubricant	349.3	126.4	R	0.0	0.0	0.0	R	R	0.0	0.0	0.0	R
80107	Rubberized coatings	334.2	0.0	R	0.0	0.0	R	R	0.0	R	R	0.0	0.0
21013	Cutting and tapping oil	330.5	73.8	R	0.0	R	R	R	0.0	0.0	0.0	0.0	0.0
80203	Automotive bumper and trim products	296.3	0.1	0.0	0.0	0.0	0.0	R	R	0.0	0.0	0.0	0.0
21101	Chalkboard or whiteboard cleaner	288.8	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80213	High temperature coatings	286.1	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
21021	Other special purpose lubricants	R	R	0.0	0.0	0.0	R	0.0	0.0	14,324.5	525.4	0.0	0.213	90.54
21020	Special purpose lubricant: rust preventative/rust control	R	0.0	0.0	0.0	0.0	R	0.0	0.0	394.3	42.0	2.4	0.196	91.18
21018	Special purpose lubricant: gear, chain and wire lubricant	R	R	0.0	0.0	0.0	R	0.0	0.0	23,774.5	237.4	0.7	0.175	91.75
80107	Rubberized coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.3	148.3	0.0	0.167	92.30
21013	Cutting and tapping oil	R	0.0	0.0	0.0	0.0	R	0.0	0.0	1,348.9	7.1	0.5	0.165	92.84
80203	Automotive bumper and trim products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.2	18.1	0.0	0.148	93.32
21101	Chalkboard or whiteboard cleaner	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.144	93.79
80213	High temperature coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.5	39.5	0.0	0.143	94.26

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbon-ates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
21015	Lubricants sold exclusively to establishments which manufacture or construct goods (labeled not for retail sale)	282.6	13.7	R	0.0	R	0.0	R	0.0	0.0	0.0	0.0	0.0
20201	Artist solvent and thinner	252.7	0.4	R	0.0	R	0.0	R	0.0	0.0	0.0	0.0	0.0
80230	Wood touch-up, repair or restoration coatings	234.8	0.1	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
70103	Automotive hard paste wax	225.7	61.3	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
80115	Mold release coatings	211.7	0.0	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
80207	Exact match finishes: engine enamel	185.3	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	R
80138	Aerosol asphaltic coatings	153.4	0.0	0.0	0.0	0.0	R	0.0	0.0	R	0.0	0.0	0.0
80124	Anti-rust coatings	145.6	0.1	R	0.0	0.0	R	R	R	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
21015	Lubricants sold exclusively to establishments which manufacture or construct goods (labeled not for retail sale)	0.0	0.0	R	0.0	0.0	R	0.0	0.0	1,632.4	170.9	0.0	0.141	94.72
20201	Artist solvent and thinner	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.126	95.13
80230	Wood touch-up, repair or restoration coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.0	8.3	0.1	0.117	95.52
70103	Automotive hard paste wax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.6	68.3	0.9	0.113	95.89
80115	Mold release coatings	R	R	R	0.0	0.0	R	R	0.0	7.9	0.1	0.0	0.106	96.23
80207	Exact match finishes: engine enamel	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.8	8.2	0.0	0.093	96.54
80138	Aerosol asphaltic coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78.8	0.0	0.0	0.077	96.79
80124	Anti-rust coatings	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	29.0	37.2	0.0	0.073	97.03

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
21016	Special purpose lubricant: food grade	144.2	12.5	R	0.0	0.0	R	R	R	0.0	0.0	R	0.0
80214	Hobby/model/craft coatings: enamel	138.4	0.2	R	0.0	R	0.0	R	0.0	0.0	0.0	0.0	0.0
80201	Art fixatives or sealants	108.7	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80103	Fluorescent coatings	104.7	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
30413	Sunless tanning product (aerosol)	103.7	14.2	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
80216	Hobby/model/craft coatings: clear or metallic	92.7	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
20804	Leaf shine products	69.5	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80209	Exact match finishes: industrial	66.4	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80229	Wood stains	R	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
21016	Special purpose lubricant: food grade	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	288.4	8.3	0.0	0.072	97.26
80214	Hobby/model/craft coatings: enamel	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	15.5	0.9	0.069	97.49
80201	Art fixatives or sealants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	10.8	0.0	0.054	97.66
80103	Fluorescent coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.8	32.6	8.9	0.052	97.84
30413	Sunless tanning product (aerosol)	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	122.6	3.6	0.5	0.052	98.01
80216	Hobby/model/craft coatings: clear or metallic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	3.0	0.0	0.046	98.16
20804	Leaf shine products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	0.0	0.035	98.27
80209	Exact match finishes: industrial	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	22.3	0.6	0.033	98.38
80229	Wood stains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.033	98.49

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80127	Aerosol party/festive coating products (e.g. foam string/snow coating/glitter coating)	58.9	0.2	R	0.0	0.0	0.0	R	0.0	0.0	0.0	R	R
20204	Molding and casting materials (including all related products)	52.3	0.3	R	0.0	0.0	0.0	0.0	R	0.0	0.0	R	0.0
21019	Special purpose lubricant: mold release (aerosol)	51.9	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	R
80121	Electrical coatings	45.4	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80215	Hobby/model/craft coatings: lacquer	39.3	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
20807	Pruning/grafting sealers or paints	34.5	0.0	R	0.0	R	R	0.0	0.0	0.0	0.0	0.0	0.0
20203	Specialty cleaning product (e.g. airgun, brush, pen cleaners)	26.2	4.9	R	0.0	R	0.0	0.0	0.0	0.0	0.0	R	0.0
21017	Special purpose lubricant: anti-seize	22.9	1.2	R	0.0	0.0	R	R	0.0	0.0	0.0	0.0	0.0
80217	Marine spar varnishes	**	**	**	**	**	**	**	**	**	**	**	**

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80127	Aerosol party/festive coating products (e.g. foam string/snow coating/glitter coating)	0.0	R	R	0.0	0.0	0.0	0.0	0.0	69.7	25.2	0.0	0.029	98.58
20204	Molding and casting materials (including all related products)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.7	1.4	0.0	0.026	98.67
21019	Special purpose lubricant: mold release (aerosol)	0.0	R	R	0.0	0.0	R	0.0	0.0	3.2	0.6	0.0	0.026	98.75
80121	Electrical coatings	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	5.4	2.3	0.0	0.023	98.83
80215	Hobby/model/craft coatings: lacquer	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.9	0.0	0.020	98.89
20807	Pruning/grafting sealers or paints	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	179.4	18.8	0.0	0.017	98.95
20203	Specialty cleaning product (e.g. airgun, brush, pen cleaners)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.1	0.0	0.013	98.99
21017	Special purpose lubricant: anti-seize	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.3	97.7	0.0	0.011	99.03
80217	Marine spar varnishes	**	**	**	**	**	**	**	**	**	**	**	**	**

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80228	Weld-through primers	14.3	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80224	Slip-resistant coatings	13.9	0.1	0.0	0.0	0.0	0.0	R	0.0	R	0.0	0.0	0.0
80204	Aviation or marine primers	10.6	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80221	Polyolefin adhesion promoters	9.2	0.0	0.0	0.0	0.0	0.0	R	0.0	R	0.0	0.0	0.0
80208	Exact match finishes: automotive	7.4	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
20511	Waterproofer (aerosol)	6.7	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.0	0.0	0.0
80120	Conformal coatings (silicone/acrylic/etc.)	3.8	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	R
70117	Other products with HFC-134a refrigerants (24 Oz. sizes and smaller only)	2.9	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0
80119	Anti-fouling coatings	R	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80228	Weld-through primers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.8	0.1	0.007	99.08
80224	Slip-resistant coatings	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.0	0.0	0.007	99.11
80204	Aviation or marine primers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.3	0.0	0.005	99.12
80221	Polyolefin adhesion promoters	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.005	99.14
80208	Exact match finishes: automotive	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.6	0.0	0.004	99.15
20511	Waterproofer (aerosol)	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.4	0.0	0.0	0.003	99.16
80120	Conformal coatings (silicone/acrylic/etc.)	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.002	99.17
70117	Other products with HFC-134a refrigerants (24 Oz. sizes and smaller only)	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	44.7	0.0	0.0	0.001	99.17
80119	Anti-fouling coatings	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.001	99.17

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80118	Aerosol stains (for non-wood surfaces)	**	**	**	**	**	**	**	**	**	**	**	**
80219	Pleasure craft finish primers, surfaces, or undercoaters	**	**	**	**	**	**	**	**	**	**	**	**
80206	Corrosion resistant brass, bronze, or copper coatings	**	**	**	**	**	**	**	**	**	**	**	**
20808	Soil Penetrants	1.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80112	Non-slip grip coating products	R	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80205	Aviation propeller coatings	R	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
21104	Highlighters (ink portion)	0.5	160.1	R	0.0	0.0	R	0.0	0.0	0.0	0.0	R	0.0
80123	Aerosol edge blenders (used in automotive repair)	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80131	Anti-fog coatings	R	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80118	Aerosol stains (for non-wood surfaces)	**	**	**	**	**	**	**	**	**	**	**	**	**
80219	Pleasure craft finish primers, surfaces, or undercoaters	**	**	**	**	**	**	**	**	**	**	**	**	**
80206	Corrosion resistant brass, bronze, or copper coatings	**	**	**	**	**	**	**	**	**	**	**	**	**
20808	Soil Penetrants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.6	0.3	0.0	0.000	99.18
80112	Non-slip grip coating products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.000	99.18
80205	Aviation propeller coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.000	99.18
21104	Highlighters (ink portion)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64.9	1.3	0.1	0.000	99.19
80123	Aerosol edge blenders (used in automotive repair)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.000	99.19
80131	Anti-fog coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.000	99.19

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80222	Shellac sealers: clear	**	**	**	**	**	**	**	**	**	**	**	**
70115	Aerosol air horn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80211	Glass Coatings	0.0	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
20202	Ceramic crafts or pottery sealer	0.0	R	R	0.0	R	0.0	R	0.0	0.0	0.0	R	R
70116	HFC-134a refrigerants (24 Oz. sizes and smaller only)	**	**	**	**	**	**	**	**	**	**	**	**
80122	Electronic coatings	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80225	Spatter/multicolor coatings	0.0	0.6	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20602	Aerosol cheese topping	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20603	Aerosol dessert topping	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80222	Shellac sealers: clear	**	**	**	**	**	**	**	**	**	**	**	**	**
70115	Aerosol air horn	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.000	99.19
80211	Glass Coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.000	99.19
20202	Ceramic crafts or pottery sealer	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0	0.0	0.000	99.19
70116	HFC-134a refrigerants (24 Oz. sizes and smaller only)	**	**	**	**	**	**	**	**	**	**	**	**	**
80122	Electronic coatings	0.0	0.0	R	0.0	0.0	R	0.0	0.0	R	R	0.0	0.000	99.19
80225	Spatter/multicolor coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.000	99.19
20602	Aerosol cheese topping	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	110.9	14.2	0.0	0.000	99.19
20603	Aerosol dessert topping	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	156,322.3	0.0	0.0	0.000	99.19

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
80133	Tile spray paint	0.0	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80134	Aerosol stain sealers	**	**	**	**	**	**	**	**	**	**	**	**
21102	Correction fluid	0.0	1.1	R	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0
80227	Webbing/veil coatings	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
21014	Gun Oil	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R
80210	Floral sprays	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80116	Aerosol waterproofing coatings	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
80108	Aerosol grout sealer	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80113	Tackifying sprays	**	**	**	**	**	**	**	**	**	**	**	**

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
80133	Tile spray paint	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.000	99.19
80134	Aerosol stain sealers	**	**	**	**	**	**	**	**	**	**	**	**	**
21102	Correction fluid	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.000	99.19
80227	Webbing/veil coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	0.0	0.000	99.19
21014	Gun Oil	R	0.0	0.0	0.0	0.0	R	0.0	0.0	R	R	0.0	0.000	99.19
80210	Floral sprays	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	0.0	0.000	99.19
80116	Aerosol waterproofing coatings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.000	99.19
80108	Aerosol grout sealer	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	R	0.000	99.19
80113	Tackifying sprays	**	**	**	**	**	**	**	**	**	**	**	**	**

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Total VOC Content (lbs/d)*	Total Speciated LVP (lbs/d)	Water (lbs/d)	Camphor (lbs/d)	AMP (lbs/d)	Metallic Carbonates (lbs/d)	Acetone (lbs/d)	VMS (lbs/d)	Methyl Acetate (lbs/d)	PCBTF (lbs/d)	Ammonia (lbs/d)	MeCl (lbs/d)
21107	Wet erase markers (ink portion)	0.0	R	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0
21022	Defense spray (e.g. pepper spray)	0.0	R	0.0	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0
21501	Hobby gun compressed gas	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80136	Acoustical coatings (orange peel)	0.0	0.0	R	0.0	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009

Category Code	Category Name	Perc (lbs/d)	HFC-152a (lbs/d)	HFC-134a (lbs/d)	PTFE (lbs/d)	Comp. Air (lbs/d)	CO2 (lbs/d)	Nitrogen (lbs/d)	Nitrous Oxide (lbs/d)	Grouped Organics (lbs/d)	Grouped Inorganics (lbs/d)	Fragrance (lbs/d)	VOC Emissions (TPD)*	Cumulative wt % VOC
21107	Wet erase markers (ink portion)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	R	R	R	0.000	99.19
21022	Defense spray (e.g. pepper spray)	0.0	0.0	R	0.0	0.0	0.0	R	0.0	R	0.0	0.0	0.000	99.19
21501	Hobby gun compressed gas	0.0	0.0	R	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.000	99.19
80136	Acoustical coatings (orange peel)	0.0	0.0	0.0	0.0	0.0	0.0	R	0.0	R	R	0.0	0.000	99.19

Total VOC (tpd): 30.3

* Total VOC includes all fragrance and was market adjusted.

** Omitted to protect confidentiality.

R = Indicates that this compound was reported for this category.

Abbreviations: VOC = volatile organic compound; LVP-VOC = low vapor pressure volatile organic compound; PCBTF = Parachlorobenzotrifluoride; Perc = Perchloroethylene; MeCl = Methylene Chloride; VMS = Completely Methylated Siloxanes; CO2 = Carbon Dioxide; tpd = Tons per day; lbs/d = Pounds per day; AMP = 2-Amino-2-Methylpropanol

Monday, October 12, 2009