

**SCHEDULE 10-CREMATORIES AND PATHOLOGICAL INCINERATORS**

Any crematory and pathological incinerator which may cause the emission of air contaminants in which fuel is burned shall be assessed a permit fee based upon the design fuel consumption of the equipment expressed in British Thermal Units (BTU) per hour, the gross heating value of the fuel. Beginning in year 2005, this permit fee shall increase at the rate of fourteen percent (14%). Beginning January 1, 2006, this permit fee will be adjusted annually by multiplying the base permit fee for the previous year by the average percentage rate for the month of August of the previous year (rounded to the nearest half dollar) which is derived by a fraction, the numerator of which is the Revised Consumer Price Index for All Urban Consumers as published by the United States Department of Labor, Bureau of Labor Statistics for All Consumers for the Rural Service Area #7 statistical area (All Items, Base 1982-84 = 100), (the "CPI"), and the denominator of which is the CPI for the same calendar month of the prior year. Notwithstanding the foregoing, in no event shall the permit fee be decreased and in no event shall any increase exceed 4% per annum, without formal action by the Air Pollution Control District Board. Permit fees shall be paid in accordance with the following schedule:

**1000 BRITISH THERMAL UNITS PER HOUR**

	Year 2017	Year 2018
Up to and including 150..	\$ 264.50	\$ 269.50
Greater than 150 but less than 400.....	\$ 441.50	\$ 450.00
400 or greater but less than 650.....	\$ 875.50	\$ 892.00
650 or greater but less than 1,500.....	\$ 1,316.50	\$ 1,341.50
1,500 or greater but less than 2,500.....	\$ 1,750.50	\$ 1,784.00
2,500 or greater but less than 5,000.....	\$ 2,631.50	\$ 2,681.50
5,000 or greater but less than 15,000.....	\$ 3,507.00	\$ 3,573.50
15,000 or greater.....	\$ 4,381.00	\$ 4,464.00