

IMPERIAL COUNTY AIR POLLUTION CONTROL DISTRICT

RULE 1002 - CALIFORNIA AIRBORNE TOXIC CONTROL MEASURES (ATCMS)

(Adopted 9/14/99;08/13/2002)

A. Incorporation of California Standards

The provisions of the Final Regulation Orders listed below, as contained in the California Code of Regulations, are incorporated herein as part of the Rules and Regulations of the Imperial County Air Pollution Control District

B. Applicability

The owner or operator of any stationary source for which a standard is prescribed under this rule shall comply with the standards, criteria, and requirements set forth herein. Whenever any source is subject to more than one rule, regulation, provision or requirement relating to the control of any air contaminant, the most stringent provision shall apply.

C. "District"

For the purpose of this rule, the word "District" as used in the Final Regulation Orders shall mean the Imperial County Air Pollution Control District.

D. Attachment I, List of Incorporated CCR Provisions

The following table lists the Final Regulation Orders for Airborne Toxic Control Measures which are incorporated in their entirety as part of this rule.

| California Code of Regulations | Title |
|--------------------------------|---|
| Section 93102 | Hexavalent Chromium Airborne Toxic Control Measure for Decorative and Hard Chrome Plating and Chromic Acid Anodizing Facilities |
| Section 93106 | Asbestos Airborne Toxic Control Measure for Asbestos-Containing Serpentine |
| Sections 93100 and 93101 | Benzene Airborne Toxic Control Measure for Retail Service Stations |
| Section 93104 | Dioxin Airborne Toxic Control Measure for Medical Waste Incinerators |

| | |
|---------------|--|
| Section 93108 | Ethylene Oxide Airborne Toxic Control measure for Sterilizers and Aerators |
| Section 93107 | Airborne Toxic Control Measure for Emissions of Toxic Metals from Non-Ferrous Metal Melting |
| Section 93111 | Airborne Toxic Control Measure for Emissions of Chlorinated Toxic Air Contaminants from Automotive Maintenance and Repair Activities |