

MONTEREY BAY UNIFIED AIR POLLUTION CONTROL DISTRICT

**RULE 301 - PERMIT FEE SCHEDULES**

*(Adopted 9-1-74; Revised 9-16-76, 5-31-78, 5-20-81, 8-18-82, 6-13-83, 7-19-84, 12-13-84, 7-17-85, 6-11-86, 12-17-86, 6-10-87, 9-16-87, 6-20-88, 12-14-88, 6-14-89, 6-13-90, 6-26-91, 5-17-95, 6-21-95 ; 6-18-97; 6-17-98; 6-16-99; 6-21-00; 6-20-01; 6-19-02; 6-18-03; 6-16-04; 6-15-05; and 6-21-06.)*

CONTENTS

Schedule 1 - General Permit Fees

Schedule 2 - Equipment Which Has Lost Permit Exemption

Schedule 3 - Gasoline Dispensing Facilities

Schedule 4 - Emission Fees

Schedule 5 - Toxic Air Contaminants

Schedule 6 - Public Notification

Pursuant to Rule 300 (District Fees), fees shall be determined from the subsequent schedules. Schedule 4, 5 and 6 fees are in addition to fees from Schedules 1, 2 and 3.

Schedule 1  
General Permit Fees

Any article, machine, equipment or other contrivance for which a permit is required and which is not Equipment Which Has Lost Permit Exemption (Schedule 2) or Gasoline Dispensing Equipment (Schedule 3) shall be assessed a permit fee of \$661. However, if the Air Pollution Control Officer determines that the revenue provided by this Rule does not fairly represent the District's costs in processing the subject permit application, the Air Pollution Control Officer shall assess a permit fee based on the actual costs incurred by the District in processing the application at a rate of \$105 per hour of District staff time expended, which shall be rounded to the nearest whole hour.

Schedule 2  
Equipment Which Has Lost Permit Exemption

Any article, machine, equipment or other contrivance for which a permit exemption has been lost due to revision to District Rule 201 (Sources not Requiring Permits) shall be assessed a permit fee of \$210. However, if the Air Pollution Control Officer determines that the revenue provided by this Rule does not fairly represent the District's costs in processing the subject permit application, the Air Pollution Control Officer shall assess a permit fee based on the actual costs incurred by the District in processing the application at a rate of \$105 per hour of District staff time expended, which shall be rounded to the nearest whole hour.

### Schedule 3 Gasoline Dispensing Facilities

The fee shall be determined as follows:

#### Phase I

Any new gasoline dispensing facility which is installing Phase I vapor recovery equipment or any gasoline dispensing facility which is proposing modifications to the Phase I vapor recovery equipment shall be assessed a permit fee of \$665.

#### Phase II

Any new gasoline dispensing facility which is installing Phase II vapor recovery equipment or any gasoline dispensing facility which is proposing the disconnection or addition of Phase II vapor recovery equipment shall be assessed a permit fee of \$665 plus a fee of \$40 for each nozzle.

#### Phase I and Phase II

Any new gasoline dispensing facility which is installing Phase I and Phase II vapor recovery equipment or any gasoline dispensing facility which is proposing modifications to the Phase I vapor recovery equipment and disconnection or addition of Phase II vapor recovery equipment shall be assessed a permit fee of \$886 plus a fee of \$79 for each nozzle.

### Schedule 4 Emission Fees

In addition to other fees required, any article, machine, equipment or other contrivance which does not hold a valid District Authority to Construct or Permit to Operate shall be assessed an

emissions fee, as determined by the District accordance with Section 4.5, 4.7.3, 4.8, 4.9 or 4.10 of Rule 300.

Schedule 5  
Toxic Air Contaminants

In addition to other fees required, each permit application for any equipment/operation which may emit or has the potential to emit any toxic air contaminant(s) (TACs), as defined in Rule 1000, shall be assessed a \$145 fee.

Schedule 6  
Public Notification

In addition to other fees required, projects for which permits are issued following public notice published in newspapers shall pay a public notification fee of \$438 for the project.

\* \* \* \* \*