

SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT

RULE 801 NEW SOURCE PERFORMANCE STANDARDS

(Adopted 11-19-91) (Amended 9-7-93, 3-7-96, 8-1-96, 4-2-98, 6-28-01)

The provisions of Title 40, of the Code of Federal Regulations, Part 60 (40 CFR 60) in effect 6-28-01 applicable to the Subparts listed in this Regulation are hereby adopted by reference and made part of the Rules and Regulations of the District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the standards, criteria, and requirements set forth herein. For the purpose of this rule, the word "Administrator" as used in 40 CFR shall mean the Air Pollution Control Officer, of the Sacramento Metropolitan Air Quality Management District, except that the Air Pollution Control Officer shall not be empowered to approve alternate or equivalent test methods, alternate standards or work practices. Other deviations from these federal standards as presented in the CFR are noted in the affected Subpart. District authority to implement and enforce these subparts will not be effective until the U.S. Environmental Protection Agency formally delegates such authority to the District.

SUBPART A

GENERAL PROVISIONS

Date First Adopted (40FR53346, Nov. 17, 1975)
Date Last Amended (64FR7463, Feb. 12, 1999)

SUBPART D

STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

Date First Adopted (39FR20791, Jun. 14, 1974)
Date Last Amended (61FR49976, Sept. 24, 1996)

SUBPART Da

STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPTEMBER 18, 1978

Date First Adopted (44FR33613, Jun. 11, 1979)
Date Last Amended (64FR7464, Feb. 12, 1999)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART Db

STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

Date First Adopted (51FR42768, Nov. 25, 1986)
Date Last Amended (64FR7464, Feb. 12, 1999)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART Dc

STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

Date First Adopted (55FR37674, Sept. 12, 1990)

	Date Last Amended	(64FR7465, Feb. 12, 1999)
SUBPART E	STANDARDS OF PERFORMANCE FOR INCINERATORS	
	Date First Adopted	(36FR24877, Dec. 23,1971)
	Date Last Amended	(55FR5212, Feb. 14, 1990)
SUBPART Ea	STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS FOR WHICH CONTRUCTION IS COMMENCED AFTER DECEMBER 20, 1989 AND ON OR BEFORE SEPTEMBER 20, 1994	
	Date First Adopted	(56FR5488, Feb. 11, 1991)
	Date Last Amended	(64FR7465, Feb. 12, 1999)
SUBPART Eb	STANDARDS OF PERFORMANCE AND EMISSIONS GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS	
	Date First Adopted	(60FR65387, Dec. 19, 1995)
	Date Last Amended	(62FR45116, Aug. 25, 1997)
SUBPART Ec	STANDARDS OF PERFORMANCE FOR HOSPITAL/MEDICAL/INFECTIOUS WASTE INCINERATORS	
	Date First Adopted	(62FR48348, Sep. 15, 1997)
SUBPART F	STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS	
	Date First Adopted	(36FR24877, Dec. 23, 1971)
	Date Last Amended	(54FR6666, Feb. 14, 1989)
SUBPART G	STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS	
	Date First Adopted	(39FR20794, Jun. 14, 1974)
	Date Last Amended	(54FR6666, Feb. 14, 1989)
SUBPART H	STANDARDS OF PERFORMANCE FOR SULFURIC ACID PLANTS	
	Date First Adopted	(39FR20794, Jun. 14, 1974)
	Date Last Amended	(54FR6666, Feb. 14, 1989)
SUBPART I	STANDARDS OF PERFORMANCE FOR HOT MIX ASPHALTIC FACILITIES	
	Date First Adopted	(39FR9314, Mar. 8, 1974)
	Date Last Amended	(54FR6667, Feb. 14, 1989)
SUBPART J	STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES	
	Date First Adopted	(39FR9315, Mar. 8, 1974)
	Date Last Amended	(64FR7466, Feb. 12, 1999)
SUBPART K	STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978.	
	Date First Adopted	(39FR9317, Mar. 8, 1974)
	Date Last Amended	(52FR11429, Apr. 8,1987)

SUBPART Ka	STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER MAY 18, 1978, AND PRIOR TO JULY 23, 1984.
	Date First Adopted (45FR23379, Apr. 4, 1980) Date Last Amended (52FR11429, Apr. 8, 1987)
SUBPART Kb	STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC LIQUID STORAGE VESSELS (INCLUDING PETROLEUM LIQUID STORAGE VESSELS) FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JULY 23, 1984
	Date First Adopted (52FR11420, Apr. 8, 1987) Date Last Amended (62FR52641, Oct. 8, 1997)
	NOTE: Any violation of provision 60.113.b, testing procedures, determined by the Air Pollution Control Officer, shall constitute a violation of Subpart Kb.
SUBPART L	STANDARDS OF PERFORMANCE FOR SECONDARY LEAD SMELTERS
	Date First Adopted (39FR9317, Mar. 8, 1974) Date Last Amended (54FR6667, Feb. 14, 1989)
SUBPART M	STANDARDS OF PERFORMANCE FOR SECONDARY BRASS AND BRONZE PRODUCTION PLANTS
	Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (54FR6667, Feb. 14, 1989)
SUBPART N	STANDARDS OF PERFORMANCE FOR PRIMARY EMISSIONS FROM BASIC OXYGEN PROCESS FURNACES FOR WHICH CONSTRUCTION IS COMMENCED AFTER JUNE 11, 1973
	Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (54FR6667, Feb. 14, 1989)
SUBPART Na	STANDARDS OF PERFORMANCE FOR SECONDARY EMISSIONS FROM BASIC OXYGEN PROCESS STEELMAKING FACILITIES FOR WHICH CONSTRUCTION IS COMMENCED AFTER JANUARY 20, 1983
	Date First Adopted (51FR161, Jan. 2, 1986) Date Last Amended (54FR6667, Feb. 14, 1989)
SUBPART O	STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS
	Date First Adopted (39FR9319, Mar. 8, 1974) Date Last Amended (59FR5107, Feb. 3, 1994)
SUBPART P	STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS
	Date First Adopted (41FR2338, Jan. 15, 1976) Date Last Amended (54FR6668, Feb. 14, 1989)

SUBPART Q	STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS
	Date First Adopted (41FR2340, Jan. 15, 1976) Date Last Amended (54FR6669, Feb. 14, 1989)
SUBPART R	STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS
	Date First Adopted (41FR2340, Jan. 15, 1976) Date Last Amended (54FR6669, Feb. 14, 1989)
SUBPART S	STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS
	Date First Adopted (45FR44207, Jun. 30, 1980) Date Last Amended (62FR52399, Oct. 7, 1997)
SUBPART T	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS PHOSPHORIC ACID PLANTS
	Date First Adopted (40FR33154, Aug. 6, 1975) Date Last Amended (54FR6669, Feb. 14, 1989)
SUBPART U	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS
	Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (54FR6670, Feb. 14, 1989)
SUBPART V	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS
	Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (54FR6670, Feb. 14, 1989)
SUBPART W	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: TRIPLE SUPERPHOSPHATE PLANTS
	Date First Adopted (40FR33156, Aug. 6, 1975) Date Last Amended (54FR21344, May 17, 1989)
SUBPART X	STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: GRANULAR TRIPLE SUPERPHOSPHATE STORAGE FACILITIES
	Date First Adopted (40FR33156, Aug. 6, 1975) Date Last Amended (62FR18280, Apr. 15, 1997)
SUBPART Y	STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS
	Date First Adopted (41FR2234, Jan. 15, 1976) Date Last Amended (54FR6671, Feb. 14, 1989)
SUBPART Z	STANDARDS OF PERFORMANCE FOR FERROALLOY PRODUCTION FACILITIES

Date First Adopted (41FR18501, May 4, 1976)
Date Last Amended (55FR5212, Feb.14, 1990)

SUBPART AA STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCTOBER 21, 1974, AND ON OR BEFORE AUGUST 17,1983

Date First Adopted (40FR43842, Sept. 23, 1975)
Date Last Amended (64FR10109, Mar. 2, 1999)

SUBPART AAa STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES AND ARGON-OXYGEN DECARBURIZATION VESSELS CONSTRUCTED AFTER AUGUST 17, 1983

Date First Adopted (49FR43845, Oct. 31, 1984)
Date Last Amended (64FR10110, Mar. 2, 1999)

SUBPART BB STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS

Date First Adopted (43FR7572, Feb. 23, 1978)
Date Last Amended (55FR5212, Feb. 14, 1990)

SUBPART CC STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS

Date First Adopted (45FR66751, Oct. 7, 1980)
Date Last Amended (64FR7466, Feb. 12, 1999)

SUBPART DD STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS

Date First Adopted (43FR34347, Aug. 3, 1978)
Date Last Amended (54FR6674, Feb. 14, 1989)

SUBPART EE STANDARDS OF PERFORMANCE FOR SURFACE COATING OF METAL FURNITURE

Date First Adopted (47FR49287, Oct. 29, 1982)
Date Last Amended (55FR51378, Dec. 13,1990)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES

Date First Adopted (44FR52798, Sept. 10, 1979)
Date Last Amended (54FR27016, June 27, 1989)

SUBPART HH STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS

Date First Adopted (43FR18080, Apr. 26, 1984)
Date Last Amended (54FR6675, Feb. 14, 1989)

SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS

Date First Adopted (47FR16573, Apr. 16,1982)
Date Last Amended (54FR6675, Feb. 14, 1989)

SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS

Date First Adopted (49FR6464, Feb. 21, 1984)
Date Last Amended (54FR6676, Feb. 14,1989)

SUBPART MM STANDARDS OF PERFORMANCE FOR AUTOMOBILE AND LIGHT DUTY TRUCK SURFACE COATING OPERATIONS

Date First Adopted (45FR85415, Dec. 24,1980)
Date Last Amended (59FR51383, Oct. 11,1994)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS

Date First Adopted (47FR16589, Apr. 16,1982)
Date Last Amended (64FR7466, Feb. 12, 1999)

SUBPART PP STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE

Date First Adopted (45FR74850, Nov. 12, 1980)
Date Last Amended (54FR6676, Feb. 14,1989)

SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING

Date First Adopted (47FR50649, Nov. 8, 1982)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS

Date First Adopted (48FR48375, Oct. 18, 1983)
Date Last Amended (55FR51378, Dec. 13, 1990)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART SS STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING: LARGE APPLIANCES

Date First Adopted (44FR47785, Oct. 27, 1982)

Date Last Amended (55FR51383, Dec. 13, 1990)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING

Date First Adopted (47FR49612, Nov. 1, 1982)

Date Last Amended (56FR20497, May 3, 1991)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART UU STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE

Date First Adopted (47FR34143, Aug. 6, 1982)

SUBPART VV STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY

Date First Adopted (48FR48335, Oct. 18, 1983)

Date Last Amended (61FR29878, June 12, 1996)

SUBPART WW STANDARDS OF PERFORMANCE FOR THE BEVERAGE CAN SURFACE COATING INDUSTRY

Date First Adopted (48FR38737, Aug. 25, 1983)

Date Last Amended (55FR51384, Dec. 13, 1990)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART AAA STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS

Date First Adopted (52FR5860, Feb. 26, 1988)

Date Last Amended (64FR7466, Feb. 12, 1999)

SUBPART BBB STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY

Date First Adopted (52FR34868, Sept 15, 1987)

Date Last Amended (54FR38634, Sept 19, 1989)

SUBPART DDD STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY

Date First Adopted (55FR51010, Dec. 11, 1990)

Date Last Amended (64FR11541, Mar. 9, 1999)

	Date Last Amended	(54FR6679, Feb. 14,1989)
SUBPART NNN	STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) DISTILLATION OPERATIONS	
	Date First Adopted	(55FR26931, June 29, 1990)
	Date Last Amended	(60FR58237, Nov. 27, 1995)
SUBPART OOO	STANDARDS OF PERFORMANCE FOR NONMETALLIC MINERAL PROCESSING PLANTS	
	Date First Adopted	(51FR31337, Aug. 1, 1985)
	Date Last Amended	(62FR31359, June 9, 1997)
SUBPART PPP	STANDARDS OF PERFORMANCE FOR WOOL FIBERGLASS INSULATION MANUFACTURING PLANTS	
	Date First Adopted	(50FR7699, Feb. 25, 1985)
	Date Last Amended	(54FR6680 Feb. 14, 1989)
SUBPART QQQ	STANDARDS OF PERFORMANCE FOR VOC EMISSIONS FROM PETROLEUM REFINERIES WASTE WATER SYSTEMS	
	Date First Adopted	(53FR47616, Nov. 23, 1988)
	Date Last Amended	(60FR43260, Aug. 18, 1995)
SUBPART RRR	STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY REACTOR PROCESSES	
	Date First Adopted	(58FR45963, Aug. 31, 1993)
	Date Last Amended	(60FR58238, Nov. 27, 1995)
SUBPART SSS	STANDARDS OF PERFORMANCE FOR MAGNETIC TAPE COATING FACILITIES	
	Date First Adopted	(53FR38892, Oct. 3, 1988)
	Date Last Amended	(64FR7467, Feb. 12, 1999)
SUBPART TTT	STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING; SURFACE COATING OF PLASTIC PARTS FOR BUSINESS MACHINES	
	Date First Adopted	(53FR2672, Jan. 29, 1988)
	Date Last Amended	(54FR25458, Jun. 15, 1989)
SUBPART UUU	STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES	
	Date First Adopted	(57FR44496, Sept. 28, 1992)
	Date Last Amended	(58FR40591, July 29, 1993)
SUBPART VVV	STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES	
	Date First Adopted	(53FR37534, Sept. 11, 1989)

SUBPART WWW

**STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE
LANDFILLS**

Date First Adopted
Date Last Amended

(61FR9905, March 12, 1996)
(64FR9262, Feb. 24, 1999)