



Santa Barbara County
Air Pollution Control District

*RULE 210 FEE ADJUSTMENT
ANNUAL CHANGE IN THE
CALIFORNIA CONSUMER PRICE INDEX*

July 1, 2002

In accordance with the provisions of Santa Barbara County Air Pollution Control District Rule 210.V.C., the Air Pollution Control Officer has performed an annual fee adjustment based on the California Consumer Price Index change of 2.8%. This change is applicable to fiscal year 02/03 and is effective July 1, 2002.

The attached table lists the Rule 210 fees that have been modified by the change in the Consumer Price Index. The revised fee schedules affect all fees not yet invoiced. Air Pollution Control District staff suggest you insert the attached table into Rule 210 of your rulebook for ease of reference. Questions regarding the adjusted fees may be directed to Douglas Grapple at (805) 961-8883.

Douglas W. Allard
Air Pollution Control Officer

Douglas W. Allard
26 Castilian Drive B-23, Goleta, CA 93117 Fax: 805-961-8801 Phone: 805-961-8800

Air Pollution Control Officer

Our Vision: Clean Air

Rule 210 Fee Adjustment

Annual Change in the California Consumer Price Index

Rule 210 Fee Schedule	Section	Adjusted fee Effective 1-Jul-02
A. Facility/Equipment Description/Fee Schedule		
	1.a. Miscellaneous per equipment	\$48.72
	1.b. Minimum fee if only miscellaneous equipment	\$304.00
	2. Electric Motor	
	Fee, per total rated horsepower	\$25.26
	Minimum Fee	\$48.40
	Maximum Fee	\$4,889.46
	3. Fuel Burning Equipment	
	Fee, per one million Btu/hour input capacity	\$365.42
	Minimum Fee	\$48.40
	Maximum Fee	\$4,889.46
	4. Electrical Energy	
	Fee, per KVA rating in 10's	\$4.91
	Minimum Fee	\$48.40
	Maximum Fee	\$4,889.46
	5. Incinerator	
	Fee, per square feet of inside cross-section	\$60.90
	Minimum Fee	\$509.34
	Maximum Fee	\$2,444.16
	6. Stationary Container	
	Fee, per 1,000 gallons	\$2.79
	Minimum Fee	\$48.40
	Maximum Fee	\$2,444.16
	7. Dry Cleaning Equipment Fee, per each item of equipment	\$48.72
	8. Motor Vehicle Gasoline Fueling Facilities	
	Fee per nozzle	\$28.01
	Minimum Fee	\$194.74
	Facilities without Phase II vapor recovery nozzles	\$365.30
	9. Ethylene Oxide Sterilizer	
	250 pounds or less	\$1,948.64
	Over 250 pounds	\$4,872.18
	10. Rock Crusher Fee, per device	\$48.72
	11. Stacker Belt Fee, per stacker belt	\$48.72
B-1. Fee for Air Quality Plans (cost per ton)		
	0 to ≤ 10 tons per year	\$0.00
	>10 to ≤ 25 tons per year	\$37.76
	>25 to ≤ 100 tons per year	\$57.24
	> 100 tons per year	\$75.52

Rule 210 Fee Adjustment

Annual Change in the California Consumer Price Index

Rule 210 Fee Schedule	Section	Adjusted fee Effective 1-Jul-02
B-2. Fee for Air Toxic Program (cost per ton)		
	0 to ≤ tons per year	\$0.00
	> 10 to ≤ 25 tons per year	\$10.95
	> 25 to ≤ 100 tons per year	\$17.05
	> 100 tons per year	\$21.92
B-3. Annual Emission Fees (cost per ton)		
	0 to ≤ 10 tons per year	\$304.22
	> 10 to ≤ 25 tons per year	\$84.04
	> 25 to ≤ 100 tons per year	\$126.68
	> 100 tons per year	\$168.09
C. Source Tests		
	Boiler or heater	\$1,248.53
	Piston type engine	
	one engine	\$1,248.53
	each additional engine	\$332.53
	Thermal oxidizer	\$1,248.53
	Wet scrubber (gaseous)	\$1,248.53
	Wet scrubber (particulate)	\$1,662.68
	Baghouse	\$1,662.68
	Gas Turbine	\$1,662.68
	Heater Treater	\$1,662.68
	Other	\$1,662.68
D. Sample and Laboratory Analysis Fee (cost per sample)		
	Sulfur in Fuel Oil	\$149.80
	Sulfur in Fuel Gas	\$240.84
	Btu in Fuel Gas	\$240.84
	Crude Oil TVP	\$380.27
	Coatings - Volatile Content	\$289.24
	Solvent Speciation	\$422.92
	Asphalt Analysis	\$240.84
	Asbestos Content	\$118.68
E. Fees for Asbestos Demolition and Renovation		
	Demolition only - less than 260 linear feet or 160 square feet	\$91.36
	Demolition and renovations	
	less than 500 linear or square feet	\$365.42
	500 to ≤ 1,000 linear or square feet	\$517.69
	>1,000 to ≤ 2,500 linear or square feet	\$694.31
	>2,500 to ≤ 5,000 linear or square feet	\$858.74
	> 5,000 to ≤ 10,000 linear or square feet	\$1,004.92
	> 10,000 linear or square feet	\$1,187.62

Rule 210 Fee Adjustment

Annual Change in the California Consumer Price Index

Rule 210 Fee Schedule	Section	Adjusted fee Effective 1-Jul-02
F. Schedule F		
	1. ATC/PTO Filing fee, per application	\$278.00
	2. Minimum PTO reevaluation fee	\$304.00
	3. Yearly PTO reevaluation fee - vehicle fueling facilities, per nozzle	\$17.05
	4. Additional reinspection fee for vehicle fueling facilities, per nozzle	\$17.05
	5. Fee for change in production rate, per permit	\$304.00
	6. Fee for administrative change, per permit	\$304.00
	7. Fee for cooling towers with hexavalent chromium	\$376.82
	8. Fee for cooling towers with hex. chromium, delayed compliance	\$120.99
	9. Annual atmospheric acidity protection program fee, per source	\$425.00
	10. Annual California Clean Air Act fee, per source	\$425.00
	11. Fee for written exemption	\$425.00
	12. Hearing Board Fee	
	12.a Filing Fee (fixed fee permit)	
	Emergency variance	
	Length of variance is 15 days or less	\$72.00
	Length of variance is more than 15 days	\$145.00
	Interim variance	\$169.00
	90 day variance	\$912.00
	Regular variance	\$912.00
	Additional fee/month for regular variance more than 3 mo.	\$334.18
	12.b Filing Fee (Reimbursable Permit)	
	Emergency	\$72.00
	Interim	\$419.00
	90 day variance	\$419.00
	Regular	\$419.00
	12.c Permit appeal filing fee, per petition	\$486.00
	12.d Permit appeal hearing time, after first day for each two hours	\$243.15
	12.e. Excess emission fee, per ton	\$194.88

Notes

The fees given in the table above were revised in accordance with APCD Rule 210.V.C.

Fees effective July 1, 2002 are based on a California Consumer Price Index of 2.8% (April 2001 to April 2002).

\\nt3\groups\Public\cpi210-2002.doc