

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

(Adopted June 1, 1990)(Amended December 7, 1990)(Amended July 10, 1998)
(Amended January 8, 1999)(Amended March 12, 1999)(Amended August 13, 1999)
(Amended March 17, 2000)(Amended August 18, 2000)(Amended June 15, 2001)
(Amended May 3, 2002)(Amended February 7, 2003)(Amended May 2, 2003)
(Amended March 4, 2005)(Amended March 7, 2008)(Amended June 5, 2009)
(Amended September 10, 2010)(Amended June 5, 2015)(Amended October 7, 2016)

RULE 1401. NEW SOURCE REVIEW OF TOXIC AIR CONTAMINANTS

(a) Purpose

This rule specifies limits for maximum individual cancer risk (MICR), cancer burden, and noncancer acute and chronic hazard index (HI) from new permit units, relocations, or modifications to existing permit units which emit toxic air contaminants listed in Table I. The rule establishes allowable risks for permit units requiring new permits pursuant to Rules 201 or 203.

(b) Applicability

- (1) Applications for new, relocated, and modified permit units which were received by the District on or after June 1, 1990 shall be subject to Rule 1401. Applications shall be subject to the version of Rule 1401 that is in effect at the time the application is deemed complete. Permit units installed without a required permit to construct shall be subject to this rule, if the application for a permit to operate such equipment was submitted after June 1, 1990.
- (2) This rule shall apply to new, relocated, and modified equipment identified in Rule 219 as not requiring a written permit if the risk from the equipment will be greater than identified in subparagraph (d)(1)(A), or paragraphs (d)(2) or (d)(3) in Rule 1401.

(c) Definitions

- (1) ACCEPTABLE STACK HEIGHT for a permit unit is defined as a stack height that does not exceed two and one half times the height of the permit unit or two and one half times the height of the building housing the permit unit, and shall not be greater than 65 meters (213 feet), unless the applicant demonstrates to the satisfaction of the Executive Officer that a greater height is necessary.

- (2) BEST AVAILABLE CONTROL TECHNOLOGY FOR TOXICS (T-BACT) means the most stringent emissions limitation or control technique which:
 - (A) has been achieved in practice for such permit unit category or class of source; or
 - (B) is any other emissions limitation or control technique, including process and equipment changes of basic and control equipment, found by the Executive Officer to be technologically feasible for such class or category of sources, or for a specific source.
- (3) CANCER BURDEN means the estimated increase in the occurrence of cancer cases in a population subject to a MICR of greater than or equal to one in one million (1.0×10^{-6}) resulting from exposure to toxic air contaminants.
- (4) CONTEMPORANEOUS RISK REDUCTION means any reduction in risk resulting from a decrease in emissions of toxic air contaminants at the facility that is permanent, real, quantifiable and enforceable through District permit conditions. Permit applications associated with the increase and decrease in risk must be submitted together and the reduction of risk must occur before the start of operation of the permit unit that will have an increased risk. A contemporaneous risk reduction shall be calculated based on the actual average annual emissions, as determined by facility records, and annual emissions declarations pursuant to Rule 301 as appropriate, or other data approved by the Executive Officer, whichever is less, which have occurred during the two-year period immediately preceding the date of application.
- (5) FACILITY means any permit unit or grouping of permit units or other air contaminant-emitting activities which are located on one or more contiguous properties within the District, in actual physical contact or separated solely by a public roadway or other public right-of-way, and are owned or operated by the same person (or by persons under common control), or an outer continental shelf (OCS) source as determined in 40 CFR Section 55.2. Such above-described groupings, if noncontiguous, but connected only by land carrying a pipeline, shall not be considered one facility. Notwithstanding the above, sources or installations involved in crude oil and gas production in Southern California Coastal or OCS Waters and transport of such crude oil and gas in Southern California Coastal or

OCS Waters shall be included in the same facility which is under the same ownership or use entitlement as the crude oil and gas production facility on-shore.

- (6) INDIVIDUAL SUBSTANCE ACUTE HAZARD INDEX (HI) is the ratio of the estimated maximum one-hour concentration of a toxic air contaminant for a potential maximally exposed individual to its acute reference exposure level.
- (7) INDIVIDUAL SUBSTANCE CHRONIC HAZARD INDEX (HI) is the ratio of the estimated long-term level of exposure to a toxic air contaminant for a potential maximally exposed individual to its chronic reference exposure level. The chronic hazard index calculations shall include multipathway consideration, if applicable.
- (8) MAXIMUM INDIVIDUAL CANCER RISK (MICR) is the estimated probability of a potential maximally exposed individual contracting cancer as a result of exposure to toxic air contaminants for residential receptor locations calculated pursuant to the Risk Assessment Procedures referenced in subdivision (e). The MICR for worker receptor locations shall be calculated pursuant to the Risk Assessment Procedures referenced in subdivision (e). The MICR calculations shall include multipathway consideration, if applicable.
- (9) MODIFICATION means any physical change in, change in method of operation, or addition to an existing permit unit that requires an application for a permit to construct and/or operate. Routine maintenance and/or repair shall not be considered a physical change. A change in the method of operation of equipment, unless previously limited by an enforceable permit condition, shall not include:
 - (A) an increase in the production rate, unless such increase will cause the maximum design capacity of the equipment to be exceeded; or
 - (B) an increase in the hours of operation; or
 - (C) a change in ownership of a source; or
 - (D) a change in formulation of the materials processed which will not result in a net increase of the MICR, cancer burden, or chronic or acute HI from the associated permit unit.

For facilities that have been issued a facility permit pursuant to Regulation XX or a Title V permit pursuant to Regulation XXX, modification means any physical change in, change in method of operation of, or addition to an

existing individual article, machine, equipment or other contrivance which would have required an application for a permit to construct and/or operate, were the unit not covered under a facility permit or Title V permit.

(10) PERMIT UNIT means any article, machine, equipment, or other contrivance, or combination thereof, which may cause or control the issuance of air contaminants, and which requires a written permit pursuant to Rules 201 and/or 203. For facilities that have been issued a facility permit or Title V permit, a permit unit for the purpose of this rule means any individual article, machine, equipment or other contrivance which may cause or control the issuance of air contaminants and which would require a written permit pursuant to Rules 201 and/or 203 if it was not covered under a facility permit or Title V permit. For publicly-owned sewage treatment operations, each process within multi-process permit units at the facility shall be considered a separate permit unit for purposes of this rule.

(11) RECEPTOR LOCATION means

- (A) for the purpose of calculating acute HI, any location outside the boundaries of the facility at which a person could experience acute exposure; and
- (B) for the purpose of calculating chronic HI and MICR, any location outside the boundaries of the facility at which a person could experience chronic exposure.

The Executive Officer shall consider the potential for exposure in determining whether the location will be considered a receptor location.

(12) RELOCATION means the removal of an existing permit unit from one parcel of land in the District and installation at another parcel of land where two parcels are not in actual physical contact and are not separated solely by a public roadway or other public right-of-way. The removal of a permit unit from one location within a facility and installation at another location within the facility is a relocation only if an increase in maximum individual cancer risk in excess of one in one million (1.0×10^{-6}) or a Hazard Index of 1.0 occurs at any receptor location.

(13) TOTAL ACUTE HAZARD INDEX (HI) is the sum of the individual substance acute HIs for all toxic air contaminants affecting the same target organ system.

- (14) TOTAL CHRONIC HAZARD INDEX (HI) is the sum of the individual substance chronic HIs for all toxic air contaminants affecting the same target organ system.
- (15) TOXIC AIR CONTAMINANT is an air pollutant which may cause or contribute to an increase in mortality or serious illness, or which may pose a present or potential hazard to human health. For the purpose of this rule, toxic air contaminants are those listed in Table I.

(d) Requirements

The Executive Officer shall deny the permit to construct a new, relocated or modified permit unit if emissions of any toxic air contaminant listed in Table I may occur, unless the applicant has substantiated to the satisfaction of the Executive Officer all of the following:

(1) MICR and Cancer Burden

The cumulative increase in MICR which is the sum of the calculated MICR values for all toxic air contaminants emitted from the new, relocated or modified permit unit will not result in any of the following:

- (A) an increased MICR greater than one in one million (1.0×10^{-6}) at any receptor location, if the permit unit is constructed without T-BACT;
- (B) an increased MICR greater than ten in one million (10×10^{-6}) at any receptor location, if the permit unit is constructed with T-BACT;
- (C) a cancer burden greater than 0.5.

(2) Chronic Hazard Index

The cumulative increase in total chronic HI for any target organ system due to total emissions from the new, relocated or modified permit unit owned or operated by the applicant for which applications were deemed complete on or after the date when the risk value for the compound is finalized by the state Office of Environmental Health Hazard Assessment (OEHHA) will not exceed 1.0 at any receptor location.

(3) Acute Hazard Index

The cumulative increase in total acute HI for any target organ system due to total emissions from the new, relocated or modified permit unit owned or operated by the applicant for which applications were deemed complete on or after the date when the risk value for the compound is finalized by OEHHA will not exceed 1.0 at any receptor location.

(4) If a permit contains operating conditions imposed pursuant to Rule 1401, which prohibit or limit the use or emission of toxic air contaminants, those conditions shall apply only to those toxic air contaminants listed in the version of Rule 1401 applicable at the time the permit conditions were imposed.

(5) Federal New Source Review for Toxics

Pursuant to Section 112(g) of the federal Clean Air Act (CAA), no person shall begin construction or reconstruction of a major stationary source emitting hazardous air pollutants listed in Section 112 (b) of the CAA, unless the source is constructed with Best Available Control Technology for Toxics (T-BACT) and complies with all other applicable requirements, including definitions and public noticing, referenced in 40 CFR 63.40 through 63.44. The requirements of this paragraph shall not apply to:

- (A) any source that is subject to an existing National Emission Standard for Hazardous Air Pollutants (NESHAP) pursuant to sections 112(d), 112(h), or 112(j) of the federal CAA;
- (B) any source that is exempted from regulations under a NESHAP issued pursuant to sections 112(d), 112(h), or 112(j) of the federal CAA;
- (C) any source that has received all necessary air quality permits for such construction or reconstruction before June 29, 1998;
- (D) electric utility steam generating units, unless and until such time as these units are added to the source category list pursuant to the requirements of section 112(c)(5) of the federal CAA;
- (E) any sources that are within a source category that has been deleted from the source category list pursuant to section 112(c)(9) of the federal CAA; or
- (F) research and development activities.

Compliance with this paragraph does not relieve any owner or operator of a major stationary source from complying with all other applicable District rules and regulations, including this rule, any applicable state airborne toxic control measure, or other applicable state and federal laws. Exemptions under subdivision (g) of this rule do not apply to this paragraph. This paragraph shall take effect retroactively from June 29, 1998.

(e) Risk Assessment Procedures

- (1) The Executive Officer shall periodically publish procedures for determining health risks under this rule, except as provided in paragraph (e)(3). To the extent possible, the procedures will be consistent with the most recently adopted policies and procedures of the state OEHHA.
 - (2) To calculate the cumulative increase in MICR pursuant to paragraph (d)(1), the increase from each permit unit shall be based on the emissions of toxic air contaminants, the risk values, and risk assessment procedures applicable at the time when each complete application was deemed complete by the District.
 - (3) The following equipment or industry source categories shall be allowed to use SCAQMD Risk Assessment Procedures for Rules 1401 and 212 (Version 7.0, July 1, 2005) in order to calculate the cumulative increase in MICR pursuant to paragraph (d)(1):
 - (A) spray booths, until the Executive Officer, as quickly as practicable, can make a recommendation regarding a regulation and/or procedures, and the Board approves regulations and/or procedures specific to this source category; and
 - (B) retail gasoline transfer and dispensing facilities as defined in District Rule 461, until the Executive Officer, as quickly as practicable, can provide an analysis of emissions data from gasoline dispensing activities to the Governing Board, and the Board approves regulations and/or procedures, if needed, specific to this industry.
- (f) Emissions Calculations
- (1) For the purpose of determining MICR and cancer burden due to a new or relocated permit unit pursuant to this rule, the total Toxic Air Contaminant emissions from the new or relocated permit unit shall be calculated on an annual basis from permit conditions which directly limit the emissions or, when no such conditions are imposed, from:
 - (A) the maximum rated capacity;
 - (B) the maximum possible annual hours of operation;
 - (C) the maximum annual emissions; and
 - (D) the physical characteristics of the materials processed.
 - (2) For the purpose of determining chronic HI due to a new or relocated permit unit pursuant to this rule, the total emissions from a permit unit shall be

calculated on an annual average basis from permit conditions which directly limit the emissions or, when no such conditions are imposed, from:

- (A) the maximum rated capacity;
 - (B) the annual average hours of operation;
 - (C) the annual average emissions; and
 - (D) the physical characteristics of the materials processed.
- (3) For the purpose of determining MICR, cancer burden and chronic HI due to a modified permit unit pursuant to this rule, the increase in emissions from the modified permit unit shall be calculated based on the difference between the total permitted emissions after the modification, calculated pursuant to the criteria established in subparagraphs (f)(1)(A), (B), (C), and (D), and:
- (A) the total permitted emissions prior to the modification as stated in the permit conditions; or
 - (B) if there are no existing permit conditions that limit emissions, the average annual emissions which have occurred during the two-year period immediately preceding the date of the complete permit application for modification or other appropriate period determined by the Executive Officer to be representative of a permit unit's operation; or
 - (C) for modification of any source installed prior to October 8, 1976, resulting from the addition of air pollution controls installed solely to reduce the issuance of air contaminants, emission shall be calculated from permit conditions which directly limit the emissions or, when no such conditions are imposed, from:
 - (i) the maximum rated capacity; and
 - (ii) the maximum proposed daily hours of operation; and
 - (iii) the physical characteristics of the materials processed.
- (4) For the purpose of determining acute HI due to a new, relocated or modified permit unit pursuant to this rule, the total emissions from a permit unit shall be calculated on a maximum hourly basis from permit conditions which directly limit the emissions or, when no such conditions exist, from:
- (A) the maximum rated capacity;
 - (B) the maximum hourly emissions; and
 - (C) the physical characteristics of the materials processed.
- (5) De Minimus Values

Any permit unit with values at or below the screening levels as specified in the procedures for determining health risks under this rule, published pursuant to paragraph (e)(1), shall be deemed in compliance with the requirements of subdivision (d).

(g) Exemptions

(1) The requirements of subdivision (d) shall not apply to:

(A) Permit Renewal or Change of Ownership

Any permit unit which is in continuous operation, without modification or change in operating conditions, for which a new permit to operate is required solely because of permit renewal or change of ownership.

(B) Modification with No Increase in Risk

A modification of a permit unit that causes a reduction or no increase in the cancer burden, MICR or acute or chronic HI at any receptor location.

(C) Functionally Identical Replacement

A permit unit replacing a functionally identical permit unit, provided there is no increase in maximum rating or increase in emissions of any toxic air contaminants. For replacement of dry cleaning permit units only, provided there is no increase in any toxic air contaminants.

(D) Equipment Previously Exempt Under Rule 219

Equipment which previously did not require a written permit pursuant to Rule 219 that is no longer exempt, provided that the equipment was installed prior to the Rule 219 amendment eliminating the exemption and a complete application for the permit is received within one (1) year after the Rule 219 amendment removing the exemption.

(E) Modifications to Terminate Research Projects

Modifications restoring the previous permit conditions of a permit unit, provided that: the applicant demonstrates that the previous permit conditions were modified solely for the purpose of installing innovative control equipment as part of a demonstration or investigation designed to advance the state of the art with regard to controlling emissions of toxic air contaminants; the emission

reductions achieved by the demonstration project are not used for permitting any equipment with emission increases under the contemporaneous emission reduction exemption as specified in paragraph (g)(2); the demonstration project is completed within two (2) years; and a complete application is submitted no later than two (2) years after the date of issuance of the permit which modified the conditions of the previous permit for the purpose of the demonstration or investigation.

(F) Emergency Internal Combustion Engines

Emergency internal combustion engines that are exempted under Rule 1304.

(G) Wood Product Stripping

Wood product stripping permit units, provided that the risk increases due to emissions from the permit unit owned or operated by the applicant for which complete applications were submitted on or after July 10, 1998 will not exceed a MICR of 100 in one million (100×10^{-6}) or a total acute or chronic hazard index of five (5) at any receptor location. This exemption shall not apply to permit applications received after January 10, 2000, or sooner if the Executive Officer makes a determination that T-BACT is available to enable compliance with the requirements of paragraphs (d)(1), (d)(2) and (d)(3).

(H) Gasoline Transfer and Dispensing Facilities

For gasoline transfer and dispensing facilities, as defined in Rule 461 – Gasoline Transfer and Dispensing, the Executive Officer shall not, for the purposes of paragraphs (d)(1) through (d)(4), consider the risk contribution of methyl tert-butyl ether for any gasoline transfer and dispensing permit applications deemed complete on or before December 31, 2003. If the state of California extends the phase-out requirement for methyl tert-butyl ether as an oxygenate in gasoline, the limited time exemption shall be extended to that expiration date or December 31, 2004, whichever is sooner.

(2) Contemporaneous Risk Reduction

(A) Paragraph (d)(1) shall not apply if the applicant demonstrates that a contemporaneous risk reduction resulting in a decrease in emissions will occur such that both of the following conditions are met:

- (i) no receptor location will experience a total increase in MICR of greater than one in one million (1.0×10^{-6}) due to the cumulative impact of both the permit unit and the contemporaneous risk reduction; and
- (ii) the contemporaneous risk reduction occurs within 100 meters of the permit unit.

T-BACT shall be used on permit units exempted under this subparagraph if the MICR from the permit unit exceeds one in one million (1.0×10^{-6}).

- (B) The requirements of paragraphs (d)(2) and (d)(3) shall not apply if the applicant substantiates to the satisfaction of the Executive Officer that a contemporaneous risk reduction will occur such that any increase in individual substance acute or chronic HI from the permit unit exceeding 1.0 is mitigated with an equal or greater decrease in the same individual substance acute or chronic HI, respectively, from the contemporaneous risk reduction such that both of the following conditions are met:

- (i) no receptor location will experience an increase in total acute or chronic HI of more than 1.0 due to the cumulative impact of both the permit unit and the contemporaneous risk reduction; and
- (ii) the contemporaneous risk reduction occurs within 100 meters of the permit unit.

(3) Alternate Hazard Index Levels

The requirements of paragraphs (d)(2) and (d)(3) shall not apply if the applicant substantiates to the satisfaction of the Executive Officer that at all receptor locations and for every target organ system, the total chronic and acute HI level resulting from emissions from the new, modified or relocated permit unit owned or operated by the applicant for which applications were submitted on or after July 10, 1998 shall not exceed alternate HI levels which are determined by the Executive Officer in consultation with the Office of Environmental Health Hazard Assessment to be protective against adverse health effects. No alternate HI level shall exceed 10.

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
75-07-0	acetaldehyde	December 7, 1990	September 8, 1998	September 10, 2010
60-35-5	acetamide	January 8, 1999		
107-02-8	acrolein		June 15, 2001	August 13, 1999
79-06-1	acrylamide (or propenamide)	December 7, 1990	**	
79-10-7	acrylic acid		*	August 13, 1999
107-13-1	acrylonitrile (or vinyl cyanide)	December 7, 1990	May 3, 2002	
107-05-1	allyl chloride	January 8, 1999		
117-79-3	aminoanthraquinone, 2-	January 8, 1999		
7664-41-7	ammonia		August 18, 2000	August 13, 1999
62-53-3	aniline	January 8, 1999		
7440-38-2	arsenic and arsenic compounds (inorganic) including, but not limited to: arsenic compounds (inorganic)	December 7, 1990	June 15, 2001	August 13, 1999
7784-42-1	arsine		September 10, 2010	August 13, 1999
1332-21-4	asbestos	June 1, 1990		
71-43-2	benzene (including benzene from gasoline)	June 1, 1990	August 18, 2000	August 13, 1999
92-87-5	benzidine (and its salts)	December 7, 1990	**	
100-44-7	benzyl chloride	September 8, 1998	**	August 13, 1999
7440-41-7	beryllium and beryllium compounds	December 7, 1990	May 3, 2002	
111-44-4	bis(2-chloroethyl)ether (DCEE)	December 7, 1990		
117-81-7	bis(2-ethylhexyl)phthalate (DEHP)	September 8, 1998	**	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
542-88-1	bis(chloromethyl)ether	December 7, 1990		
7789-30-2	bromine pentafluoride		*	
106-99-0	butadiene, 1,3-	December 7, 1990	June 15, 2001	
7440-43-9	cadmium and cadmium compounds	June 1, 1990	June 15, 2001	
75-15-0	carbon disulfide		May 3, 2002	August 13, 1999
56-23-5	carbon tetrachloride (or tetrachloromethane)	June 1, 1990	June 15, 2001	August 13, 1999
7782-50-5	chlorine		August 18, 2000	August 13, 1999
10049-04-4	chlorine dioxide		June 15, 2001	
95-83-0	chloro-o-phenylenediamine, 4-	January 8, 1999		
95-69-2	chloro-o-toluidine, p-	January 8, 1999		
108-90-7	chlorobenzene		June 15, 2001	
	chlorofluorocarbons			
75-43-4	dichlorodifluoromethane (CFC-12)		*	
75-69-4	trichlorofluoromethane (CFC-11)		*	
76-13-1	trichlorotrifluoroethane (CFC-113)		*	
67-66-3	chloroform (trichloromethane)	December 7, 1990	August 18, 2000	August 13, 1999
	Chlorophenols			
95-57-8	chlorophenol, 2-		*	
88-06-2	trichlorophenol, 2,4,6-	December 7, 1990	*	
87-86-5	tetrachlorophenols (TECPH)		*	
	pentachlorophenol	September 8, 1998	**	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
76-06-2	chloropicrin		May 3, 2002	August 13, 1999
126-99-8	chloroprene		**	
18540-29-9	chromium (hexavalent) and chromium compounds including, but not limited to: lead chromate	June 1, 1990	June 15, 2001	
7758-97-6		September 8, 1998	**	
1333-82-0	chromic trioxide		June 15, 2001	
7440-50-8	copper and copper compounds		*	August 13, 1999
120-71-8	residine, p-	January 8, 1999		
1319-77-3	resols/resylic acid (all isomers and mixture) resol, m- resol, o- resol, p-		June 15, 2001	
108-39-4			June 15, 2001	
95-48-7			June 15, 2001	
106-44-5			June 15, 2001	
135-20-6	cupferron	January 8, 1999		
	dialkylnitrosamines			
924-16-3	nitrosodi-n-butylamine, n-	December 7, 1990		
621-64-7	nitrosodi-n-propylamine, n-	September 8, 1998		
55-18-5	nitrosodiethylamine, n-	December 7, 1990		
62-75-9	nitrosodimethylamine, n-	December 7, 1990		
10595-95-6	nitrosomethylethylamine, n-	September 8, 1998		

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
615-05-4	diaminoanisole, 2,4- (sulfate)	January 8, 1999		
95-80-7	diaminotoluene, 2,4-	January 8, 1999		
	dibenzo-p-dioxins (chlorinated)			
1746-01-6	tetrachlorodibenzo-p-dioxin, 2,3,7,8-	June 1, 1990	August 18, 2000	
40321-76-4	pentachlorodibenzo-p-dioxin, 1,2,3,7,8-	June 1, 1990	August 18, 2000	
39227-28-6	hexachlorodibenzo-p-dioxin, 1,2,3,4,7,8-	June 1, 1990	August 18, 2000	
57653-85-7	hexachlorodibenzo-p-dioxin, 1,2,3,6,7,8-	June 1, 1990	August 18, 2000	
19408-74-3	hexachlorodibenzo-p-dioxin, 1,2,3,7,8,9-	June 1, 1990	August 18, 2000	
35822-46-9	heptachlorodibenzo-p-dioxin,	June 1, 1990	August 18, 2000	
3268-87-9	1,2,3,4,6,7,8-	June 1, 1990	August 18, 2000	
41903-57-5	octachlorodibenzo-p-dioxin,	June 1, 1990	August 18, 2000	
36088-22-9	1,2,3,4,5,6,7,8-	June 1, 1990	August 18, 2000	
34465-46-8	total tetrachlorodibenzo-p-dioxin	June 1, 1990	August 18, 2000	
37871-00-4	total pentachlorodibenzo-p-dioxin	June 1, 1990	August 18, 2000	
	total hexachlorodibenzo-p-dioxin	June 1, 1990	August 18, 2000	
	total heptachlorodibenzo-p-dioxin			
	total dioxins, with individual isomers reported	June 1, 1990	August 18, 2000	
	total dioxins, without individual isomers reported	June 1, 1990	August 18, 2000	
	dibenzofurans (chlorinated)			
51207-31-9	tetrachlorodibenzofuran, 2,3,7,8-	June 1, 1990	August 18, 2000	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
57117-41-6	pentachlorodibenzofuran, 1,2,3,7,8-	June 1, 1990	August 18, 2000	
57117-31-4	pentachlorodibenzofuran, 2,3,4,7,8-	June 1, 1990	August 18, 2000	
70648-26-9	hexachlorodibenzofuran, 1,2,3,4,7,8-	June 1, 1990	August 18, 2000	
57117-44-9	hexachlorodibenzofuran, 1,2,3,6,7,8-	June 1, 1990	August 18, 2000	
72918-21-9	hexachlorodibenzofuran, 1,2,3,7,8,9-	June 1, 1990	August 18, 2000	
60851-34-5	hexachlorodibenzofuran, 2,3,4,6,7,8-	June 1, 1990	August 18, 2000	
67562-39-4	heptachlorodibenzofuran, 1,2,3,4,6,7,8-	June 1, 1990	August 18, 2000	
55673-89-7	heptachlorodibenzofuran, 1,2,3,4,7,8,9-	June 1, 1990	August 18, 2000	
39001-02-0	octachlorodibenzofuran, 1,2,3,4,5,6,7,8	June 1, 1990	August 18, 2000	
55722-27-5	total tetrachlorodibenzofuran	June 1, 1990	August 18, 2000	
30402-15-4	total pentachlorodibenzofuran	June 1, 1990	August 18, 2000	
55684-94-1	total hexachlorodibenzofuran	June 1, 1990	August 18, 2000	
38998-75-3	total heptachlorodibenzofuran	June 1, 1990	August 18, 2000	
96-12-8	dibromo-3-chloropropane, 1,2- (DBCP)	September 8, 1998	**	
106-46-7	dichlorobenzene, 1,4- (or p-dichlorobenzene)	September 8, 1998	June 15, 2001	
91-94-1	dichlorobenzidine, 3,3	December 7, 1990		
75-34-3	dichloroethane, 1,1-	January 8, 1999		
75-35-4	dichloroethylene, 1,1-		June 15, 2001	
9901 (emittant ID)	diesel PM – diesel particulate matter from diesel-fueled internal combustion engine exhaust	March 7, 2008	March 7, 2008	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
111-42-2	diethanolamine		May 3, 2002	
60-11-7	dimethylaminoazobenzene, p-	January 8, 1999		
68-12-2	dimethylformamide (N,N-)		June 15, 2001	
121-14-2	dinitrotoluene, 2,4-	December 7, 1990		
123-91-1	dioxane, 1,4- (or 1,4-diethylene dioxide)	December 7, 1990	August 18, 2000	August 13, 1999
106-89-8	epichlorohydrin (or 1-chloro-2,3-epoxypropane)	December 7, 1990	June 15, 2001	August 13, 1999
106-88-7	epoxybutane, 1,2-		June 15, 2001	
140-88-5	ethyl acrylate		*	
100-41-4	ethyl benzene	June 5, 2009	August 18, 2000	
75-00-3	ethyl chloride (or chloroethane)		August 18, 2000	
106-93-4	ethylene dibromide (or 1,2-dibromoethane)	June 1, 1990	May 3, 2002	
107-06-2	ethylene dichloride (or 1,2-dichloroethane)	June 1, 1990	June 15, 2001	
75-21-8	ethylene oxide (or 1,2-epoxyethane)	June 1, 1990	June 15, 2001	
96-45-7	ethylene thiourea	January 8, 1999		
1101	Fluorides (except hydrogen fluoride, listed separately below)		September 10, 2010	
50-00-0	formaldehyde	December 7, 1990	August 18, 2000	August 13, 1999
	gasoline vapors		*	
111-30-8	glutaraldehyde		June 15, 2001	
	glycol ethers (and their acetates)			

TABLE I TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
107-21-1	ethylene glycol		August 18, 2000	
111-76-2	ethylene glycol butyl ether		*	August 13, 1999
110-80-5	ethylene glycol ethyl ether		August 18, 2000	February 10, 1999
111-15-9	ethylene glycol ethyl ether acetate		August 18, 2000	August 13, 1999
109-86-4	ethylene glycol methyl ether		August 18, 2000	August 13, 1999
110-49-6	ethylene glycol methyl ether acetate		August 18, 2000	
118-74-1	hexachlorobenzene	December 7, 1990	**	
608-73-1	hexachlorocyclohexanes (mixed or technical grade)	December 7, 1990	**	
58-89-9	hexachlorocyclohexane, gamma- (lindane)	September 8, 1998	**	
77-47-4	hexachlorocyclopentadiene		*	
110-54-3	hexane		August 18, 2000	
302-01-2	hydrazine	September 8, 1998	June 15, 2001	
122-66-7	hydrazobenzene (or 1,2-diphenylhydrazine)	December 7, 1990		
7647-01-0	hydrochloric acid (or hydrogen chloride)		August 18, 2000	August 13, 1999
7664-39-3	hydrofluoric acid (or hydrogen fluoride)		September 10, 2010	August 13, 1999
10035-10-6	hydrogen bromide (HBR)		*	
74-90-8	hydrogen cyanide		August 18, 2000	August 13, 1999
7783-06-4	hydrogen sulfide		August 18, 2000	February 10, 1999
7783-07-5	hydrogen selenide			August 13, 1999

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
624-83-9	isocyanates methyl isocyanate		May 3, 2002	
78-59-1	isophrone		May 3, 2002	
67-63-0	isopropyl alcohol		August 18, 2000	August 13, 1999
7439-92-1	lead and lead compounds (inorganic, including elemental lead) including, but not limited to:	September 8, 1998	**	
	lead compounds (inorganic)	September 8, 1998	**	
301-04-2	lead acetate	September 8, 1998	**	
7758-97-6	lead chromate	September 8, 1998	**	
7446-27-7	lead phosphate	September 8, 1998	**	
1335-32-6	lead subacetate	September 8, 1998	**	
	lead compounds (other than inorganic)	September 8, 1998	**	
108-31-6	maleic anhydride		May 3, 2002	
7439-96-5	manganese and manganese compounds		August 18, 2000	
7439-97-6	mercury and mercury compounds (inorganic)		August 18, 2000	August 13, 1999
	including, but not limited to:			
7487-94-7	mercuric chloride		August 18, 2000	
593-74-8	methyl mercury		August 18, 2000	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
67-56-1	methanol (methyl alcohol)		August 18, 2000	August 13, 1999
74-83-9	methyl bromide (or bromomethane)		August 18, 2000	August 13, 1999
71-55-6	methyl chloroform (or 1,1,1-trichloroethane)		August 18, 2000	August 13, 1999
78-93-3	methyl ethyl ketone		*	August 13, 1999
80-62-6	methyl methacrylate		*	
1634-04-4	methyl tert-butyl ether	May 2, 2003	August 18, 2000	
101-14-4	methylene bis(2-chloroaniline), 4,4- (MOCA)	January 8, 1999		
75-09-2	methylene chloride (or dichloromethane)	June 1, 1990	August 18, 2000	August 13, 1999
101-77-9	methylene dianiline, 4,4'- (and its dichloride)	September 8, 1998	May 3, 2002	
101-68-8	methylene phenyl diisocyanate		June 15, 2001	
1135	mineral fibers (other than man-made)		*	
90-94-8	michler's ketone	January 8, 1999		
7440-02-0	nickel and nickel compounds: including, but not limited to:	March 12, 1999	August 18, 2000	August 13, 1999
373-02-4	nickel acetate	March 12, 1999	August 18, 2000	August 13, 1999
3333-67-3	nickel carbonate	March 12, 1999	August 18, 2000	August 13, 1999
13463-39-3	nickel carbonyl	March 12, 1999	August 18, 2000	August 13, 1999
12054-48-7	nickel hydroxide	March 12, 1999	August 18, 2000	August 13, 1999
1313-99-1	nickel oxide	March 12, 1999	August 18, 2000	August 13, 1999
12035-72-2	nickel subsulfide	December 7, 1990	August 18, 2000	August 13, 1999
1271-28-9	nickelocene	March 12, 1999	August 18, 2000	August 13, 1999

TABLE I TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
	refinery dust from the pyrometallurgical process	December 7, 1990	August 18, 2000	August 13, 1999
7697-37-2	nitric acid		*	August 13, 1999
98-95-3	nitrobenzene		*	
79-46-9	nitropropane, 2-		*	
759-73-9	nitroso-n-ethylurea, n-	December 7, 1990		
684-93-5	nitroso-n-methylurea, n-	December 7, 1990		
86-30-6	nitrosodiphenylamine, n-	December 7, 1990		
156-10-5	nitrosodiphenylamine, p-	September 8, 1998		
59-89-2	nitrosomorpholine, n-	January 8, 1999		
100-75-4	nitrosopiperidine, n-	January 8, 1999		
930-55-2	nitrosopyrrolidine, n-	December 7, 1990		
108171-26-2	paraffins, chlorinated (average chain length, c12; approx. 60% cl by weight)	January 8, 1999		
127-18-4	perchloroethylene (or tetrachloroethylene)	September 8, 1998	September 8, 1998	August 13, 1999
108-95-2	phenol		August 18, 2000	August 13, 1999
75-44-5	phosgene		*	August 13, 1999
7723-14-0	phosphorus and phosphorus compounds		*	
7803-51-2	phosphine		February 7, 2003	
7664-38-2	phosphoric acid		August 18, 2000	
85-44-9	phthalic anhydride		June 15, 2001	

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
1336-36-3	polychlorinated biphenyls (PCBs) 3,3',4,4' Tetrachlorobiphenyl 3,4,4',5 Tetrachlorobiphenyl 2,3,3',4,4' Pentachlorobiphenyl 2,3,4,4',5 Pentachlorobiphenyl 2,3',4,4',5 Pentachlorobiphenyl 2',3,4,4',5 Pentachlorobiphenyl 3,3',4,4',5 Pentachlorobiphenyl 2,3,3',4,4',5 Hexachlorobiphenyl 2,3,3',4,4',5' Hexachlorobiphenyl 2,3',4,4',5.5' Hexachlorobiphenyl 3,3',4,4',5,5' Hexachlorobiphenyl 2,3,3',4,4',5,5' Heptachlorobiphenyl	December 7, 1990 March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005***	** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005*** March 4, 2005***	
56-55-3 50-32-8 205-99-2 205-82-3 207-08-9 218-01-9 226-36-8	polycyclic aromatic hydrocarbons (PAHs) benz[a]anthracene benzo[a]pyrene benzo[b]fluoranthene benzo[j]fluoranthene benzo[k]fluoranthene chrysene dibenz[a,h]acridine	December 7, 1990 December 7, 1990 December 7, 1990 January 8, 1999 December 7, 1990 December 7, 1990 January 8, 1999		

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
224-42-0	dibenz[a,j]acridine	January 8, 1999		
53-70-3	dibenz[a,h]anthracene	December 7, 1990		
192-65-4	dibenzo[a,e]pyrene	January 8, 1999		
189-64-0	dibenzo[a,h]pyrene	January 8, 1999		
189-55-9	dibenzo[a,i]pyrene	January 8, 1999		
191-30-0	dibenzo[a,l]pyrene	January 8, 1999		
194-59-2	dibenzo[c,g]carbazole, 7h-	January 8, 1999		
57-97-6	dimethylbenz[a]anthracene, 7,12-	January 8, 1999		
42397-64-8	dinitropyrene, 1,6-	January 8, 1999		
42397-65-9	dinitropyrene, 1,8-	January 8, 1999		
193-39-5	indeno[1,2,3-cd]pyrene	December 7, 1990		
56-49-5	methylcholanthrene, 3-	January 8, 1999		
3697-24-3	methylchrysene, 5-	January 8, 1999		
91-20-3	naphthalene	March 4, 2005***	August 18, 2000	
602-87-9	nitroacenaphthene, 5-	January 8, 1999		
7496-02-8	nitrochrysene, 6-	January 8, 1999		
607-57-8	nitrofluorene, 2-	January 8, 1999		
5522-43-0	nitropyrene, 1-	January 8, 1999		
57835-92-4	nitropyrene, 4-	January 8, 1999		
	polycyclic aromatic hydrocarbons (PAHs), total	September 8, 1998		

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
7758-01-2	potassium bromate	January 8, 1999		
1120-71-4	propane sultone, 1,3-	January 8, 1999		
115-07-1	propylene		August 18, 2000	
107-98-2	propylene glycol methyl ether		August 18, 2000	
75-56-9	propylene oxide (or 1,2-epoxy propane)	September 8, 1998	February 23, 2000	August 13, 1999
7782-49-2	selenium and selenium compounds other than hydrogen selenide		May 3, 2002	
1310-73-2	sodium hydroxide		*	August 13, 1999
100-42-5	styrene (or vinyl benzene)		August 18, 2000	August 13, 1999
7664-93-9	sulfuric acid (and oleum)		May 3, 2002	August 13, 1999
79-34-5	tetrachloroethane, 1,1,2,2-	January 8, 1999		
62-55-5	thioacetamide	January 8, 1999		
108-88-3	toluene (or methyl benzene)		August 18, 2000	August 13, 1999
584-84-9	toluene diisocyanates toluene-2,4-diisocyanate	September 8, 1998	June 15, 2001	
91-08-7	toluene-2,6-diisocyanate	September 8, 1998	June 15, 2001	
79-00-5	trichloroethane, 1,1,2-	January 8, 1999		
79-01-6	trichloroethylene	December 7, 1990	August 18, 2000	
121-44-8	triethylamine		February 7, 2003	August 13, 1999
51-79-6	urethane (or ethyl carbamate)	September 8, 1998		
1314-62-1	vanadium pentoxide			August 13, 1999

TABLE I				
TOXIC AIR CONTAMINANTS				
CAS #	SUBSTANCE	EFFECTIVE DATE CANCER	EFFECTIVE DATE CHRONIC	EFFECTIVE DATE ACUTE
108-05-4	vinyl acetate		May 3, 2002	
75-01-4	vinyl chloride (or chloroethylene)	December 7, 1990	**	August 13, 1999
75-35-4	vinylidene chloride		*	
1330-20-7	xylenes (isomers and mixture)		August 18, 2000	August 13, 1999
108-38-3	xylene, m-		August 18, 2000	August 13, 1999
95-47-6	xylene, o-		August 18, 2000	August 13, 1999
106-42-3	xylene, p-		August 18, 2000	August 13, 1999
7440-66-6	zinc and zinc compounds		*	
	including, but not limited to:			
1314-13-2	zinc oxide		*	

* Compounds not classified as carcinogenic, but have chronic risk values proposed by OEHHA that have not yet been finalized. The effective date is the date the Scientific Review Panel approves the chronic risk value.

** Compounds are classified as carcinogenic, but have chronic risk values proposed by OEHHA that have not yet been finalized. The effective date for use of chronic risk values is the date the Scientific Review Panel approves the chronic risk value.

*** Effective date for these risk values will be March 4, 2005 or the date of implementation of the applicable most recent version of Risk Assessment Procedures for Rules 1401, 1401.1 and 212, whichever is later.

TABLE II	
TOXIC AIR CONTAMINANTS WITH PROPOSED RISK VALUES	
CAS #	SUBSTANCE
79-10-7	acrylic acid
107-05-1	allyl chloride
7783-20-2	ammonium sulfate
62-53-3	Aniline
1309-64-4	antimony trioxide
	arsenic compounds (other than inorganic)
532-27-4	chloroacetophenone, 2-
75-45-6	chlorodifluoromethane (HCFC-22)
7440-48-4	cobalt and cobalt compounds
74-85-1	Ethylene
96-45-7	ethylene thiourea
	fluorides and fluoride compounds
87-68-3	hexachlorobutadiene
67-72-1	hexachloroethane
822-06-0	hexamethylene-1,6-diisocyanate
78-93-3	methyl ethyl ketone (or 2-butanone)
7697-37-2	nitric acid
156-10-5	nitrosodiphenylamine, p-
7440-22-4	silver and silver compounds
96-09-3	styrene oxide
79-00-5	trichloroethane, 1,1,2-
593-60-2	vinyl bromide