

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

(Adopted December 3, 1976)(Amended June 7, 1985)(Amended November 1, 1985)
(Amended October 3, 1986)(Amended April 3, 1987)(Amended May 5, 1989)
(Amended September 7, 1990)(Amended October 4, 1991)(Amended April 3, 1992)
(Amended April 9, 1993)(Amended April 8, 1994)(Amended January 9, 1998)
(Amended August 13, 1999)(Amended April 21, 2000)
(Amended May 11, 2001)(Amended April 5, 2002)(Amended May 7, 2004)
(Amended December 2, 2005)(Amended September 8, 2006)
(Amended April 6, 2007)(Amended April 4, 2008)(Amended April 3, 2009)
(Amended March 5, 2010)(Amended March 4, 2011)
(Amended April 6, 2012)

REGULATION IX

STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

The provisions of Part 60, Chapter I, Title 40, of the Code of Federal Regulations (CFR), in effect July 1, 1984, applicable to the subparts listed in this Regulation were adopted by the South Coast Air Quality Management District on the date shown and were made part of the Rules and Regulations of the South Coast Air Quality Management District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the more stringent of the standards, criteria, and requirements set forth herein or in applicable District rules. For the purpose of this Regulation, the word "Administrator" as used in Part 60, Chapter I, Title 40, of the CFR shall mean the Executive Officer of the South Coast Air Quality Management District, except that the Executive Officer shall not be empowered to approve alternate test methods or alternate opacity limits. Other deviations from these federal standards, as presented in the CFR and which were ordered by the South Coast Air Quality Management District Board to suit the needs of the South Coast Air Quality Management District, are noted in the affected subpart.

SUBPART A GENERAL PROVISIONS

(40FR53346, Nov. 17, 1975)	(Adopted Dec. 3, 1976)
(52FR17555, May 11, 1987)	(Amended Oct. 5, 1984)
(55FR26912, June 29, 1990)	(Amended May 5, 1989)
(55FR26931, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR37674, Sept. 12, 1990)	(Amended Oct. 4, 1991)
(55FR40171, Oct. 2, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(57FR32314, July 21, 1992)	(Amended April 9, 1993)
(59FR12408, March 16, 1994)	(Amended August 13, 1999)
(60FR65387, Dec. 19, 1995)	(Amended August 13, 1999)
(62FR8314, Feb. 24, 1997)	(Amended August 13, 1999)
(62FR52384, Oct. 7, 1997)	(Amended August 13, 1999)
(63FR24436, May 4, 1998)	(Amended August 13, 1999)
(65FR48914, August 10, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(65FR76378, Dec. 6, 2000)	(Amended May 11, 2001)
(66FR44978, August 27, 2001)	(Amended April 5, 2002)
(67FR43550, June 28, 2002)	(Amended May 7, 2004)
(69FR41346, July 8, 2004)	(Amended Dec. 2, 2005)
(70FR74870, Dec. 16, 2005)	(Amended April 6, 2007)
(71FR38482, July 6, 2006)	(Amended April 6, 2007)
(71FR39154, July 11, 2006)	(Amended April 6, 2007)
(72FR27437, May 16, 2007)	(Amended April 4, 2008)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(73FR3568, January 18, 2008)	(Amended April 3, 2009)
(73FR35838, June 24, 2008)	(Amended April 3, 2009)
(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(74FR51950, October 8, 2009)	(Amended March 5, 2010)
(75FR54970, Sept. 9, 2010)	(Amended March 4, 2011)
(76FR2832, January 18, 2011)	(Amended April 6, 2012)
(76FR15372, March 21, 2011)	(Amended April 6, 2012)
(76FR15704, March 21, 2011)	(Amended April 6, 2012)

SUBPART D STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

(39FR20792, June 14, 1974)	(Adopted Dec. 3, 1976)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(52FR28946, Aug. 4, 1987)	(Amended May 5, 1989)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(76FR3517, January 20, 2011)	(Amended April 6, 2012)

**SUBPART Da STANDARDS OF PERFORMANCE FOR ELECTRIC
UTILITY STEAM GENERATING UNITS FOR WHICH
CONSTRUCTION IS COMMENCED AFTER SEPT. 18, 1978**

(44FR33613, June 11, 1979)	(Adopted Oct. 5, 1984)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(63FR49442, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(70FR28606, May 18, 2005)	(Amended Sept. 8, 2006)
(70FR51266, August 30, 2005)	(Amended Sept. 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(76FR3517, January 20, 2011)	(Amended April 6, 2012)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART Db STANDARDS OF PERFORMANCE FOR INDUSTRIAL-
COMMERCIAL-INSTITUTIONAL STEAM GENERATING
UNITS**

(51FR42768, Nov. 25, 1986)	(Adopted April 3, 1987)
(51FR42839, Nov. 26, 1986)	
(52FR47826, Dec. 16, 1987)	(Amended May 5, 1989)
(54FR51820, Dec. 18, 1989)	(Amended, Sept. 7, 1990)
(63FR4992, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR13242, March 13, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(66FR49830, October 1, 2001)	(Amended April 5, 2002)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(76FR3517, January 20, 2011)	(Amended April 6, 2012)

**SUBPART Dc STANDARDS OF PERFORMANCE FOR SMALL
INDUSTRIAL COMMERCIAL-INSTITUTIONAL STEAM
GENERATING UNITS**

(55FR37674, Sept. 12, 1990)	(Adopted Oct. 4, 1991)
(61FR20734, May 8, 1996)	(Amended August 13, 1999)
(64FR24049, May 5, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(70FR74679, Dec. 16, 2005)	(Amended Sept. 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(74FR5072, January 28, 2009)	(Amended March 5, 2010)
(76FR3517, January 20, 2011)	(Amended April 6, 2012)

SUBPART E STANDARDS OF PERFORMANCE FOR INCINERATORS

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

**SUBPART Ea STANDARDS OF PERFORMANCE FOR MUNICIPAL
WASTE COMBUSTORS**

(56FR5488, Feb. 11, 1991)	(Adopted April 3, 1992)
(60FR65381, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)

**SUBPART Eb STANDARDS OF PERFORMANCE AND EMISSION
GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS**

(60FR65387, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(62FR45116, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(62FR45124, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR36473, July 12, 2001)	(Amended April 5, 2002)
(66FR57824, Nov. 16, 2001)	(Amended April 5, 2002)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

**SUBPART Ec STANDARDS OF PERFORMANCE FOR HOSPITAL/
MEDICAL INFECTIOUS WASTE INCINERATORS**

(62FR48348, Sept. 15, 1997)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)
(68FR61759, Oct. 30, 2003)	(Amended May 7, 2004)
(76FR18407, April 4, 2011)	(Amended April 6, 2012)

**SUBPART F STANDARDS OF PERFORMANCE FOR PORTLAND
CEMENT PLANTS**

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(53FR50354 Dec. 14, 1988)	(Amended May 5, 1989)
(61FR14637, April 3, 1996)	(Amended August 13, 1999)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)
(75FR54970, Sept. 9, 2010)	(Amended March 4, 2011)

**SUBPART G STANDARDS OF PERFORMANCE FOR NITRIC ACID
PLANTS**

(39FR20794, June 14, 1974)	(Adopted Dec. 3, 1976)
----------------------------	------------------------

**SUBPART H STANDARDS OF PERFORMANCE FOR SULFURIC ACID
PLANTS**

(39FR20794, June 14, 1974)	(Adopted Dec. 3, 1976)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)

**SUBPART I STANDARDS OF PERFORMANCE FOR ASPHALTIC
CONCRETE PLANTS**

(39FR9314, March 8, 1974)	(Adopted Dec. 3, 1976)
(51FR12324, April 10, 1986)	(Amended April 3, 1987)

**SUBPART J STANDARDS OF PERFORMANCE FOR PETROLEUM
REFINERIES**

(39FR9315, March 8, 1974)	(Adopted Dec. 3, 1976)
(51FR42839, Nov. 26, 1986)	(Amended Feb. 13, 1981)
	(Amended April 3, 1987)
(54FR34008, Aug. 17, 1989)	(Amended Sept. 7, 1990)
(55FR40171, Oct. 2, 1990)	(Amended Oct. 4, 1991)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)
(73FR35838, June 24, 2008)	(Amended April 3, 2009)

**SUBPART Ja STANDARDS OF PERFORMANCE FOR PETROLEUM
REFINERIES FOR WHICH CONSTRUCTION,
RECONSTRUCTION, OR MODIFICATION
COMMENCED AFTER May 14, 2007**

(73FR35838, June 24, 2008)	(Adopted April 3, 2009)
(73FR55751, Sept. 26, 2008)	(Amended April 3, 2009)
(73FR78546, Dec. 22, 2008)	(Amended April 3, 2009)
(73FR78549, Dec. 22, 2008)	(Amended April 3, 2009)
(76FR10524, Feb.25, 2011)	(Amended April 6, 2012)

**SUBPART K STANDARDS OF PERFORMANCE FOR STORAGE
VESSELS FOR PETROLEUM LIQUIDS CONSTRUCTED
AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978**

(39FR9317, March 8, 1974)	(Adopted Dec. 3, 1976)
	(Amended Feb. 13, 1981)
(52FR11420, April 8, 1987)	
and	
(52FR22779, June 16, 1987)	(Amended May 5, 1989)

**SUBPART Ka STANDARDS OF PERFORMANCE FOR STORAGE
VESSELS FOR PETROLEUM LIQUIDS CONSTRUCTED
AFTER MAY 18, 1978**

(45FR23379, Apr. 4, 1980)	(Adopted Dec. 3, 1976)
	(Amended Feb. 13, 1981)
(52FR11420, April 18, 1987) and	
(52FR22779, June 16, 1987)	(Amended May 5, 1989)
(65FR2336, January 14, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART Kb STANDARDS OF PERFORMANCE FOR STORAGE
VESSELS FOR PETROLEUM LIQUIDS FOR WHICH
CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER JULY 23, 1983**

(52FR11420, April 8, 1987) and	
(52FR22779, June 16, 1987)	(Adopted May 5, 1989)
(54FR32972, August 11, 1989)	(Amended Sept. 7, 1990)
(65FR2336, January 14, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART L STANDARDS OF PERFORMANCE FOR SECONDARY
LEAD SMELTERS**

(39FR9317, March 8, 1974)	(Adopted Dec. 3, 1976)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART M STANDARDS OF PERFORMANCE FOR SECONDARY
BRASS AND BRONZE PRODUCTION PLANTS**

(39FR9318, March 8, 1974)	(Adopted Dec. 3, 1976)
(49FR21864, Mar. 23, 1984)	(Amended Oct. 5, 1984)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART N	STANDARDS OF PERFORMANCE FOR IRON AND STEEL PLANTS	
	(39FR9318, March 8, 1974)	(Adopted Dec. 3, 1976)
	(51FR150, Jan. 2, 1986)	(Amended June 5, 1981)
		(Amended April 3, 1987)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
SUBPART Na	STANDARDS OF PERFORMANCE FOR BASIC OXYGEN PROCESS FURNACES	
	(51FR150, Jan. 2, 1986)	(Adopted April 3, 1987)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
SUBPART O	STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS	
	(39FR9319, March 8, 1974)	(Adopted Dec. 3, 1976)
	(51FR13432, April 18, 1986)	(Amended Oct. 3, 1986)
	(54FR27015, June 27, 1989)	(Amended Sept. 7, 1990)
	(59FR5107, February 3, 1994)	(Amended Dec. 12, 1997)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
SUBPART P	STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS	
	(41FR2338, Jan. 15, 1976)	(Adopted Nov. 1, 1985)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
SUBPART Q	STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS	
	(41FR2340, Jan. 15, 1976)	(Adopted Nov. 1, 1985)
SUBPART R	STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS	
	(41FR2340, Jan. 15, 1976)	(Adopted Nov. 1, 1985)
SUBPART S	STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS	
	(45FR44207, June 30, 1980)	(Adopted Nov. 1, 1985)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART T STANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS
PHOSPHORIC ACID PLANTS**

(40FR33154, August 6, 1975)	(Adopted Dec. 3, 1976) (Amended August 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART U STANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY:
SUPERPHOSPHORIC ACID PLANTS**

(40FR33155, August 6, 1975)	(Adopted Dec. 3, 1976) (Amended Aug. 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART V STANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM
PHOSPHATE PLANTS**

(40FR33155, August 6, 1975)	(Adopted Dec. 3, 1976) (Amended Aug. 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART W STANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: TRIPLE
SUPERPHOSPHATE PLANTS**

(40FR33156, August 6, 1975)	(Adopted Dec. 3, 1976) (Amended Aug. 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART X STANDARDS OF PERFORMANCE FOR THE
PHOSPHATE FERTILIZER INDUSTRY: GRANULAR
TRIPLE SUPERPHOSPHATE STORAGE FACILITIES**

(40FR33156, August 6, 1975)	(Adopted Dec. 3, 1976) (Amended August 5, 1983)
(62FR18277, April 15, 1997)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART Y	STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS	
	(41FR2234, Jan. 15, 1976)	(Adopted Dec. 3, 1976)
	(63FR53288, Oct. 5, 1998)	(Amended Aug. 13, 1999)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
	(74FR51950, October 8, 2009)	(Amended March 5, 2010)
SUBPART Z	STANDARDS OF PERFORMANCE FOR FERRO-ALLOY PRODUCTION FACILITIES	
	(41FR18501, May 4, 1976)	(Adopted Nov. 1, 1985)
	(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
SUBPART AA	STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCT. 21, 1974, AND ON OR BEFORE AUG. 17, 1983	
	(40FR43852, Sept. 23, 1975)	(Adopted Dec. 3, 1976)
	(40FR43838, Oct. 31, 1984)	(Amended June 7, 1985)
	(64FR10105, March 2, 1999)	(Amended April 21, 2000)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
	(70FR8523, February 22, 2005)	(Amended Sept. 8, 2006)
SUBPART AAa	STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES AND ARGON-OXYGEN DECARBURIZATION VESSELS CONSTRUCTED AFTER AUGUST 17, 1983	
	(49FR43838, Oct. 3, 1984)	(Adopted June 7, 1985)
	(64FR10105, March 2, 1999)	(Amended April 21, 2000)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)
	(70FR8523, February 22, 2005)	(Amended Sept. 8, 2006)
SUBPART BB	STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS	
	(43FR7572, Feb. 23, 1978)	(Adopted Nov. 1, 1985)
	(51FR18538, May 20, 1986)	(Amended Oct. 3, 1986)
	(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
	(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART CC STANDARDS OF PERFORMANCE FOR GLASS
MANUFACTURING PLANTS**

(45FR66751, Oct. 7, 1980) (Adopted June 7, 1985)
(49FR41030, Oct. 19, 1984)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART DD STANDARDS OF PERFORMANCE FOR GRAIN
ELEVATORS**

(43FR34347, Aug. 3, 1978) (Adopted March 6, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART EE STANDARDS OF PERFORMANCE FOR SURFACE
COATING OF METAL FURNITURE**

(47FR49287, Oct. 29, 1982) (Adopted Oct. 5, 1984)
(49FR40542, Oct. 16, 1984) (Amended Nov. 1, 1985)
(55FR51378, Dec.13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY
GAS TURBINES**

(44FR52798, Sept. 10, 1979) (Adopted March 6, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)
(69FR41346, July 8, 2004) (Amended Dec. 2, 2005)
(71FR9453, February 24, 2006) (Amended April 6, 2007)

**SUBPART HH STANDARDS OF PERFORMANCE FOR LIME
MANUFACTURING PLANTS**

(43FR9453, March 7, 1978) (Adopted April 3, 1981)
(49FR18076, Apr. 26, 1984) (Amended Oct. 5, 1984)
(52FR4773, Feb. 17, 1987) (Amended May 5, 1989)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID
BATTERY MANUFACTURING PLANTS**

(47FR16573, Apr. 16, 1982) (Adopted August 5, 1983)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC
MINERAL PROCESSING PLANTS**

(49FR6464, Feb. 21, 1984) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART STANDARDS OF PERFORMANCE FOR AUTOMOBILE
MM AND LIGHT-DUTY TRUCK SURFACE COATING
OPERATIONS**

(45FR85415, Dec. 24, 1980) (Adopted Oct. 5, 1984)
(55FR51378, Dec. 13, 1990) (Amended Oct. 4, 1991)
(59FR51383, Oct. 11, 1994) (Amended Aug. 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE
ROCK PLANTS**

(47FR16589, April 16, 1982) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART PP STANDARDS OF PERFORMANCE FOR AMMONIUM
SULFATE MANUFACTURE**

(45FR74850, Nov. 12, 1980) (Adopted Feb. 13, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC
ARTS INDUSTRY: PUBLICATION ROTOGRAVURE
PRINTING**

(47FR50649, Nov. 8, 1982) (Adopted July 6, 1984)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the

federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS

(48FR48368, Oct. 18, 1983) (Adopted May 4, 1984)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART SS STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING: LARGE APPLIANCES

(47FR47785, Oct. 27, 1982) (Adopted Oct. 5, 1984)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emission averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING

(47FR49612, Nov. 1, 1982) (Adopted Oct. 5, 1984)
(51FR22938, June 24, 1986) (Amended Oct. 3, 1986)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

- SUBPART UU STANDARDS OF PERFORMANCE FOR ASPHALT
PROCESSING AND ASPHALT ROOFING
MANUFACTURE**
- (45FR34143, Aug. 6, 1982) (Adopted Aug. 5, 1983)
(65FR61743, October 17, 2000) (Amended May 11, 2001)
- SUBPART VV STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC IN THE SYNTHETIC ORGANIC
CHEMICALS MANUFACTURING INDUSTRY**
- (48FR48355, Oct. 18, 1983) (Adopted Oct. 5, 1984)
(51FR2699, Jan. 21, 1986) (Amended April 3, 1987)
(61FR29875, June 12, 1996) (Amended Aug. 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)
(72FR64860, Nov. 16, 2007) (Amended April 4, 2008)
(73FR31372, June 2, 2008) (Amended April 3, 2009)
(73FR31376, June 2, 2008) (Amended April 3, 2009)
- SUBPART VVa STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC IN THE SYNTHETIC ORGANIC
CHEMICALS MANUFACTURING INDUSTRY FOR
WHICH CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER NOVEMBER 7,
2006**
- 72FR64860, Nov. 16, 2007 (Adopted April 4, 2008)
(73FR31372, June 2, 2008) (Amended April 3, 2009)
(73FR31376, June 2, 2008) (Amended April 3, 2009)
- SUBPART STANDARDS OF PERFORMANCE FOR THE BEVERAGE
WW CAN SURFACE COATING INDUSTRY**
- (48FR38737, Aug. 25, 1983) (Adopted Oct. 5, 1984)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART AAA STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS

(52FR5860, Feb. 26, 1988) and
(53FR12009, April 12, 1988) (Adopted May 5, 1989)
(63FR64869, Nov. 24, 1998) (Amended Aug. 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART BBB STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY

(52FR34868, Sept. 15, 1987) and
(52FR37874, Oct. 9, 1987) (Adopted May 5, 1989)
(54FR38634, Sept. 19, 1989) (Amended Sept. 7, 1990)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART DDD STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY

(55FR51010, Dec. 11, 1990) (Adopted Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART FFF STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING

(49FR26892, June 29, 1984) (Adopted June 7, 1985)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD

**SUBPART
GGG** **STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC IN PETROLEUM REFINERIES FOR
WHICH CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER JANUARY 4, 1983,
AND ON OR BEFORE NOVEMBER 7, 2006**

(49FR22606, May 30, 1984)	(Adopted June 7, 1985)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(72FR64860, Nov. 16, 2007)	(Amended April 4, 2008)
(73FR31372, June 2, 2008)	(Amended April 3, 2009)
(73FR31376, June 2, 2008)	(Amended April 3, 2009)

**SUBPART
GGGa** **STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC IN PETROLEUM REFINERIES FOR
WHICH CONSTRUCTION, RECONSTRUCTION, OR
MODIFICATION COMMENCED AFTER NOVEMBER 7,
2006**

(72FR64896, Nov. 16, 2007)	(Adopted April 3, 2009)
73FR31372, June 2, 2008	(Amended April 3, 2009)
73FR31376, June 2, 2008	(Amended April 3, 2009)

**SUBPART
HHH** **STANDARDS OF PERFORMANCE FOR SYNTHETIC
FIBER PRODUCTION FACILITIES**

(49FR13651, April 5, 1984)	(Adopted Nov. 1, 1985)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART III **STANDARDS OF PERFORMANCE FOR VOLATILE
ORGANIC COMPOUND (VOC) EMISSIONS FROM THE
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) AIR OXIDATION UNIT
PROCESSES**

(55FR26912, June 29, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART JJJ **STANDARDS OF PERFORMANCE FOR PETROLEUM
DRY CLEANERS**

(49FR37332, Sept. 21, 1984)	(Adopted June 7, 1985)
(50FR49026, Nov. 27, 1985)	(Amended Oct. 3, 1986)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART
KKK STANDARDS OF PERFORMANCE FOR EQUIPMENT
 LEAKS OF VOC FROM ONSHORE NATURAL GAS
 PROCESSING PLANTS**

(50FR26122, June 24, 1985) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
LLL STANDARDS OF PERFORMANCE FOR ONSHORE
 NATURAL GAS PROCESSING: SO₂ EMISSIONS**

(50FR40518, Oct. 1, 1985) (Adopted Oct. 3, 1986)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
NNN STANDARDS OF PERFORMANCE FOR VOLATILE
 ORGANIC COMPOUND (VOC) EMISSIONS FROM
 SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
 INDUSTRY (SOCMI) AIR OXIDATION UNIT
 PROCESSES**

(55FR26931, June 29, 1990) (Adopted Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
OOO STANDARDS OF PERFORMANCE FOR NONMETALLIC
 MINERAL PROCESSING PLANTS**

(50FR31328, Aug. 1, 1985) (Adopted Nov. 1, 1985)
(62FR31351, June 9, 1997) (Amended Dec. 12, 1997)
(62FR62953, Nov. 26, 1997) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART PPP STANDARDS OF PERFORMANCE FOR WOOL
 FIBERGLASS INSULATION MANUFACTURING
 PLANTS**

(50FR7694, Feb. 25, 1985) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
QQQ** **STANDARDS OF PERFORMANCE FOR VOC
EMISSIONS FROM PETROLEUM REFINERY
WASTEWATER SYSTEMS**

(53FR47616, Nov. 23, 1988) (Adopted May 5, 1989)
(60FR43244, Aug. 18, 1995) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
RRR** **STANDARDS OF PERFORMANCE FOR VOLATILE
ORGANIC COMPOUND (VOC) EMISSIONS FROM
THE SYNTHETIC ORGANIC CHEMICAL
MANUFACTURING INDUSTRY (SOCMI) REACTOR
PROCESSES**

(58FR45948, Aug. 31, 1993) (Adopted April 8, 1994)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART SSS **STANDARDS OF PERFORMANCE FOR THE
MAGNETIC TAPE MANUFACTURING INDUSTRY**

(53FR38892, Oct. 3, 1988) and (Adopted May 5, 1989)
(53FR47955, Nov. 29, 1988)

**SUBPART
TTT** **STANDARDS OF PERFORMANCE FOR INDUSTRIAL
SURFACE COATING PLASTIC PARTS FOR BUSINESS
MACHINES**

(53FR2672, Jan. 29, 1988) and (Adopted May 5, 1989)
(53FR19300, May 27, 1988) (Amended Sept. 7, 1990)
(54FR25458, June 15, 1989) (Amended May 11, 2001)
(65FR61743, October 17, 2000)

**SUBPART
UUU** **STANDARDS OF PERFORMANCE FOR CALCINERS
AND DRYERS IN MINERAL INDUSTRIES**

(57FR44496, Sept. 28, 1992) (Adopted April 9, 1993)
(58FR40591, July 29, 1993) (Amended April 8, 1994)

**SUBPART
VVV**

**STANDARDS OF PERFORMANCE FOR POLYMERIC
COATING OF SUPPORTING SUBSTRATES**

(54FR37534, Sept. 11, 1989) (Adopted Sept. 7, 1990)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
WWW**

**STANDARDS OF PERFORMANCE FOR MUNICIPAL
SOLID WASTE LANDFILLS**

(61FR9905, March 12, 1996) (Adopted Dec. 12, 1997)
(63FR32743, June 16, 1998) (Amended Aug. 13, 1999)
(64FR9258, February 24, 1999) (Amended April 21, 2000)
(65FR18906, April 10, 2000) (Amended May 11, 2001)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART
AAAA**

**STANDARDS OF PERFORMANCE FOR NEW SMALL
MUNICIPAL WASTE COMBUSTION UNITS**

(65FR76350, December 6, 2000) (Amended May 11, 2001)

**SUBPART
CCCC**

**STANDARDS OF PERFORMANCE FOR COMMERCIAL
AND INDUSTRIAL SOLID WASTE INCINERATION
UNITS**

(65FR75338, December 1, 2000) (Amended May 11, 2001)
(66FR16605, March 27, 2001) (Amended April 5, 2002)
(70FR55568, Sept. 22, 2005) (Amended Sept. 8, 2006)
(76FR15704, March 21, 2011) (Amended April 6, 2012)

**SUBPART
EEEE**

**STANDARDS OF PERFORMANCE FOR OTHER SOLID
WASTE INCINERATION UNITS**

(70FR74870, December 16, 2005) (Amended April 6, 2007)
(71FR67802, Nov. 24, 2006) (Amended April 6, 2007)

SUBPART III

**STANDARDS OF PERFORMANCE FOR STATIONARY
COMPRESSION IGNITION INTERNAL
COMBUSTION ENGINES**

(71FR39154, July, 11, 2006) (Amended April 6, 2007)
(76FR37954, June 28, 2011) (Amended April 6, 2012)

SUBPART JJJJ STANDARDS OF PERFORMANCE FOR STATIONARY SPARK IGNITION INTERNAL COMBUSTION ENGINES

(73FR3568, January 18, 2008) (Amended April 3, 2009)
(76FR37954, June 28, 2011) (Amended April 6, 2012)

SUBPART KKKK STANDARDS OF PERFORMANCE FOR STATIONARY COMBUSTION TURBINES

(71FR38482, July 6, 2006) (Amended April 6, 2007)
(74FR11858, March 20, 2009) (Amended March 5, 2010)

SUBPART LLLL STANDARDS OF PERFORMANCE FOR SLUDGE INCINERATION UNITS

(76FR15372, March 21, 2011) (Amended April 6, 2012)