

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

REGULATION IX - STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

(Adopted December 3, 1976)(Amended June 7, 1985; November 1, 1985; October 3, 1986; April 3, 1987; May 5, 1989; September 7, 1990; October 4, 1991; April 3, 1992; April 9, 1993; April 8, 1994; January 9, 1998; August 13, 1999; April 21, 2000; May 11, 2001; April 5, 2002; May 7, 2004; December 2, 2005; September 8, 2006; April 6, 2007)

The provisions of Part 60, Chapter I, Title 40, of the Code of Federal Regulations (CFR), in effect July 1, 1984, applicable to the subparts listed in this Regulation were adopted by the South Coast Air Quality Management District on the date shown and were made part of the Rules and Regulations of the South Coast Air Quality Management District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the more stringent of the standards, criteria, and requirements set forth herein or in applicable District rules. For the purpose of this Regulation, the word “Administrator” as used in Part 60, Chapter I, Title 40, of the CFR shall mean the Executive Officer of the South Coast Air Quality Management District, except that the Executive Officer shall not be empowered to approve alternate test methods or alternate opacity limits. Other deviations from these federal standards, as presented in the CFR and which were ordered by the South Coast Air Quality Management District Board to suit the needs of the South Coast Air Quality Management District, are noted in the affected subpart.

SUBPART A GENERAL PROVISIONS

(40FR53346, Nov. 17, 1975)	(Adopted Dec. 3, 1976)
	(Amended Oct. 5, 1984)
(52FR17555, May 11, 1987)	(Amended May 5, 1989)
(55FR26912, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR26931, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR37674, Sept. 12, 1990)	(Amended Oct. 4, 1991)
(55FR40171, Oct. 2, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(57FR32314, July 21, 1992)	(Amended April 9, 1993)
(59FR12408, March 16, 1994)	(Amended August 13, 1999)
(60FR65387, Dec. 19, 1995)	(Amended August 13, 1999)
(62FR8314, Feb. 24, 1997)	(Amended August 13, 1999)
(62FR52384, Oct. 7, 1997)	(Amended August 13, 1999)
(63FR24436, May 4, 1998)	(Amended August 13, 1999)
(65FR48914, August 10, 2000)	(Amended May 11, 2001)

(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(65FR76378, December 6, 2000)	(Amended May 11, 2001)
(66FR44978, August 27, 2001)	(Amended April 5, 2002)
(67FR43550, June 28, 2002)	(Amended May 7, 2004)
(69FR41346, July 8, 2004)	(Amended Dec. 2, 2005)
(70FR74870, December 16, 2005)	(Amended April 6, 2007)
(71FR38482, July 6, 2006)	(Amended April 6, 2007)
(71FR39154, July 11, 2006)	(Amended April 6, 2007)

SUBPART D STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

(39FR20792, June 14, 1974)	(Adopted Dec. 3, 1976)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(52FR28946, Aug. 4, 1987)	(Amended May 5, 1989)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART Da STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPT. 18, 1978

(44FR33613, June 11, 1979)	(Adopted Oct. 5, 1984)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(63FR49442, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(70FR28606, May 18, 2005)	(September 8, 2006)
(70FR51266, August 30, 2005)	(September 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART Db STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(51FR42768, Nov. 25, 1986)	(Adopted April 3, 1987)
(51FR42839, Nov. 26, 1986)	
(52FR47826, Dec. 16, 1987)	(Amended May 5, 1989)
(54FR51820, Dec. 18, 1989)	(Amended, Sept. 7, 1990)
(63FR4992, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR13242, March 13, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(66FR49830, October 1, 2001)	(Amended April 5, 2002)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)

SUBPART Dc STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(55FR37674, Sept. 12, 1990)	(Adopted Oct. 4, 1991)
(61FR20734, May 8, 1996)	(Amended August 13, 1999)
(64FR24049, May 5, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(70FR74679, December 16, 2005)	(September 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)

SUBPART E STANDARDS OF PERFORMANCE FOR INCINERATORS

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

SUBPART Ea STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS

(56FR5488, February 11, 1991)	(Adopted April 3, 1992)
(60FR65381, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART Eb STANDARDS OF PERFORMANCE AND EMISSION
GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS**

(60FR65387, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(62FR45116, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(62FR45124, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR36473, July 12, 2001)	(Amended April 5, 2002)
(66FR57824, November 16, 2001)	(Amended April 5, 2002)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

**SUBPART Ec STANDARDS OF PERFORMANCE FOR HOSPITAL/
MEDICAL INFECTIOUS WASTE INCINERATORS**

(62FR48348, Sept. 15, 1997)	(Adopted Dec. 12, 1997)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(68FR61759, October 30, 2003)	(Amended May 7, 2004)

**SUBPART F STANDARDS OF PERFORMANCE FOR PORTLAND
CEMENT PLANTS**

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(53FR50354 Dec. 14, 1988)	(Amended May 5, 1989)
(61FR14637, April 3, 1996)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART G STANDARDS OF PERFORMANCE FOR NITRIC ACID
PLANTS**

(39FR20794, June 14, 1974)	(Adopted Dec. 3, 1976)
----------------------------	------------------------

**SUBPART H STANDARDS OF PERFORMANCE FOR SULFURIC ACID
PLANTS**

(39FR20794, June 14, 1974)	(Adopted Dec. 3, 1976)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART I STANDARDS OF PERFORMANCE FOR ASPHALTIC
CONCRETE PLANTS**

(39FR9314, March 8, 1974)	(Adopted Dec. 3, 1976)
(51FR12324, April 10, 1986)	(Amended April 3, 1987)

**SUBPART DD STANDARDS OF PERFORMANCE FOR GRAIN
ELEVATORS**

(43FR34347, Aug. 3, 1978) (Adopted March 6, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART EE STANDARDS OF PERFORMANCE FOR SURFACE
COATING OF METAL FURNITURE**

(47FR49287, Oct. 29, 1982) (Adopted Oct. 5, 1984)
(49FR40542, Oct. 16, 1984) (Amended Nov. 1, 1985)
(55FR51378, Dec.13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY
GAS TURBINES**

(44FR52798, Sept. 10, 1979) (Adopted March 6, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)
(69FR41346, July 8, 2004) (Amended Dec. 2, 2005)
(71FR9453, February 24, 2006) (Amended April 6, 2007)

**SUBPART HH STANDARDS OF PERFORMANCE FOR LIME
MANUFACTURING PLANTS**

(43FR9453, March 7, 1978) (Adopted April 3, 1981)
(49FR18076, Apr. 26, 1984) (Amended Oct. 5, 1984)
(52FR4773, Feb. 17, 1987) (Amended May 5, 1989)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID
BATTERY MANUFACTURING PLANTS**

(47FR16573, Apr. 16, 1982) (Adopted August 5, 1983)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC
MINERAL PROCESSING PLANTS**

(49FR6464, Feb. 21, 1984) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART MM STANDARDS OF PERFORMANCE FOR AUTOMOBILE
AND LIGHT-DUTY TRUCK SURFACE COATING
OPERATIONS**

(45FR85415, Dec. 24, 1980) (Adopted Oct. 5, 1984)
(55FR51378, Dec. 13, 1990) (Amended Oct. 4, 1991)
(59FR51383, Oct. 11, 1994) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE
ROCK PLANTS**

(47FR16589, April 16, 1982) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART PP STANDARDS OF PERFORMANCE FOR AMMONIUM
SULFATE MANUFACTURE**

(45FR74850, Nov. 12, 1980) (Adopted Feb. 13, 1981)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC
ARTS INDUSTRY: PUBLICATION ROTOGRAVURE
PRINTING**

(47FR50649, Nov. 8, 1982) (Adopted July 6, 1984)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE
SENSITIVE TAPE AND LABEL SURFACE COATING
OPERATIONS**

(48FR48368, Oct. 18, 1983) (Adopted May 4, 1984)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART SS STANDARDS OF PERFORMANCE FOR INDUSTRIAL
SURFACE COATING: LARGE APPLIANCES**

(47FR47785, Oct. 27, 1982) (Adopted Oct. 5, 1984)
 (55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
 (65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emission averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL
SURFACE COATING**

(47FR49612, Nov. 1, 1982) (Adopted Oct. 5, 1984)
 (51FR22938, June 24, 1986) (Amended Oct. 3, 1986)
 (55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
 (65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART UU STANDARDS OF PERFORMANCE FOR ASPHALT
PROCESSING AND ASPHALT ROOFING MANUFACTURE**

(45FR34143, Aug. 6, 1982) (Adopted Aug. 5, 1983)
 (65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART VV STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC IN THE SYNTHETIC ORGANIC
CHEMICALS MANUFACTURING INDUSTRY**

(48FR48355, Oct. 18, 1983) (Adopted Oct. 5, 1984)
 (51FR2699, Jan. 21, 1986) (Amended April 3, 1987)
 (61FR29875, June 12, 1996) (Amended August 13, 1999)
 (65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART WW STANDARDS OF PERFORMANCE FOR THE BEVERAGE
CAN SURFACE COATING INDUSTRY**

(48FR38737, Aug. 25, 1983) (Adopted Oct. 5, 1984)
 (55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
 (65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART AAA STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS

(52FR5860, Feb. 26, 1988) and
(53FR12009, April 12, 1988) (Adopted May 5, 1989)
(63FR64869, Nov. 24, 1998) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART BBB STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY

(52FR34868, Sept. 15, 1987) and
(52FR37874, Oct. 9, 1987) (Adopted May 5, 1989)
(54FR38634, Sept. 19, 1989) (Amended Sept. 7, 1990)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART DDD STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY

(55FR51010, Dec. 11, 1990) (Adopted Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART FFF STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING

(49FR26892, June 29, 1984) (Adopted June 7, 1985)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD

SUBPART GGG STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES

(49FR22606, May 30, 1984) (Adopted June 7, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART HHH STANDARDS OF PERFORMANCE FOR SYNTHETIC FIBER PRODUCTION FACILITIES

(49FR13651, April 5, 1984) (Adopted Nov. 1, 1985)
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART III STANDARDS OF PERFORMANCE FOR VOLATILE
ORGANIC COMPOUND (VOC) EMISSIONS FROM THE
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES**

(55FR26912, June 29, 1990) (Amended Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART JJJ STANDARDS OF PERFORMANCE FOR PETROLEUM
DRY CLEANERS**

(49FR37332, Sept. 21, 1984) (Adopted June 7, 1985)
(50FR49026, Nov. 27, 1985) (Amended Oct. 3, 1986)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART KKK STANDARDS OF PERFORMANCE FOR EQUIPMENT
LEAKS OF VOC FROM ONSHORE NATURAL GAS
PROCESSING PLANTS**

(50FR26122, June 24, 1985) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART LLL STANDARDS OF PERFORMANCE FOR ONSHORE
NATURAL GAS PROCESSING: SO₂ EMISSIONS**

(50FR40518, Oct. 1, 1985) (Adopted Oct. 3, 1986)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART NNN STANDARDS OF PERFORMANCE FOR VOLATILE
ORGANIC COMPOUND (VOC) EMISSIONS FROM
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES**

(55FR26931, June 29, 1990) (Adopted Oct. 4, 1991)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART OOO STANDARDS OF PERFORMANCE FOR NONMETALLIC
MINERAL PROCESSING PLANTS**

(50FR31328, Aug. 1, 1985) (Adopted Nov. 1, 1985)
(62FR31351, June 9, 1997) (Amended Dec. 12, 1997)
(62FR62953, Nov. 26, 1997) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART PPP STANDARDS OF PERFORMANCE FOR WOOL
FIBERGLASS INSULATION MANUFACTURING PLANTS**

(50FR7694, Feb. 25, 1985) (Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART QQQ STANDARDS OF PERFORMANCE FOR VOC EMISSIONS
FROM PETROLEUM REFINERY WASTEWATER
SYSTEMS**

(53FR47616, Nov. 23, 1988) (Adopted May 5, 1989)
(60FR43244, Aug. 18, 1995) (Amended August 13, 1999)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART RRR STANDARDS OF PERFORMANCE FOR VOLATILE
ORGANIC COMPOUND (VOC) EMISSIONS FROM THE
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING
INDUSTRY (SOCMI) REACTOR PROCESSES**

(58FR45948, Aug. 31, 1993) (Adopted April 8, 1994)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART SSS STANDARDS OF PERFORMANCE FOR THE MAGNETIC
TAPE MANUFACTURING INDUSTRY**

(53FR38892, Oct. 3, 1988) and (Adopted May 5, 1989)
(53FR47955, Nov. 29, 1988)

**SUBPART TTT STANDARDS OF PERFORMANCE FOR INDUSTRIAL
SURFACE COATING PLASTIC PARTS FOR BUSINESS
MACHINES**

(53FR2672, Jan. 29, 1988) and (Adopted May 5, 1989)
(53FR19300, May 27, 1988) (Amended Sept. 7, 1990)
(54FR25458, June 15, 1989) (Amended May 11, 2001)
(65FR61743, October 17, 2000)

**SUBPART UUU STANDARDS OF PERFORMANCE FOR CALCINERS AND
DRYERS IN MINERAL INDUSTRIES**

(57FR44496, Sept. 28, 1992) (Adopted April 9, 1993)
(58FR40591, July 29, 1993) (Amended April 8, 1994)

**SUBPART VVV STANDARDS OF PERFORMANCE FOR POLYMERIC
COATING OF SUPPORTING SUBSTRATES**

(54FR37534, Sept. 11, 1989) (Adopted Sept. 7, 1990)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART STANDARDS OF PERFORMANCE FOR MUNICIPAL
WWW SOLID WASTE LANDFILLS**

(61FR9905, March 12, 1996) (Adopted Dec. 12, 1997)
(63FR32743, June 16, 1998) (Amended August 13, 1999)
(64FR9258, February 24, 1999) (Amended April 21, 2000)
(65FR18906, April 10, 2000) (Amended May 11, 2001)
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART STANDARDS OF PERFORMANCE FOR NEW SMALL
AAAA MUNICIPAL WASTE COMBUSTION UNITS**

(65FR76350, December 6, 2000) (Amended May 11, 2001)

**SUBPART STANDARDS OF PERFORMANCE FOR COMMERCIAL
CCCC AND INDUSTRIAL SOLID WASTE INCINERATION UNITS**

(65FR75338, December 1, 2000) (Amended May 11, 2001)
(66FR16605, March 27, 2001) (Amended April 5, 2002)
(70FR55568, September 22, 2005) (September 8, 2006)

**SUBPART STANDARDS OF PERFORMANCE FOR OTHER SOLID
EEEE WASTE INCINERATION UNITS**

(70FR74870, December 16, 2005) (Amended April 6, 2007)
(71FR67802, November 24, 2006) (Amended April 6, 2007)

**SUBPART STANDARDS OF PERFORMANCE FOR STATIONARY
KKKK COMBUSTION TURBINES**

71FR38482, July 6, 2006 (Amended April 6, 2007)

**SUBPART III STANDARDS OF PERFORMANCE FOR STATIONARY
COMPRESSION IGNITION INTERNAL
COMBUSTION ENGINES**

71FR39154, July, 11, 2006 (Amended April 6, 2007)