

## SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

### **REGULATION IX -- STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES**

*(Adopted December 3, 1976)(Amended June 7, 1985)(Amended November 1, 1985)  
(Amended October 3, 1986)(Amended April 3, 1987)(Amended May 5, 1989)  
(Amended September 7, 1990)(Amended October 4, 1991)(Amended April 3, 1992)  
(Amended April 9, 1993)(Amended April 8, 1994)(Amended January 9, 1998)  
(Amended August 13, 1999)(Amended April 21, 2000)(Amended May 11, 2001)  
(Amended April 5, 2002)*

The provisions of Part 60, Chapter I, Title 40, of the Code of Federal Regulations (CFR), in effect July 1, 1984, applicable to the subparts listed in this Regulation were adopted by the South Coast Air Quality Management District on the date shown and were made part of the Rules and Regulations of the South Coast Air Quality Management District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the more stringent of the standards, criteria, and requirements set forth herein or in applicable District rules. For the purpose of this Regulation, the word "Administrator" as used in Part 60, Chapter I, Title 40, of the CFR shall mean the Executive Officer of the South Coast Air Quality Management District, except that the Executive Officer shall not be empowered to approve alternate test methods or alternate opacity limits. Other deviations from these federal standards, as presented in the CFR and which were ordered by the South Coast Air Quality Management District Board to suit the needs of the South Coast Air Quality Management District, are noted in the affected subpart.

#### **SUBPART A            GENERAL PROVISIONS**

(40FR53346, Nov. 17, 1975)	(Adopted Dec. 3, 1976)
	(Amended Oct. 5, 1984)
(52FR17555, May 11, 1987)	(Amended May 5, 1989)
(55FR26912, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR26931, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR37674, Sept. 12, 1990)	(Amended Oct. 4, 1991)
(55FR40171, Oct. 2, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(57FR32314, July 21, 1992)	(Amended April 9, 1993)
(59FR12408, March 16, 1994)	(Amended August 13, 1999)
(60FR65387, Dec. 19, 1995)	(Amended August 13, 1999)
(62FR8314, Feb. 24, 1997)	(Amended August 13, 1999)
(62FR52384, Oct. 7, 1997)	(Amended August 13, 1999)
(63FR24436, May 4, 1998)	(Amended August 13, 1999)
(65FR48914, August 10, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(65FR76378, December 6, 2000)	(Amended May 11, 2001)
(66FR44978, August 27, 2001)	(Amended April 5, 2002)

**SUBPART D            STANDARDS OF PERFORMANCE FOR FOSSIL- FUEL-  
FIRED STEAM GENERATORS FOR WHICH  
CONSTRUCTION IS COMMENCED AFTER AUGUST 17,  
1971**

(39FR20792, June 14, 1974)	(Adopted Dec. 3, 1976)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(52FR28946, Aug. 4, 1987)	(Amended May 5, 1989)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART Da        STANDARDS OF PERFORMANCE FOR ELECTRIC  
UTILITY STEAM GENERATING UNITS FOR WHICH  
CONSTRUCTION IS COMMENCED AFTER SEPT. 18, 1978**

(44FR33613, June 11, 1979)	(Adopted Oct. 5, 1984)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(63FR49442, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART Db        STANDARDS OF PERFORMANCE FOR INDUSTRIAL-  
COMMERCIAL-INSTITUTIONAL STEAM GENERATING  
UNITS**

(51FR42768, Nov. 25, 1986)	(Adopted April 3, 1987)
(51FR42839, Nov. 26, 1986)	
(52FR47826, Dec. 16, 1987)	(Amended May 5, 1989)
(54FR51820, Dec. 18, 1989)	(Amended, Sept. 7, 1990)
(63FR4992, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR13242, March 13, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(66FR49830, October 1, 2001)	(Amended April 5, 2002)

**SUBPART Dc      STANDARDS OF PERFORMANCE FOR SMALL  
INDUSTRIAL COMMERCIAL-INSTITUTIONAL STEAM  
GENERATING UNITS**

(55FR37674, Sept. 12, 1990)      (Adopted Oct. 4, 1991)  
(61FR20734, May 8, 1996)      (Amended August 13, 1999)  
(64FR24049, May 5, 1999)      (Amended April 21, 2000)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART E      STANDARDS OF PERFORMANCE FOR INCINERATORS**

(36FR24877, Dec. 23, 1971)      (Adopted Dec. 3, 1976)  
(55FR5211, Feb. 14, 1990)      (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART Ea      STANDARDS OF PERFORMANCE FOR MUNICIPAL  
WASTE COMBUSTORS**

(56FR5488, February 11, 1991)      (Adopted April 3, 1992)  
(60FR65381, Dec. 19, 1995)      (Adopted Dec. 12, 1997)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART Eb      STANDARDS OF PERFORMANCE AND EMISSION  
GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS**

(60FR65387, Dec. 19, 1995)      (Adopted Dec. 12, 1997)  
(62FR45116, Aug. 25, 1997)      (Amended Dec. 12, 1997)  
(62FR45124, Aug. 25, 1997)      (Amended Dec. 12, 1997)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)  
(66FR36473, July 12, 2001)      (Amended April 5, 2002)  
(66FR57824, November 16, 2001)      (Amended April 5, 2002)

**SUBPART Ec      STANDARDS OF PERFORMANCE FOR HOSPITAL/  
MEDICAL INFECTIOUS WASTE INCINERATORS**

(62FR48348, Sept. 15, 1997)      (Adopted Dec. 12, 1997)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART F      STANDARDS OF PERFORMANCE FOR PORTLAND  
CEMENT PLANTS**

(36FR24877, Dec. 23, 1971)      (Adopted Dec. 3, 1976)  
(53FR50354 Dec. 14, 1988)      (Amended May 5, 1989)  
(61FR14637, April 3, 1996)      (Amended August 13, 1999)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)



**SUBPART Kb      STANDARDS OF PERFORMANCE FOR STORAGE  
VESSELS FOR PETROLEUM LIQUIDS FOR WHICH  
CONSTRUCTION, RECONSTRUCTION, OR  
MODIFICATION COMMENCED AFTER JULY 23, 1983**

(52FR11420, April 8, 1987) and  
(52FR22779, June 16, 1987)      (Adopted May 5, 1989)  
(54FR32972, August 11, 1989)      (Amended Sept. 7, 1990)  
(65FR2336, January 14, 2000)      (Amended May 11, 2001)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART L      STANDARDS OF PERFORMANCE FOR SECONDARY  
LEAD SMELTERS**

(39FR9317, March 8, 1974)      (Adopted Dec. 3, 1976)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART M      STANDARDS OF PERFORMANCE FOR SECONDARY  
BRASS AND BRONZE PRODUCTION PLANTS**

(39FR9318, March 8, 1974)      (Adopted Dec. 3, 1976)  
(49FR21864, Mar. 23, 1984)      (Amended Oct. 5, 1984)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART N      STANDARDS OF PERFORMANCE FOR IRON AND STEEL  
PLANTS**

(39FR9318, March 8, 1974)      (Adopted Dec. 3, 1976)  
(51FR150, Jan. 2, 1986)      (Amended June 5, 1981)  
      (Amended April 3, 1987)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART Na      STANDARDS OF PERFORMANCE FOR BASIC OXYGEN  
PROCESS FURNACES**

(51FR150, Jan. 2, 1986)      (Adopted April 3, 1987)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART O      STANDARDS OF PERFORMANCE FOR SEWAGE  
TREATMENT PLANTS**

(39FR9319, March 8, 1974)      (Adopted Dec. 3, 1976)  
(51FR13432, April 18, 1986)      (Amended Oct. 3, 1986)  
(54FR27015, June 27, 1989)      (Amended Sept. 7, 1990)  
(59FR5107, February 3, 1994)      (Amended Dec. 12, 1997)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

- |                  |                                                                                                                                                                           |                                                                              |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>SUBPART P</b> | <b>STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS</b><br>(41FR2338, Jan. 15, 1976)<br>(65FR61743, October 17, 2000)                                                 | (Adopted Nov. 1, 1985)<br>(Amended May 11, 2001)                             |
| <b>SUBPART Q</b> | <b>STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS</b><br>(41FR2340, Jan. 15, 1976)                                                                                    | (Adopted Nov. 1, 1985)                                                       |
| <b>SUBPART R</b> | <b>STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS</b><br>(41FR2340, Jan. 15, 1976)                                                                                    | (Adopted Nov. 1, 1985)                                                       |
| <b>SUBPART S</b> | <b>STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS</b><br>(45FR44207, June 30, 1980)<br>(65FR61743, October 17, 2000)                                      | (Adopted Nov. 1, 1985)<br>(Amended May 11, 2001)                             |
| <b>SUBPART T</b> | <b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS PHOSPHORIC ACID PLANTS</b><br>(40FR33154, August 6, 1975)<br>(65FR61743, October 17, 2000) | (Adopted Dec. 3, 1976)<br>(Amended August 5, 1983)<br>(Amended May 11, 2001) |
| <b>SUBPART U</b> | <b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS</b><br>(40FR33155, August 6, 1975)<br>(65FR61743, October 17, 2000)        | (Adopted Dec. 3, 1976)<br>(Amended August 5, 1983)<br>(Amended May 11, 2001) |
| <b>SUBPART V</b> | <b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS</b><br>(40FR33155, August 6, 1975)<br>(65FR61743, October 17, 2000)        | (Adopted Dec. 3, 1976)<br>(Amended August 5, 1983)<br>(Amended May 11, 2001) |

**SUBPART W            STANDARDS OF PERFORMANCE FOR THE PHOSPHATE  
FERTILIZER INDUSTRY: TRIPLE SUPERPHOSPHATE  
PLANTS**

(40FR33156, August 6, 1975)	(Adopted Dec. 3, 1976)
	(Amended August 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART X            STANDARDS OF PERFORMANCE FOR THE PHOSPHATE  
FERTILIZER INDUSTRY: GRANULAR TRIPLE  
SUPERPHOSPHATE STORAGE FACILITIES**

(40FR33156, August 6, 1975)	(Adopted Dec. 3, 1976)
	(Amended August 5, 1983)
(62FR18277, April 15, 1997)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART Y            STANDARDS OF PERFORMANCE FOR COAL  
PREPARATION PLANTS**

(41FR2234, Jan. 15, 1976)	(Adopted Dec. 3, 1976)
(63FR53288, Oct. 5, 1998)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART Z            STANDARDS OF PERFORMANCE FOR FERRO-ALLOY  
PRODUCTION FACILITIES**

(41FR18501, May 4, 1976)	(Adopted Nov. 1, 1985)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART AA          STANDARDS OF PERFORMANCE FOR STEEL PLANTS:  
ELECTRIC ARC FURNACES CONSTRUCTED AFTER  
OCT. 21, 1974, AND ON OR BEFORE AUG. 17, 1983**

(40FR43852, Sept. 23, 1975)	(Adopted Dec. 3, 1976)
(40FR43838, Oct. 31, 1984)	(Amended June 7, 1985)
(64FR10105, March 2, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART AAa        STANDARDS OF PERFORMANCE FOR STEEL PLANTS:  
ELECTRIC ARC FURNACES AND ARGON-OXYGEN  
DECARBURIZATION VESSELS CONSTRUCTED AFTER  
AUGUST 17, 1983**

(49FR43838, Oct. 3, 1984)	(Adopted June 7, 1985)
(64FR10105, March 2, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART BB      STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS**

(43FR7572, Feb. 23, 1978)	(Adopted Nov. 1, 1985)
(51FR18538, May 20, 1986)	(Amended Oct. 3, 1986)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART CC      STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS**

(45FR66751, Oct. 7, 1980)	(Adopted June 7, 1985)
(49FR41030, Oct. 19, 1984)	
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART DD      STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS**

(43FR34347, Aug. 3, 1978)	(Adopted March 6, 1981)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART EE      STANDARDS OF PERFORMANCE FOR SURFACE COATING OF METAL FURNITURE**

(47FR49287, Oct. 29, 1982)	(Adopted Oct. 5, 1984)
(49FR40542, Oct. 16, 1984)	(Amended Nov. 1, 1985)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART GG      STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES**

(44FR52798, Sept. 10, 1979)	(Adopted March 6, 1981)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART HH      STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS**

(43FR9453, March 7, 1978)	(Adopted April 3, 1981)
(49FR18076, Apr. 26, 1984)	(Amended Oct. 5, 1984)
(52FR4773, Feb. 17, 1987)	(Amended May 5, 1989)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)



**SUBPART KK      STANDARDS OF PERFORMANCE FOR LEAD-ACID  
BATTERY MANUFACTURING PLANTS**

(47FR16573, Apr. 16, 1982)      (Adopted August 5, 1983)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART LL      STANDARDS OF PERFORMANCE FOR METALLIC  
MINERAL PROCESSING PLANTS**

(49FR6464, Feb. 21, 1984)      (Adopted Nov. 1, 1985)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART MM      STANDARDS OF PERFORMANCE FOR AUTOMOBILE  
AND LIGHT-DUTY TRUCK SURFACE COATING  
OPERATIONS**

(45FR85415, Dec. 24, 1980)      (Adopted Oct. 5, 1984)  
(55FR51378, Dec. 13, 1990)      (Amended Oct. 4, 1991)  
(59FR51383, Oct. 11, 1994)      (Amended August 13, 1999)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART NN      STANDARDS OF PERFORMANCE FOR PHOSPHATE  
ROCK PLANTS**

(47FR16589, April 16, 1982)      (Adopted Nov. 1, 1985)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART PP      STANDARDS OF PERFORMANCE FOR AMMONIUM  
SULFATE MANUFACTURE**

(45FR74850, Nov. 12, 1980)      (Adopted Feb. 13, 1981)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART QQ      STANDARDS OF PERFORMANCE FOR THE GRAPHIC  
ARTS INDUSTRY: PUBLICATION ROTOGRAVURE  
PRINTING**

(47FR50649, Nov. 8, 1982)      (Adopted July 6, 1984)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART RR      STANDARDS OF PERFORMANCE FOR PRESSURE  
SENSITIVE TAPE AND LABEL SURFACE COATING  
OPERATIONS**

(48FR48368, Oct. 18, 1983)                      (Adopted May 4, 1984)  
(55FR51378, Dec 13, 1990)                      (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000)                      (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART SS      STANDARDS OF PERFORMANCE FOR INDUSTRIAL  
SURFACE COATING: LARGE APPLIANCES**

(47FR47785, Oct. 27, 1982)                      (Adopted Oct. 5, 1984)  
(55FR51378, Dec 13, 1990)                      (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000)                      (Amended May 11, 2001)

Note: The 30-day emission averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART TT      STANDARDS OF PERFORMANCE FOR METAL COIL  
SURFACE COATING**

(47FR49612, Nov. 1, 1982)                      (Adopted Oct. 5, 1984)  
(51FR22938, June 24, 1986)                      (Amended Oct. 3, 1986)  
(55FR51378, Dec 13, 1990)                      (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000)                      (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART UU      STANDARDS OF PERFORMANCE FOR ASPHALT  
PROCESSING AND ASPHALT ROOFING MANUFACTURE**

(45FR34143, Aug. 6, 1982)                      (Adopted Aug. 5, 1983)  
(65FR61743, October 17, 2000)                      (Amended May 11, 2001)

**SUBPART VV      STANDARDS OF PERFORMANCE FOR EQUIPMENT  
LEAKS OF VOC IN THE SYNTHETIC ORGANIC  
CHEMICALS MANUFACTURING INDUSTRY**

(48FR48355, Oct. 18, 1983)                      (Adopted Oct. 5, 1984)  
(51FR2699, Jan. 21, 1986)                      (Amended April 3, 1987)  
(61FR29875, June 12, 1996)                      (Amended August 13, 1999)  
(65FR61743, October 17, 2000)                      (Amended May 11, 2001)

**SUBPART WW STANDARDS OF PERFORMANCE FOR THE BEVERAGE  
CAN SURFACE COATING INDUSTRY**

(48FR38737, Aug. 25, 1983) (Adopted Oct. 5, 1984)  
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

**SUBPART AAA STANDARDS OF PERFORMANCE FOR NEW  
RESIDENTIAL WOOD HEATERS**

(52FR5860, Feb. 26, 1988) and  
(53FR12009, April 12, 1988) (Adopted May 5, 1989)  
(63FR64869, Nov. 24, 1998) (Amended August 13, 1999)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART BBB STANDARDS OF PERFORMANCE FOR THE RUBBER  
TIRE MANUFACTURING INDUSTRY**

(52FR34868, Sept. 15, 1987) and  
(52FR37874, Oct. 9, 1987) (Adopted May 5, 1989)  
(54FR38634, Sept. 19, 1989) (Amended Sept. 7, 1990)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART DDD STANDARDS OF PERFORMANCE FOR VOLATILE  
ORGANIC COMPOUND (VOC) EMISSIONS FROM THE  
POLYMER MANUFACTURING INDUSTRY**

(55FR51010, Dec. 11, 1990) (Adopted Oct. 4, 1991)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART FFF STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL  
AND URETHANE COATING AND PRINTING**

(49FR26892, June 29, 1984) (Adopted June 7, 1985)

Note: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD

**SUBPART GGG STANDARDS OF PERFORMANCE FOR EQUIPMENT  
LEAKS OF VOC IN PETROLEUM REFINERIES**

(49FR22606, May 30, 1984) (Adopted June 7, 1985)

**Regulation IX (Cont.)**

**(Amended April 5, 2002)**

(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART HHH STANDARDS OF PERFORMANCE FOR SYNTHETIC FIBER PRODUCTION FACILITIES**

(49FR13651, April 5, 1984) (Adopted Nov. 1, 1985)  
(55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART III STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES**

(55FR26912, June 29, 1990) (Amended Oct. 4, 1991)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART JJJ STANDARDS OF PERFORMANCE FOR PETROLEUM DRY CLEANERS**

(49FR37332, Sept. 21, 1984) (Adopted June 7, 1985)  
(50FR49026, Nov. 27, 1985) (Amended Oct. 3, 1986)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART KKK STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC FROM ONSHORE NATURAL GAS PROCESSING PLANTS**

(50FR26122, June 24, 1985) (Adopted Nov. 1, 1985)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART LLL STANDARDS OF PERFORMANCE FOR ONSHORE NATURAL GAS PROCESSING: SO<sub>2</sub> EMISSIONS**

(50FR40518, Oct. 1, 1985) (Adopted Oct. 3, 1986)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART NNN STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES**

(55FR26931, June 29, 1990) (Adopted Oct. 4, 1991)  
(65FR61743, October 17, 2000) (Amended May 11, 2001)

**SUBPART OOO STANDARDS OF PERFORMANCE FOR NONMETALLIC  
MINERAL PROCESSING PLANTS**

(50FR31328, Aug. 1, 1985)	(Adopted Nov. 1, 1985)
(62FR31351, June 9, 1997)	(Amended Dec. 12, 1997)
(62FR62953, Nov. 26, 1997)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART PPP STANDARDS OF PERFORMANCE FOR WOOL  
FIBERGLASS INSULATION MANUFACTURING PLANTS**

(50FR7694, Feb. 25, 1985)	(Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART QQQ STANDARDS OF PERFORMANCE FOR VOC EMISSIONS  
FROM PETROLEUM REFINERY WASTEWATER  
SYSTEMS**

(53FR47616, Nov. 23, 1988)	(Adopted May 5, 1989)
(60FR43244, Aug. 18, 1995)	(Amended August 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART RRR STANDARDS OF PERFORMANCE FOR VOLATILE  
ORGANIC COMPOUND (VOC) EMISSIONS FROM THE  
SYNTHETIC ORGANIC CHEMICAL MANUFACTURING  
INDUSTRY (SOCMI) REACTOR PROCESSES**

(58FR45948, Aug. 31, 1993)	(Adopted April 8, 1994)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART SSS STANDARDS OF PERFORMANCE FOR THE MAGNETIC  
TAPE MANUFACTURING INDUSTRY**

(53FR38892, Oct. 3, 1988) and (53FR47955, Nov. 29, 1988)	(Adopted May 5, 1989)
-------------------------------------------------------------	-----------------------

**SUBPART TTT STANDARDS OF PERFORMANCE FOR INDUSTRIAL  
SURFACE COATING PLASTIC PARTS FOR BUSINESS  
MACHINES**

(53FR2672, Jan. 29, 1988) and (53FR19300, May 27, 1988)	(Adopted May 5, 1989)
(54FR25458, June 15, 1989)	(Amended Sept. 7, 1990)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

**SUBPART UUU      STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES**

(57FR44496, Sept. 28, 1992)      (Adopted April 9, 1993)  
(58FR40591, July 29, 1993)      (Amended April 8, 1994)

**SUBPART VVV      STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES**

(54FR37534, Sept. 11, 1989)      (Adopted Sept. 7, 1990)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART WWW      STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE LANDFILLS**

(61FR9905, March 12, 1996)      (Adopted Dec. 12, 1997)  
(63FR32743, June 16, 1998)      (Amended August 13, 1999)  
(64FR9258, February 24, 1999)      (Amended April 21, 2000)  
(65FR18906, April 10, 2000)      (Amended May 11, 2001)  
(65FR61743, October 17, 2000)      (Amended May 11, 2001)

**SUBPART AAAA      STANDARDS OF PERFORMANCE FOR NEW SMALL MUNICIPAL WASTE COMBUSTION UNITS**

(65FR76350, December 6, 2000)      (Amended May 11, 2001)

**SUBPART BBBB      EMISSION GUIDELINES FOR EXISTING SMALL MUNICIPAL WASTE COMBUSTION UNITS**

(65FR76378, December 6, 2000)      (Amended May 11, 2001)

**SUBPART CCCC      STANDARDS OF PERFORMANCE FOR COMMERCIAL AND INDUSTRIAL SOLID WASTE INCINERATION UNITS**

(65FR75338, December 1, 2000)      (Amended May 11, 2001)  
(66FR16605, March 27, 2001)      (Amended April 5, 2002)

**SUBPART DDDD      EMISSION GUIDELINES EXISTING SOURCES: COMMERCIAL AND INDUSTRIAL SOLID WASTE INCINERATION UNITS**

(65FR75338, December 1, 2000)      (Amended May 11, 2001)