

State Of California

AIR RESOURCES BOARD

Executive Order G-714-ADF09

Certification of Alternative Diesel Fuel Resulting in Emissions Equivalence with Diesel

Renewable Energy Group, Inc. – REG Proprietary Renewable Diesel #2

Pursuant to Sections 39600, 39601, 43013, 43018, and 43101 of the Health and Safety Code, Air Resources Board (ARB) adopted the Alternative Diesel Fuels regulation (ADF regulation) under Title 13, California Code of Regulations, section 2293, et seq. Effective since January 1, 2016, the ADF regulation establishes a comprehensive, multi-stage process administering the commercialization of Alternative Diesel Fuels (ADF) in California. The ADF regulation governs the introduction and use of innovative alternative diesel fuels in California while preserving or enhancing public health, the environment and the emission benefits of the existing motor vehicle diesel fuel regulations. The ADF regulation includes specific provisions designed to control potential increases in Oxides of Nitrogen (NOx) emissions that could otherwise be caused by the use of biodiesel under certain circumstances. Those provisions include a process for certification of additives or alternative diesel fuel formulations that have been shown to mitigate NOx increases from the use of biodiesel.

Renewable Energy Group, Inc. (REG), has requested approval and certification of a blend of at least 65 percent REG Proprietary Renewable Diesel #2 and no more than 35 percent biodiesel as an emissions equivalent alternative diesel fuel formulation under Appendix 1 of the ADF regulation.

REG submitted an initial test protocol on May 15, 2018. The submission was found complete and approved on May 29, 2018. Testing was conducted by Southwest Research Institute (SwRI®) starting June 1, 2018 and the seven-day test was completed on June 7, 2018. REG submitted a final report dated June 30, 2018, which was amended and re-submitted on March 7, 2019.

REG's candidate fuel was comprised of 35 percent biodiesel (B100 blendstock) meeting the requirements specified in Table A.8 of the ADF regulation and 65 percent renewable diesel (REG Proprietary Renewable Diesel #2, R100) meeting the specifications in Table 1 of the confidential Attachment 1 of this Executive Order (EO).

The information contained in Attachment 1 hereto is claimed by REG to be confidential and must not be disclosed except as authorized by Title 17, California Code of Regulations, section 91022.

The candidate fuel was properly tested in accordance with Appendix 1(a)(2)(F) of the ADF regulation. The candidate fuel emissions tests showed a NOx emissions reduction of 0.96 percent and a particulate matter emissions reduction of 35.7 percent compared

Executive Order G-714-ADF09
REG Proprietary Renewable Diesel #2

to the reference fuel (CARB diesel). The candidate fuel emissions satisfied all of the requirements under Appendix 1(a)(2)(G) of the ADF regulation.

NOW, THEREFORE, (IT IS ORDERED AND RESOLVED) that REG Proprietary Renewable Diesel #2 is approved and certified pursuant to Appendix 1(a)(2)(H) of the ADF regulation for blending with up to B20 as an emissions equivalent alternative diesel fuel formulation.

REG Proprietary Renewable Diesel #2 Concentrations for
Biodiesel B20 and Below Blends

REG Proprietary Renewable Diesel #2 must be blended to the specified levels in the table below.

Biodiesel Saturation Level¹	Biodiesel Blend Level	Volume Percent, Min.
Low Saturation	>B5 to <B10	18.6
	B10 to <B15	27.9
	B15 to B20	37.1
High Saturation	B10 to <B15	9.3
	B15 to B20	18.6

1 Low Saturation refers to biodiesel blendstock Cetane Number of below 56; High Saturation refers to biodiesel blendstock with Cetane Number of 56 and above. Cetane Number is determined using the applicable test methods in the Alternative Diesel Fuels regulation.

Volume Ratio for Biodiesel Blendstock B100 or B99 and
REG Proprietary Renewable Diesel #2

If REG Proprietary Renewable Diesel #2 is to be blended with a biodiesel blendstock, it must be blended at a ratio in the table below.

Biodiesel Saturation Level	Biodiesel Blendstock Volume	REG Proprietary Renewable Diesel Volume, Min.
Low Saturation	1 gallon	1.86 gallons
High Saturation	1 gallon	0.93 gallons


Biodiesel blends B20 and below blended in accordance with the conditions above meet the requirements of the ADF regulation.

Executive Order G-714-ADF09
REG Proprietary Renewable Diesel #2

CARB reserves the right in the future to review this Executive Order and the certification provided herein to assure that the certified fuel meets the standards and procedures of Title 13, California Code of Regulation, section 2293, et seq.

Violation of any of the above conditions shall be grounds for revocation of this Executive Order.

Executed at Sacramento, California, this 29th day of April, 2019.



Floyd V. Vergara, Esq., P.E.
Chief, Industrial Strategies Division