CETRA
Language Solutions
Our word, your peace of mind.

AFFIDAVIT

Commonwealth of **Pennsylvania**
County of **Montgomery** } SS:

Before me, the undersigned notary public, this day, personally appeared Evan Schapiro, to me known (or satisfactorily proven), who acknowledged himself to be the Senior Project Manager of CETRA, Inc., a corporation, and that he as such officer, being authorized to do so, executed the foregoing instrument for the purpose therein contained by signing the name of the corporation by himself as Senior Project Manager. On behalf of said corporation, he attests that the attached translation of the document "Shanghai Document for Translation.pdf" from Chinese into English dated 7/1/13 is accurate, true, and complete to the best of his knowledge and ability.

(AFFIANT)

In witness hereof, I hereunto set my hand and official seal.

COMMONWEALTH OF PENNSYLVANIA
NOTARIAL SEAL
KIMBERLY V N JACKSON
Notary Public
CHELTENHAM TWP., MONTGOMERY CNTY
My Commission Expires Sep 26, 2016

July 1, 2013
(NOTARY PUBLIC)

Shanghai City Minhang District Environmental Protection Agency ( )

Registration Number: 112-106-11-74

Min Environmental Protection Permit Review [2011] number 193

Regarding the Shanghai Luming Environmental Protection Science Ltd.

newly built used oil conversion to biofuel construction project,

the environmental protection facilities review is complete and approved

Shanghai Luming Environmental Protection Science Ltd.:

Your company on 6-14-2011 submitted a request to my agency for a complete review and report of the ((new Shanghai Luming Environmental Protection Science Ltd. used oil conversion to biofuel environmental protection facility)) along with related supplemental material, presently the review is complete.

1. The completed review revealed:

(1) The project located in Huacao City North Min District Industrial Park 119 Jimin Road Lane 69, planned to process 11,500 tons of used oil this year, in order to produce 10,000 tons of biofuel, in actuality it processed 8500 tons of used oil, producing 8,000 tons of biofuel. This project occupies a surface area of 13,349 square meters, the building occupies 6667 square meters, with a sum total of 48,000,000 yuan invested, with 3,360,000 yuan for environmental protection.

(2) On 1-14-2008 the environmental impact report for the project was examined and approved (Minhang Environmental Management permit list [2007] number 837).

(3) On the basis of the Minhang District environmental survey team on-scene inspection of the construction project (5-03), the Minhang District environmental survey team issued a survey report for project rain, waste water runoff, (survey report 2010 1310001),

I, Evan Schapiro, hereby certify that the above document is an accurate translation from Chinese into English.
Date: July 1, 2013 Signature:

CETRA, Inc.
7804 Montgomery Ave., Suite 8, Elkins Park, PA 19027
Tel.: (215) 635-7090

waste water production, domestic sewage and the human waste treatment system, as well as post-treatment reuse handling; regarding boiler waste gas, odor management has already reached ((the boiler atmospheric pollution emission standard)), ((odor pollutant emission standard)), and corresponding emission standards; factory noise creation fundamentally reaches ((industrial factory environmental noise emission standards)) (GB12348-2008), which are the 3 types of district standards; solid waste is already sorted and handled appropriately.

2. My agency after examining believes: domestic sewage discharge is handled by the city's municipal sewer pipe network; the environment examination and review procedure is complete, the environmental management facilities and management measures are fundamentally satisfactory, and ((through complete review of the environmental protection facilities construction project's management approach) they conform to the regulations regarding complete review of environmental facilities.

3. My agency puts forth the following resolution:

(1) Approval of the environmental protection facilities finished project review.

(2) Your company after the present examination should strengthen operations management controls of the environmental protection facilities and safeguard daily, ensuring every waste water pollutant steadily meets the standard for discharge.

4. The applicant if unable to hear this decision, can receive this examination decision himself within 16 days through the Minhang District People's Government or the Shanghai City Environmental Protection Agency by request of administrative redress, he also can receive this hearing's decision within 3 months to the day by requesting direct action from the Minhang District People's Court.

Shanghai City Minhang
District Environmental
Protection Agency
[stamp]
[illegible text]
6-27-2011

I, Evan Schapiro, hereby certify that the above document is an accurate translation from Chinese into English.
Date: July 1, 2013 Signature:

CETRA, Inc.
7804 Montgomery Ave., Suite 8, Elkins Park, PA 19027
Tel.: (215) 635-7090