

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-6-31  
Relating to Certification of New Off-Road Compression-Ignition Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment:

Model Year: 2001

Typical Equipment Usage: Crane, Loader and Generator

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement (liters)</u>	<u>Useful Life (hours)</u>	<u>Emission Control Systems and Special Features</u>
1SZXL15.7EXA	15.7	8000	Direct Diesel Injection Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) (units are expressed in grams per kilowatt-hour (g/kw-hr)), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):


<u>Engine Power Rating (kw)</u>	<u>Emission Standard Category</u>	<u>Standard Certification</u>	<u>Exhaust Emissions (g/kw-hr)</u>					<u>Smoke Opacity (%)</u>		
			<u>HC</u>	<u>NOx</u>	<u>NMHC+NOx</u>	<u>CO</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
225≤KW<450	Tier 2	Standard	N/A	N/A	6.4	3.5	0.20	20	15	50
		Certification	--	--	6.1	0.8	0.13	16	8	47

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels— 1996 and Later Off-Road Compression-Ignition Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 and 2426).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 1st day of March 2001.

  
R. B. Summerfield, Chief  
Mobile Source Operations Division

## Engine Model Summary Form

Manufacturer: **Isuzu Motors Limited**  
 Engine category: **Nonroad CI**  
 EPA Engine Family: **1SZXL15.7EXA**  
 Mfr Family Name: **NA**  
 Process Code: **New Submission**

U-R-6-31

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
6WG1XABEA-01	BB-6WG1X	483.3@2000	273.6@2000	182.5@2000	2107.0@1500	300.6@1500	150.4@1500	EM,TC,CAC,DFI
6WG1XABEA-02	BB-6WG1X	483.3@1800	287.1@1800	172.4@1750	2107.0@1500	300.6@1500	150.4@1500	EM,TC,CAC,DFI
6WG1XABEA-03	BB-6WG1X	345.2@2000	191.7@2000	127.9@2000	1570.0@1500	221.8@1500	111.0@1500	EM,TC,CAC,DFI
6WG1XABEA-04	BB-6WG1X	345.2@1800	201.1@1800	120.7@1800	1570.0@1500	221.8@1500	111.0@1500	EM,TC,CAC,DFI
6WG1XABEA-05	BB-6WG1X	415.7@1800	247.0@1800	147.3@1800	1830.0@1500	261.0@1500	130.6@1500	EM,TC,CAC,DFI
6WG1XABEB-01	BB-6WG1X	483.3@2000	273.6@2000	182.5@2000	2107.0@1500	300.6@1500	150.4@1500	EM,TC,CAC,DFI
6WG1XABEB-02	BB-6WG1X	483.3@1800	287.1@1800	172.4@1800	2107.0@1500	300.6@1500	150.4@1500	EM,TC,CAC,DFI
6WG1XABEB-03	BB-6WG1X	345.2@2000	191.7@2000	127.9@2000	1570.0@1500	221.8@1500	111.1@1500	EM,TC,CAC,DFI
6WG1XABEB-04	BB-6WG1X	345.2@1800	201.1@1800	120.7@1800	1570.0@1500	221.8@1500	111.1@1500	EM,TC,CAC,DFI
6WG1XABEB-05	BB-6WG1X	483.3@2000	273.6@2000	182.5@2000	2089.0@1400	295.4@1400	138.0@1400	EM,TC,CAC,DFI

ATTACHMENT