



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2006	6H3XL1.13MSL	1.131	Diesel	5000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Indirect Diesel Injection			Loader	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NO_x), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NO_x), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):


RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NO _x	NMHC+NO _x	CO	PM	ACCEL	LUG	PEAK
19≤KW<37	Tier 2	STD	N/A	N/A	7.5	5.5	0.60	20	15	50
		CERT	--	--	4.5	1.5	0.36	7	6	12

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 21st day of December 2005.


for Allen Lyons, Chief
Mobile Source Operations Division

ATTACHMENT 1 of 1

Engine Model Summary Form

UR-026-0167

Manufacturer: Ishikawajima-Shibaura Machinery Co., Ltd.
 Engine category: Nonroad CI
 PA Engine Family: 6H3XL1.13MSL
 Afr Family Name: N/A
 Process Code: New Submission

1. Engine Code	2. Engine Model	3. BHP @ RPM (SAE Gross)	4. Fuel Rate: mm ³ /stroke @ peak HP (for diesel only)	5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6. Torque @ RPM (SEA Gross)	7. Fuel Rate: mm ³ /stroke @ peak torque	8. Fuel Rate: (lbs/hr) @ peak torque	9. Emission Control Device Per SAE J1930
403C-11	HH26/3000	26.4 @ 3000	24.6 +/- 1.5	12.2 +/- 0.7	49.3 @ 2100	24.0 +/- 1.5	8.3 +/- 0.5	IFI
403C-11	HH26/3600	25.6 @ 3600	19.5 +/- 1.4	11.6 +/- 0.9	48.8 @ 2300	22.9 +/- 1.4	8.7 +/- 0.5	IFI
403C-11	HH28/3400	28.2 @ 3400	22.6 +/- 1.5	12.6 +/- 0.8	51.9 @ 2300	25.5 +/- 1.7	9.7 +/- 0.7	IFI
403C-11	HH30/3600	29.9 @ 3600	22.6 +/- 1.5	13.4 +/- 0.9	50.2 @ 2400	24.4 +/- 1.5	9.6 +/- 0.6	IFI
404C-15	HN33/2800	33.0 @ 2800	22.0 +/- 1.3	13.5 +/- 0.8	69.6 @ 1800	24.1 +/- 1.8	9.5 +/- 0.7	IFI
404C-15	HN36/3000	35.5 @ 3000	22.7 +/- 1.4	14.9 +/- 1.0	69.6 @ 1800	24.1 +/- 1.8	9.5 +/- 0.7	IFI
S773L-C	26/2850	26.0 @ 2850	23.1 +/- 1.2	10.9 +/- 0.6	50.2 @ 2200	23.5 +/- 1.4	8.5 +/- 0.5	IFI
S773L-C	26/2850A	26.0 @ 2850	23.1 +/- 1.2	10.9 +/- 0.6	50.2 @ 2200	23.5 +/- 1.4	8.5 +/- 0.5	IFI
S773L-C	29/3500	29.1 @ 3500	22.0 +/- 0.6	12.7 +/- 0.3	51.6 @ 2400	23.5 +/- 1.3	9.3 +/- 0.5	IFI