

 <b>AIR RESOURCES BOARD</b>	<b>DEUTZ AG</b>	<b>EXECUTIVE ORDER U-R-013-0207-1</b> New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2007	7DZXL04.8064	4.764	Diesel	8000
<b>SPECIAL FEATURES &amp; EMISSION CONTROL SYSTEMS</b>			<b>TYPICAL EQUIPMENT APPLICATION</b>	
Direct Diesel Injection, Turbocharger, Charge Air Cooler, Electronic Control Module, Smoke Puff Limiter, Exhaust Gas Recirculation			Loader, Tractor, Dozer, Pump, Compressor, Other Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NO<sub>x</sub>), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NO<sub>x</sub>), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NO <sub>x</sub>	NMHC+NO <sub>x</sub>	CO	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 3	<b>STD</b>	N/A	N/A	4.0	5.0	0.30	20	15	50
		<b>CERT</b>	--	--	3.8	0.6	0.08	10	0	19

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

This Executive Order hereby supersedes Executive Order U-R-013-0207 dated February 6, 2007

Executed at El Monte, California on this 15 day of October 2007.



Annette Hebert, Chief  
 Mobile Source Operations Division

# Engine Model Summary Form

## Attachment

V-2-013-0207-1

Manufacturer: DEUTZ AG  
 Engine category: Nonroad CI  
 EPA Engine Family: 7DZXL04.8064  
 Mfr Family Name: TCD2013L04 2V 75-130KW TIER3  
 Process Code: Running Change

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesels only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak	9.Emission Control Device Per SAE J1930
C3U1129	TCD2013L04	172,9@2300	131	172,9	494,1@1600	157	55,8	DDI, TC, CAC, ECM, SPL
C3U1129A	TCD2013L04	172,9@2200	137	172,9	494,1@1600	157	55,8	DDI, TC, CAC, ECM, SPL
C3U1129B	TCD2013L04	172,9@2100	142	172,9	494,1@1600	157	55,8	DDI, TC, CAC, ECM, SPL
C3U1128	TCD2013L04	171,6@2000	150	171,6	494,1@1600	164	58,3	DDI, TC, CAC, ECM, SPL
C3U1126	TCD2013L04	168,9@2300	129	168,9	474,2@1600	150	53,3	DDI, TC, CAC, ECM, SPL
C3U1125	TCD2013L04	167,6@2200	134	167,6	474,2@1600	150	53,3	DDI, TC, CAC, ECM, SPL
C3U1124	TCD2013L04	166,2@2100	138	166,2	474,2@1600	150	53,3	DDI, TC, CAC, ECM, SPL
C3U1122	TCD2013L04	163,6@2000	140	163,6	474,2@1600	150	53,3	DDI, TC, CAC, ECM, SPL
C3U1120	TCD2013L04	160,9@2300	124	160,9	455,8@1600	145	51,5	DDI, TC, CAC, ECM, SPL
C3U1119	TCD2013L04	159,5@2200	128	159,5	455,8@1600	145	51,5	DDI, TC, CAC, ECM, SPL
C3U1118	TCD2013L04	158,2@2100	134	158,2	455,8@1600	145	51,5	DDI, TC, CAC, ECM, SPL
C3U1116	TCD2013L04	155,5@2000	136	155,5	455,8@1600	145	51,5	DDI, TC, CAC, ECM, SPL
C3U1113	TCD2013L04	151,5@2300	117	151,5	437,3@1600	141	50,1	DDI, TC, CAC, ECM, SPL
C3U1112	TCD2013L04	150,1@2200	120	150,1	437,3@1600	141	50,1	DDI, TC, CAC, ECM, SPL
C3U1111	TCD2013L04	148,8@2100	125	148,8	437,3@1600	141	50,1	DDI, TC, CAC, ECM, SPL
C3U1110	TCD2013L04	147,5@2000	128	147,5	437,3@1600	141	50,1	DDI, TC, CAC, ECM, SPL
C3U1105	TCD2013L04	140,8@2300	110	140,8	198,4@1600	136	48,3	DDI, TC, CAC, ECM, SPL
C3U1104	TCD2013L04	139,4@2200	113	139,4	419,6@1600	136	48,3	DDI, TC, CAC, ECM, SPL
C3U1103	TCD2013L04	138,1@2100	118	138,1	419,6@1600	136	48,3	DDI, TC, CAC, ECM, SPL
C3U1102	TCD2013L04	136,7@2000	121	136,7	419,6@1600	136	48,3	DDI, TC, CAC, ECM, SPL
C3U1195	TCD2013L04	127,3@2000	115	127,3	405,6@1600	133	47,2	DDI, TC, CAC, ECM, SPL
C3U1191	TCD2013L04	122@2000	111	122	398,2@1600	127	45,1	DDI, TC, CAC, ECM, SPL