



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2008	8LBDL2.19CT2	2.199	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Indirect Diesel Injection, Turbocharger, Exhaust Gas Recirculation			Pump, Compressor, Generator Set, Other Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
37 ≤ kW < 56	Tier 4 Interim	STD	N/A	N/A	4.7	5.0	0.40	20	15	50
		CERT	--	--	4.3	0.7	0.33	11	6	23

BE IT FURTHER RESOLVED: That certification to the standards in 13 CCR 2423(b)(1)(A) -Table 1b listed above has been permitted pursuant to 13 CCR 13 CCR 2423(b)(1)(A) -Table 1b – Endnote 3.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 22nd day of February 2008.


Annette Hebert, Chief
Mobile Source Operations Division

Engine Model Summary Template

Attachment, 1 of 2

U-R-027-0094

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm ³ /stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm ³ /stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
8LBDL2.19CT2		LDW 2204/TB1	60.3@2800	44.0	27.32	131.3@1700	45.0	16.95	IDI, EGR TC
8LBDL2.19CT2		LDW 2204/T	61.7@3000	43.5	28.92	131.3@1700	45.0	16.95	IDI, EGR
8LBDL2.19CT2		LDW 2204/TB2	56.3@2600	42.5	24.49	129.8@1600	44.5	15.79	IDI, EGR
8LBDL2.19CT2		LDW 2204/TB6	56.3@2500	43.5	24.12	129.8@1600	44.5	15.79	IDI, EGR
8LBDL2.19CT2		LDW 2204/TB3	53.6@2400	42.0	22.35	129.8@1600	44.5	15.79	IDI, EGR ↓

Engine Model Summary Template

Attachment, 2 of 2

U-R-027-0094

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mmi/stroke @ peak HP (for diesel only)	5.Fuel Rate: HP (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mmi/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
8LBDL2.19CT2	KDW	2204/TB1	60.3@2800	44.0	27.32	131.3@1700	45.0	16.95	IDI, EGR TC
8LBDL2.19CT2	KDW	2204/T	61.7@3000	43.5	28.92	131.3@1700	45.0	16.95	IDI, EGR
8LBDL2.19CT2	KDW	2204/TB2	56.3@2600	42.5	24.49	129.8@1600	44.5	15.79	IDI, EGR
8LBDL2.19CT2	KDW	2204/TB6	56.3@2500	43.5	24.12	129.8@1600	44.5	15.79	IDI, EGR
8LBDL2.19CT2	KDW	2204/TB3	53.6@2400	42.0	22.35	129.8@1600	44.5	15.79	IDI, EGR