

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-36
Relating to Certification of New Motor Vehicle Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1984 model-year diesel engines have shown compliance with the optional transient standards and are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
ESZ0353DAE5	353 (5.8)	Engine Modification (Diesel Injection - Direct)

Engine models and codes are listed on attachments.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model-year heavy-duty engine exhaust emission standards and the following certification emission values:

<u>Engine Family</u>	<u>Hydrocarbons gm/bhp-hr</u>	<u>Carbon Monoxide gm/bhp-hr</u>	<u>Nitrogen Oxides gm/bhp-hr</u>
ESZ0353DAE5	1.2	4.4	4.6

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this 8th day of May, 1984.


K. D. Drachand, Chief
Mobile Source Division

Manufacturer ISUZU MOTORS LIMITED Executive Order No. A-20-36
 Engine Family ESZ0353DAE5 Evaporative Family NA
 Engine CID (Liters) 353(5.785)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance
 Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 MFI-Mechanical Fuel Injection
 TC-Turbocharged

VEHICLE MODELS:

DRIVE SYSTEM: NA Engine/ NA -Wheel Drive

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL ENGINESManufacturer ISUZU MOTORS LIMITEDPage 2Engine Family ESZ0353DAE5CID(Liter)-Type 353(5.785)-L6ECS and (Special Features) EM (DID)

Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm ³ /stroke	Label Ident.
6BD1H	DIESEL KIKI CO., LTD. 1156017150 1156017160 1156017170 1156017180 1156017190	DIESEL KIKI CO., LTD. 1153001340	126 HP 3200RPM	53.2 mm ³ /stroke	1858858700

Date of Issue -