State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-82

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following 1995 model-year Caterpillar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine Displacement Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
SCP403DZDAAA	6.6	(403)	Turbocharger Oxidation Catalytic Converter Charge Air Cooler Smoke Puff Limiter

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake horsepower-hour:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
1.3	15.5	5.0	0.10

The following are the certification emission values for this engine family in grams per brake horsepower-hour:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
SCP403DZDAAA	0.2	1.0	4.4	0.07

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 29th day of September, 1994.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O. # A-13-82

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer: Caterpillar Inc. Engine Family: SCP403DZDAAA

Displacement: 6.6 / Liters: 403 / Cubic Inches

Maximum Rated Power: 215 HP @ 2600 RPM Engine Configuration: I6

Ignition: Compression X Compression with Glow Plug ___ Spark ___

Fuel Type (s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Diesel X M100 ___ M85 ___

CNG ___ LNG ___ LPG ___ Other (specify) ___

Diesel Cert Fuel: 13CCR 2282 ___ 40 CFR 86.1313-90 ___ 40 CFR 86.1313-94 X

Primary Intended Service Class: LHD ___ MHD X HHD ___ Urban Bus ___

Exhaust ECS (incl. MFI, TC, CAC) CAC, OC, SPL, TC

Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
A	170 @ 2600	77 (67.7)	1018673	---	---	(1)
B	185 @ 2600	85 (73.9)	1018673	---	---	(1)
C	200 @ 2600	92 (80.2)	1018673	---	---	(1)
D	215 @ 2600	96 (84.3)	1018673	---	---	(1)

(1) Catalytic Converter Part Nos.

1006968	1030635	1044823	1173161
1030632	1036060	1044826	1173162
1030633	1044819	1066503	1173265
1030634	1044821	1144315	

ISSUE DATE	22 JUL 94							
REVISION NUMBER								
REVISION DATE								