

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-163

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1996 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas or Liquid Natural Gas (CNG or LNG)

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>		<u>Exhaust Emission Control Systems and Special Features</u>
TCE611EBCARW (433E)	10	611	Charge Air Cooler Turbocharger Powertrain Control Module Heated Oxygen Sensor

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.2	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:


<u>Engine Family</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
TCE611EBCARW (433E)	1.1	11.2	3.5	0.06

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 27<sup>th</sup> day of June 1996.

  
R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Cummins Engine Company, Inc. Engine Family (433E) TCE611EBCARW  
 Displacement: / 10 Liters / 611 Cubic Inches  
 Maximum Rated Power: 300 HP @ 2100 RPM Engine Configuration: I-6  
 Ignition: Compression    Compression with Glow Plug    Spark X  
 Fuel Type(s): Dedicated    Flex-Fuel    Dual-Fuel    Diesel    M100    M85     
                   CNG X LNG X LPG    Other (specify)     
 Diesel Cert Fuel: 13 CCR 2282    40 CFR 86.1313-90    40 CFR 86.1313-94     
 Primary Intended Service Class: LHD    MHD    HHD X Urban Bus     
 Exhaust ECS (include MFI, TC, CAC): H<sub>2</sub>S, PCM, TC, CAC  
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm <sup>3</sup> / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
L10-300G (2110)	300 @ 2100	--	N/A	3922724	N/A	
L10-280G (2110)	280 @ 2100	--	N/A	3922724	N/A	

Date Issued:

Revisions: \_\_\_\_\_

SUBMITTED  
APR 17 1996