State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-290-51

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Detroit Diesel Corporation 1996 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: California Diesel Fuel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
TDD8.5FJDABA (S50-315)	8.5	518	Charge Air Cooler Turbocharger Powertrain Control Module Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Total Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
1.3	15.5	4.0	0.05

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine Family	Total Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
TDD8.5FJDABA (S50-315)	0.01	1.0	4.0	0.05

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine family is certified for use in urban buses.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 29th day of January 1996.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O. No. A-290- 51

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer: Detroit Diesel Corporation Engine Family: TDD8.5FJDABA
Displacement: 8.5 Liters 518 Cubic Inches
Maximum Rated Power: 315 HP @ 2100 RPM Engine Configuration: I-4
Ignition: Compression _X_ Compression with Glow Plug ___ Spark ___
Fuel Type(s): Dedicated _X_ Flex-Fuel ___ Dual-Fuel ___ Diesel _X_ M100 ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____
Diesel Cert Fuel: 13 CCR 2282 _X_ 40 CFR 86.1313-90 ___ 40 CFR 86.1313-94 _X_
Primary Intended Service Class: LHD ___ MHD ___ HHD ___ Urban Bus _X_
Exhaust ECS (include. MFI, TC, CAC): ECM/PCM, CAC, (TC), OC

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm3/Stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX/ Catalytic Converter Part No.
SERIES 50 BUS W/CONVERTER						
1C	275@2100	201.5 (93.8)	5236347	23518645 23518743		23515381 1-(25152400)
2C	250@2100	179.3 (83.5)	5236347	↓		23515901 1-(25161035)
3C	250@2100	179.3 (83.5)	5236347	↓		23516102 2-(25373-A)
4C	315@2100	225.9 (105.2)	5236347	↓		23516427 2-(25454-A) 23516791 2-(25511-A) 23517041 2-(25452-A) 23517261 2-(25777-A) 23517630 2-(25895-A) 23517893 2-(25897-A) 23518805 2-(26246-A) 23518484 2-(26066-A)

Manufactures' Part Numbers:
1-AC Rochester
2-Nelson Muffler

Date Issued: 01-22-96 Rev.: