

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-189

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
TNV530E6DASA	8.7 (530)	Turbocharger Charge Air Cooler Smoke Puff Limiter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:


<u>Engine Family</u>	<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
TNV530E6DASA	0.2	3.0	5.0	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 21<sup>ST</sup> day of December 1995.



B. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
HEAVY-DUTY DIESEL-STANDARD ENGINESManufacturer Navistar International Transportation Corp. Engine Family TNV530E6DASA (530 Hvy)Displacement : 8.7 /            Liters 530 /            Cubic InchesIgnition: Compression X Compression with Glow Plug            Spark           Fuel Type(s) Dedicated X Flex-Fuel            Dual-Fuel            Bi-Fuel            Diesel X CNG           LNG            LPG            M85            M100            Other (specify)           Diesel Cert Fuel: 13 CCR 2282            40 CFR 86.1313-90            40 CFR 86.1313-94 XMaximum Rated Power: 330 HP @ 2000 RPM Engine Configuration I-6Exhaust ECS (include. MFI, TC, CAC) : EM DI TC CAC SPL  
( Use abbreviations per SAE J1930 SEP91 )

Engine Mode ( Eng. Code )	Rated HP @ RPM	Fuel Rate @ Rated HP mm <sup>3</sup> / stroke ( lbs/hr )	Fuel Pump & Injector Part No.	ECM / PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
A330	330 @ 2000	184.6 ( 123.7 )	Injection Pumps 1824681C91	Fuel Nozzles 1824779C91		
AF330	330 @ 2000	184.6 ( 123.7 )	1824682C91	1824779C91		
AL320	320 @ 2000	179.0 ( 119.9 )	1824682C91A	1824779C91		
A300	300 @ 2000	170.1 ( 114.0 )	1823155C91	1823937C91		
AF300	300 @ 2000	165.6 ( 111.0 )	1823154C91	1823937C91		

Date Issued : 11/27/95

Revisions :