State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-11-2
Relating to Approval of New Motor Vehicles

REGIE RENAULT

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-1;

IT IS ORDERED AND RESOLVED: That Regie Renault exhaust emission control systems for 1975 model-year passenger cars are approved for the engine family described below:

Engine Family: 843 RC
Engine: 100.5 CID
Exhaust Emission Control Systems: Engine Modification, Exhaust gas recirculation, air injection and oxidation catalyst

Models: Manual Transmission (M-4)
- Renault 12 Sedan
- Renault 12L Sedan
- Renault 12TL Sedan
- Renault 12 Station Wagon
- Renault 15TL Coupe
- Renault 17TL Coupe
- Renault 17TL Coupe Convertible

Automatic Transmission (A-3)
- Renault 12L Sedan
- Renault 12TL Sedan
- Renault 12 Station Wagon
- Renault 15TL Coupe
- Renault 17TL Coupe

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1975 model vehicles:

Engine Family	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
843 RC	0.4	7.3	1.7

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 21 day of April, 1975.

G. C. Hass

G. C. Hass, Chief
Division of Vehicle Emissions Control

AIR RESOURCES BOARD
SUPPLEMENTAL INFORMATION
1975 MODEL YEAR

[X] PASSENGER CARS [ ] LIGHT-DUTY TRUCKS

MANUFACTURER: Regie Nationale des Usines Renault EXECUTIVE ORDER NO. A- 11-2 PAGE NO. 1

Engine Family	Vehicle Models (If coded see attachment)	Engine CID	Trans.	Inertia Weight	Distributor Type	Distributor Mfgr. Part No.	Fuel System Type	Fuel System Mfgr. Part No.	Emission Control System Type	Emission Control System [X] OC [ ] TR Part No. Service*	Emission Control System EGR Part No. Service*	Tune-up Specifications Idle RPM	Tune-up Specifications Basic Timing	Tune-up Specifications Idle Mixture
843 RC	R. 12 Sedan R 12L Sedan R.12TL Sedan R.12 Station Wagon R.15TL Coupe R.17TL Coupe R.17TL Coupe Convertible	100.5	M-4	2500 2750 2750	C,V	Ducellier 7700591113	1-2V	Weber 7700617697	EM AI EGR OC CAN	7700586699 NO Service	7700583051 Clean Every 25000 Mile	850 RPM ± 50RPM in Neutral Air Pump connected	10°BTDC @850 RPM Vacuum Disconnected	3%CO +1% -2% @ 825 RPM Air Pump disconnected or idle speed drop method
	R.12L Sedan R.12TL Sedan R.12 Station Wagon R.15TL Coupe R.17TL Coupe		A-3	2500 2750				Weber 7700617698				650 RPM ±25RPM In Drive Air Pump Connected	10°BTDC @650RPM Vacuum Disconnected	3%CO+1% -2% @ 650RPM in drive Air Pump Disconnected or idle speed drop method

Abbreviations:

Distributor
C - Centrifugal Advance
V - Vacuum Advance
VR- Vacuum Retard

Exhaust Emission Control System
AI - Air Injection
EFI- Electronic Fuel Injection
EGR- Exhaust Gas Recirculation
EM - Engine Modifications
FI - Fuel Injection
OC - Oxidation Catalyst
RC - Reduction Catalyst
TR - Thermal Reactor

Evaporative Control System
CAN- Charcoal Canister Storage
TS - Tank Storage

*Service
I - Inspect, repair/replace as needed
R - Replace