E.O.

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-10
Relating to Approval of New Motor Vehicles

VOLKSWAGENWERK A.G.

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-1;

IT IS ORDERED AND RESOLVED: That Volkswagenwerk A.G. exhaust emission control systems for 1975 model-year passenger cars are approved for the engine families described below:

Engine Family: 31
Engine: 90 CID
Exhaust Emission Control Systems: Engine modification, exhaust gas recirculation, air injection, oxidation catalyst

Models: Volkswagen (M/T-4 & A/T-3)

2 Door Dasher 32
4 Door Dasher 32
Dasher Wagon 33

Engine Family: 32
Engine: 90 CID
Exhaust Emission Control Systems: Engine modification, exhaust gas recirculation, air injection, oxidation catalyst

Models: Volkswagen (M/T-4 & A/T-3)

Rabbit 17
Scirocco 53

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1975 model vehicles:

Engine Family	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
31	0.4	4.0	1.4
32	0.2	2.6	1.4

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 7th day of October, 1974.

G. C. Hass, Chief
Division of Vehicle Emissions Control

By: J. C. Chipman

J. C. Chipman, Chief
Vehicle Testing and Operations

AIR RESOURCES BOARD
SUPPLEMENTAL INFORMATION
1975 MODEL YEAR

[X] PASSENGER CARS [ ] LIGHT-DUTY TRUCKS

MANUFACTURER: VOLKSWAGENWERK A.G. EXECUTIVE ORDER NO. A-7-10 PAGE NO. 1 of 2

Engine Family	Vehicle Models (If coded see attachment)	Engine CID	Trans & Axle Ratio Trans.	Inertia Weight	Distributor Type	Distributor Mfgr. Part No.	Fuel System Type	Fuel System Mfgr. Part No.	Emission Control System Type	Emission Control System [X] OC [ ] TR Part No. Service*	Emission Control System EGR Part No. Service*	Tune-up Specifications Idle RPM	Tune-up Specifications Basic Timing	Tune-up Specifications Idle Mixture
31	2 Door Dasher 32 4 Door Dasher 32 Dasher Wagon 33	90	M/T-4 4.11	2500	C V VR	Bosch 056905205 C Bosch 056905205 B (F.F.65/75)	1-2V	D.V.G. 055129017F	EM EGR AI OC CAN	EW2/3C/4 or OM722/14M EX20 R-30,000	055131503 I -15,000 I -30,000 I -45,000	925±75 Neut.	3° ATDC	2±0.5% CO Upstream of catalyst Air Pump Disconnected
	2 Door Dasher 32 4 Door Dasher 32 Dasher Wagon 33		A/T-3 3.91					D.V.G. 055129017 G						

Abbreviations:

Distributor
C - Centrifugal Advance
V - Vacuum Advance
VR- Vacuum Retard

Exhaust Emission Control System
AI - Air Injection
EFI- Electronic Fuel Injection
EGR- Exhaust Gas Recirculation
EM - Engine Modifications
FI - Fuel Injection
OC - Oxidation Catalyst
RC - Reduction Catalyst
TR - Thermal Reactor

Evaporative Control System
CAN- Charcoal Canister Storage
TS - Tank Storage

*Service
I - Inspect, repair/replace as needed
R - Replace

AIR RESOURCES BOARD
SUPPLEMENTAL INFORMATION
1975 MODEL YEAR

Running Change # 57/76, February 17, 1976

[X] PASSENGER CARS [ ] LIGHT-DUTY TRUCKS

MANUFACTURER: VOLKSWAGENWERK A.G. EXECUTIVE ORDER NO. A- 7-10

Engine Family	Vehicle Models (If coded see attachment)	Engine CID	Trans & Axle Ratio	Inertia Weight	Distributor Type	Distributor Mfgr. Part No.	Fuel System Type	Fuel System Mfgr. Part No.	Emission Control System Type	Emission Control System [X] OC [ ] TR Part No. Service*	Emission Control System EGR Part No. Service*	Tune-up Specifications Idle RPM	Tune-up Specifications Basic Timing	Tune-up Specifications Idle Mixture
32	Rabbit 17 Scirocco 53	90	M/T-4 3.90	2250	C V VR	Bosch 055905205B	1-2V	D.V.G 055129017B	EM EGR AI OC CAN	EW2/3C/4 or OM722/14M EX20 ~~XXXXXXXX~~ (30,000mi cat.change no longer required on all "75 e.f. 32 cars.)	055131503 I -15,000 I -30,000 I -45,000	925±75 Neut.	3° ATDC	2±0.5% CO Upstream of catalyst. Air pump disconnected
	Rabbit 17 Scirocco 53		A/T-3 3.76					D.V.G. 055129017C						

Abbreviations:

Distributor
C - Centrifugal Advance
V - Vacuum Advance
VR- Vacuum Retard

Exhaust Emission Control System
AI - Air Injection
EFI- Electronic Fuel Injection
EGR- Exhaust Gas Recirculation
EM - Engine Modifications
FI - Fuel Injection
OC - Oxidation Catalyst
RC - Reduction Catalyst
TR - Thermal Reactor

Evaporative Control System
CAN- Charcoal Canister Storage
TS - Tank Storage

*Service
I - Inspect, repair/replace as needed
R - Replace