

E.O. 1

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-16R
Relating to Approval of New Motor Vehicles

JAGUAR CARS
OF
BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Jaguar Cars of British Leyland (UK) Limited exhaust emission control systems for 1976 model-year passenger cars are approved for the engine family described below:

Engine Family: V12
Engine: 326 CID
Transmission: 3-Speed Automatic
Exhaust Emission Control Systems: Air Injection, Electronic Fuel Injection, Exhaust Gas Recirculation, Oxidation Catalyst

Models: XJS (2 door Sports Coupe)
XJ12C (Series II 2 door Coupe)
XJ12L (Series II 4 door Sedan)

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1976 model vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
V12	0.5	6.1	1.1

BE IT FURTHER RESOLVED: That, pending further evaluation of the applicant's general standards submission, this approval is limited to the sale of vehicles with build dates no later than December 31, 1975.

BE IT FURTHER RESOLVED: That this Executive Order is issued subject to the following conditions:

(1) Jaguar Cars of British Leyland (UK) Limited will submit a list of all operating conditions which may lead to catalyst overheating, the provisions taken to protect against damage caused thereby and such other vehicle information concerning safety as the Air Resources Board may reasonably request.

(2) Jaguar Cars of British Leyland (UK) Limited agrees to provide all purchasers of vehicles built and sold under this Executive Order with any information which is required to be given to purchasers of similar 1976 model-year vehicles manufactured under a subsequent Executive Order.

(3) Jaguar Cars of British Leyland (UK) Limited will attach a door post decal and a window sticker to each vehicle before sale informing customers of the need for a catalyst change within the 5 year - 50,000 mile warranty period. These decals and stickers will conform to the requirements of Section 2040, Article 6, Subchapter 1, Chapter 3, Title 13 of the California Administrative Code.

The issuance of this Executive Order is contingent upon conformance with the provisions of Section 2040 of Title 13 and all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 25th day of November, 1975.

GCHass by P.D. McDonald

G. C. Hass, Chief
Division of Vehicle
Emissions Control

AIR RESOURCES BOARD
SUPPLEMENTAL INFORMATION
1976 MODEL YEAR

PASSENGER CARS LIGHT-DUTY TRUCKS

MANUFACTURER: Jaguar Cars of British Leyland UK Ltd.

EXECUTIVE ORDER NO. A-5-16

PAGE NO.

Engine Family	Vehicle Models (If coded see attachment)	Engine CID	Trans.	Inertia Weight	Distributor		Fuel System		Emission Control System		Idle RPM	Basic Timing	Idle Mixtu	
					Type	Mfr. Part No.	Type	Mfr. Part No.	OC <input type="checkbox"/> TR <input type="checkbox"/>	Part No. Service*				EGR
V12	Jaguar XJ12C XJ12L XJS	326	A-3	4500	C V EI	Lucas C44663	EFI	Bosch-Lucas C42947	OC AI EFI EGR	C44834 and C44835 R025,000 miles	C44648 R025,000 Miles	750 rpm in neutral	10° BTDC @ 750 rpm W/V connected	Idle with A.I.di-verted & check valve plugged & measured @ tail pipe

Abbreviations:

- Distributor
- AI - Air Injection
- CF - Centrifugal Advance
- CR - Vacuum Advance
- VR - Vacuum Retard
- HEI - High Energy Ignition
- EM - Engine Modifications
- CAT - Catalytic Converter
- Exhaust Emission Control System
- EFI - Electronic Fuel Injection
- EGR - Exhaust Gas Recirculation
- EM - Engine Modifications
- CAT - Catalytic Converter
- EFE - Early Fuel Evaporation
- FI - Fuel Injection
- OC - Oxidation Catalyst
- RC - Reduction Catalyst
- TR - Thermal Reactor
- ESAC - Electronic Spark Advance Control
- PAI - Pulse Air Injection
- *Service
- I - Inspect, repair/replace as needed
- R - Replace