E.C. Book

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-18
Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION A.G.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1981 model-year Audi NSU Auto Union A.G. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
BAD2.2V6FC15000C	131 (2.2)	Three Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.35	2.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19th day of September, 1980.

K. D. Drachand, Chief
Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Audi Executive Order No. A-30-18 Page 1

Engine Family BAD2.2V6FC15000C Evaporative Family 5000

ABBREVIATIONS Engine CID (Liters) 131 (2.2)

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DI-Diesel Injection
EFI-Electronic Fuel Injection
MFI-Mechanical Fuel Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Vehicle Models

5000
4000

E.O. #A -30-18

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Audi

Page 2

Engine Family BAD 2.2V6FC15000C

Engine Code -

ECS (Special Features) TWC, CL (MFI)

CID (Liter)-Type 131 (2.2) I5

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System CA,VA,VR,EI Distributor Part No.	Fuel System (MFI) Part No.	EGR Valve Part No.	Label Ident. Part No.
2.2ILCHM	*4000	M5	2750 2875	035 905 -206 A	Bosch Fuel Injection Control Unit 035 133 -353 K Electronic Control Unit 035 906 -263 D	n/a	VECI 433 000 -331 AJ Vac. Hose 035 000 -363 BF
2.2ILCHA		A3					
2.2ILBOM 2.2ILBHM	*5000	M5	3250 3125				
2.2ILCOA 2.2ILCHA		A3					

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9/12/80

071080