State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-22
Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for diesel-powered light duty truck.

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)
CSZ137K6JBDO	137	(2.2)	Exhaust Gas Recirculation (Diesel Injection-Prechamber)

Vehicle Models, Transmissions, and Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.41	9.0	1.5

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.37	1.4	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of November, 1981.

Bob Crosse for

K. D. Drachand, Chief
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Isuzu Motors Limited Executive Order No. A-20-22 Page 1

Engine Family CSZ137K6JBD0 Evaporative Family NA

Engine CID (Liters) 137 (2.2)

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
MFI-Mechanical Fuel Injection
TC-Turbocharged

Models: Isuzu P'UP and Chevrolet LUV
LDD-1; Pick-up 2WD (Short wheel base)
LDD-3; Pick-up 2WD (Long wheel base)
LDD-4; Pick-up 4WD

DRIVE SYSTEM: Rear Wheel

Issued; 112381.

012281

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

__ Passenger Cars X Light-Duty Trucks __ Medium-Duty Vehicles __ Gas X Diesel

Manufacturer Isuzu Motors Limited E.O. #A-20-22

Engine Family CSZ137K6JBDO CID (liter) - Type 137 (2.2) L4

ECS (Special Features) EGR (DIP)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Injection Pump Part No.	EGR Valve Part No.	Label Ident. Part No.
KBD-1	LDD-1	M-5	3000	NA	8942513400	8942411780	13380
	LDD-3		3125				
	LDD-4	M-4	3250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 112381.
Revisions: