E.O. Book

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-31
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORP.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Mitsubishi Motors Corp. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
CMT2.6T2BCAO	155.92 (2.6)	Air Injection - Valve (Combustion Chambers Valve) Exhaust Gas Recirculation Oxidation Catalysts

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.41	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.17	3.3	0.7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 1st day of July, 1981.

K. D. Drachand RW
K. D. Drachand, Chief
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Mitsubishi
Executive Order No.: A-86-31
Page: 1

Engine Family: CMT2.6T2BCA0
Evaporative Family: CMT2.6TC

Engine CID (Liters): 155.92 (2.6)

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber

MFI-Mechanical Fuel Injection
TC-Turbocharged

Vehicle Models	Truckline
9JH4 9JP4	Dodge RAM50 Pickup
0JH4 0JP4	Plymouth Arrow Pickup
9KI4* 9KP4*	Dodge Power RAM50 Pickup 4WD Dodge Power RAM50 Pickup 4WD

DRIVE SYSTEM: Front engine/ Rear drive

Date of Issue - 06-29-81
Revisions - 07-14-81: Corrections
*- 09-28-81(RC-82-2.6TC-1:07-31-81)Add'n of 4WD models

012281

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

*__ Passenger Cars X Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Mitsubishi E.O. #A -86-31

Engine Family CMT2.6T28CA0 CID (liter) - Type 155.92 (2.6) L4

ECS (Special Features) AIV,(CCV), EGR, OC-OC

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System CA, VA, EI Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
2.6TC-M A2.6TC-M	9JH4 9JP4	M5	3000	T4T62075	32-35 DID TA-76	K5T50998	VECI MD034464
2.6TC-A A2.6TC-A	0JH4 0JP4	A3			32-35 DID TA-75		Vac. Hose MD034503
2.6TC-M-S A2.6TC-M-S	9KL4** 9KP4**	M5	3250	T4T62076	32-35DID TA-76		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 06/29/81
Revisions: 07/14/81: Corrections
**- 09/28/81(RC#82-2.6TC-1:07/31/81)Add'n of 4WD models