State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-31
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	(Liters)	Exhaust Emission Control Systems (Special Features)
GFJ1.8V5HCM9	109	(1.8)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.17	2.0	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22nd day of July, 1985.

K. D. Drachand, Chief
Mobile Source Division

Manufacturer Fuji Heavy Industries Ltd. Executive Order No. A-2-31

Engine Family GFJ1.8V5HCM9 Evaporative Family KU

Engine CID (Liters) 109 CID

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continual
TOP-Trap Oxidizer Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC - Intercooler
MFI-Mechanical Fuel Injection
TC-Turbocharged

VEHICLE MODELS:

AC4: 4-door Sedan

AN4: Station Wagon

AX4: XT

AG4: 3-door

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

E.O. #A-2-31

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Fuji Heavy Industries Ltd.

Page 1 of 2

Engine Code G1.8V5CMMM G1.8V5CMMMA G1.8V5CMMA G1.8V5CMMAA

Engine Family GFJ1.8V5HCM9

ECS (Special Features) CL, EGR, OC, TWC, EFI

CID (Liter)-Type 109 CID-H04

Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System CA, EI, VA Part No.	Fuel System EFI Part No.	EGR Valve Part No.	Label Ident. Part No.
G1.8V5CMMM	AX4 (DL) (6.2/6.8*)	M5	2625	Nippondenso 100291-1080	Injector: JECS 0448	Hitachi APDQ54-106	Tune-up: K6
	AX4 (GL) (6.2/6.8*)		2750 (2625)#	Fuji's Part No. 22100AA082	Fuji's Part No. 16600AA010	Fuji's Part No. 14710AA220	Vacuum Hose Routing: AX
G1.8V5CMMMA	AX4 (DL) (6.2/6.8*)		2625		Electronic Control Unit:		
	AX4 (GL) (6.2/6.8*)		2750		Fuji's Part No. 22611AA071		
G1.8V5CMMA G1.8V5CMMAA	AX4 (6.2/6.8*)	A3	2750			Hitachi APDQ54-112 Fuji's Part No. 14710AA320	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

#The model is tested at higher ETW in accordance with 40 CFR 86.84-26(a)(2).

Date of Issue -

E.O. #A-2-31

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer Fuji Heavy Industries Ltd.

Engine Code G1.8V5CMMM G1.8V5CMM G1.8V5CMMA G1.8V5CMMA

Engine Family GFJ1.8V5HCM9

ECS (Special Features) CL, EGR, OC, TWC, EFI

CID (Liter)-Type 109 CID-H04

Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System CA, EI, VA Part No.	Fuel System EFI Part No.	EGR Valve Part No.	Label Ident. Part No
G1.8V5CMMM	AX4 (DL) (6.2/6.8*)	M5	2625	Nippondenso 100291-1080	Injector: JECS 0448	Hitachi APDQ54-106A	Tune-up: K6
	AX4 (GL) (6.2/6.8*)		2750 (2625)#	Fuji's Part No. 22100AA082	Fuji's Part No. 16600AA010	Fuji's Part No. 14710AA221	Vacuum Hose Routing: AX
G1.8V5CMMMA	AX4 (DL) (6.2/6.8*)		2625		Electronic Control Unit:		
	AX4 (GL) (6.2/6.8*)		2750		Fuji's Part No. 22611AA071		
G1.8V5CMMA G1.8V5CMMAA	AX4 (6.2/6.8*)	A3	2750			Hitachi APDQ54-112A Fuji's Part No. 14710AA321	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

#The model is tested at higher ETW in accordance with 40 CFR 86.84-26(a)(2).

Date of Issue -

Revised by R/C 86-9

E.O. #A-2-31

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles x Gas __ Diesel

Manufacturer Fuji Heavy Industries Ltd. Page 2 of 2

Engine Code G1.8V5CMSA G1.8V5C

Engine Family GFJ1.8V5HCM9 CID (Liter)-Type 109 CID-H04

ECS (Special Features) CL, EGR, OC, TWC, CFI

Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System EEC Part No.	Fuel System CFI Part No.	EGR Valve Part No.	Labe Iden Part
1.8V5CMSA	AC4 (7.0/7.7*) AG4 (6.8/7.5*)	A3	2625	Distributor: Hitachi; D4P84-03 Fuji's Part No.; 22100AA053	Injector: Hitachi RFB42-1 Fuji's Part No. 16118AA380 Electronic Control Unit: Hitachi MECF-001 Fuji's Part No. 22611AA100	Atsugi; AEY78-14 Fuji's Part No.; 14710AA251	Tune-u K Vacuum Hose Routi B
	AN4 (7.5/8.2*)		2750				
1.8V5CMSAA	AC4 (7.0/7.7*)		2625				
	AG4 (6.8/7.5*) AN4 (7.5/8.2*) AC4 (7.7*)		2750				
	AN4 (8.2*)		2875				

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model an quipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

Revised by R/C No. 86-5

Revised by R/C 86-9