SEE E.O. A-17-96-1

E.D. Root

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-96
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
HAM242T5LND3	242 (4.0)	Three-Way Catalyst Heated Oxygen Sensor Exhaust Gas Recirculation (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.12	1.5	0.1
4000-5999	0.21	4.3	0.2

SUPERSEDED

SUPERSEDED

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, for the listed vehicles in the 0-3999 equivalent inertia weight class, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15th day of July, 1986.

K. D. Drachand, Chief
Mobile Source Division

E.O. # A-17-96

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer American Motors Corporation

Engine Family HAM 242 T5 LN D3

Evaporative Family HT-242H-1S

Engine Type I6

Engine Liters (CID) 4.0 (242)

ABBREVIATIONS:

Ignition System
- CA - Centrifugal Advance
- EEC - Electronic Engine Control
- EI - Electronic Ignition
- ESAC - Electronic Spark Advance Control
- VA - Vacuum Advance
- VR - Vacuum Retard

Fuel System
- CFI, CL, DID, DIP, EFI, MFI
- nV - nVenturi Carburetor
- VV - Variable Venturi

Exhaust Emissions Control System
- AIP - Air Injection-Pump
- AIV - Air Injection-Valve
- CL - Closed Loop
- EGR - Exhaust Gas Recirculation
- EM - Engine Modification
- OC - Oxidation Catalyst System
- SPL - Smoke Puff Limiter or Throttle Delay
- TOC - Trap Oxidizer Continual
- TOP - Trap Oxidizer Periodical
- TR - Thermal Reactor
- TWC - Three-Way Catalyst System

Special Features
- CCV - Combustion Chamber Valve
- CFI - Central Fuel Injection
- DID - Diesel Injection-Direct
- DIP - Diesel Injection-Prechamber
- EFI - Electronic Fuel Injection
- IC - Intercooler or Aftercooler
- MFI - Mechanical Fuel Injection
- TC - Turbocharged

VEHICLE MODELS:

75 = Wagoneer 4WD
77 = Cherokee 4WD 2 Dr. Wagon
78 = Cherokee 4WD 4 Dr. Wagon
73 = Cherokee 2WD 2 Dr. Wagon
74 = Cherokee 2WD 4 Dr. Wagon
63 = Comanche 4WD P.U. - Short Bed
65 = Comanche 4WD P.U. - Long Bed
64 = Comanche 2WD P.U. - Short Bed
66 = Comanche 2WD P.U. - Long Bed

ENGINE: FRONT X MID ____ REAR ____

DRIVE: FWD ____ RWD X 4WD FULL TIME ____ 4WD PART TIME X

SUPERSEDED

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars___ Light-Duty Trucks X Medium-Duty Vehicles___ Gas X Diesel___

Manufacturer American Motors Corporation Engine Family HAM 242 T5 LN D3

Liter (CID) 4.0 (242) Engine Type I6

Emission Control System
(Special Features) CL + EGR + TWC (EFI)

Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans Type	Equiv. Test Weight	Ign. System/ECU ESAC Part No.	Fuel System EFI, CL Part No.	EGR Valve Part No.	Catalyst Part No.
1M1	73	M5	3375	8953 002 858 8953 005 025	8953002858 8953005025	8953003446 17087258	8952003452
	74,64		3500				
	75,77,78,66		3625				
	63		3750				
	65		3875				
1M2	73,74		3375				
	64		3500				
	75,77,78,63,66		3625				
	65		3750				
1A1	73,74	L4	3500	8953 002 857 8953 005 026	8953002857 8953005026		
	64,66		3625				
	75,77,78,63		3750				
	65		3875				

Comments: _____

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Date of Issue: 071586 Revisions:

SUPERSEDED

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars___ Light-Duty Trucks X Medium-Duty Vehicles___ Gas X Diesel___

Manufacturer American Motors Corporation Engine Family HAM 242 T5 LN D3

Liter (CID) 4.0 (242) Engine Type I6

Emission Control System (Special Features) CL + EGR + TWC (EFI)

Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans Type	Equiv. Test Weight	Ign. System/ECU ESAC Part No.	Fuel System EFI, CL Part No.	EGR Valve Part No.	Catalyst Part No.
1A2	73	L4	3375	8953 002 857 8953 005 026	8953002857 8953005026	8953003446 17087258	8952003452
	74,64		3500				
	75,77,78,66		3625				
	63		3750				
	65		3875				

Comments: _____

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Date of Issue: 071586 Revisions:

SUPERSEDED

Engine Family: HAM 242 T5 LN D3

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

JUNE 23, 1986

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 64 PICKUP 2WD	3236	1410	3500	242	M5	YES	P205/75R15 XA4	30	30	50%	12.35	13.5
							P205/75R15 VECTOR			25%	11.56	13.6
							P215/75R15 XMS1			10%	11.04	13.6
							P215/75R15 WRANGLER			10%	11.36	14.0
							P225/75R15 WRANGLER			5%	11.17	14.1
	3177	1420	3500			NO	P205/75R15 XA4	30	30	50%	13.21	12.3
							P205/75R15 VECTOR			25%	12.31	12.4
							P215/75R15 XMS1			10%	11.73	12.4
							P215/75R15 WRANGLER			10%	12.12	12.7
							P225/75R15 WRANGLER			5%	12.07	12.8
	3292	1431	3625	242	L4	YES	P205/75R15 XA4	30	30	50%	12.26	13.8
							P205/75R15 VECTOR			25%	11.98	13.9
							P215/75R15 XMS1			10%	11.22	14.0
							P215/75R15 WRANGLER			10%	11.21	14.2
							P225/75R15 WRANGLER			5%	11.56	14.3
	3232	1432	3500			NO	P205/75R15 XA4	30	30	50%	12.86	12.4
							P205/75R15 VECTOR			25%	12.38	12.5
							P215/75R15 XMS1			10%	11.57	12.5
							P215/75R15 WRANGLER			10%	11.61	12.8
							P225/75R15 WRANGLER			5%	11.86	12.9

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 66 PICKUP 2WD	3340	1438	3625	242	M5	YES	P195/75R15 XA4	33	33	10%	13.22	13.4
							P205/75R15 XA4	30	30	45%	12.58	13.5
							P205/75R15 VECTOR			20%	11.88	13.6
							P215/75R15 XMS1			10%	11.31	13.6
							P215/75R15 WRANGLER			10%	11.78	14.0
							P225/75R15 WRANGLER			5%	11.74	14.1
	3281	1440	3625			NO	P195/75R15 XA4	33	33	10%	14.17	12.2
							P205/75R15 XA4	30	30	45%	13.60	12.3
							P205/75R15 VECTOR			20%	12.63	12.4
							P215/75R15 XMS1			10%	12.00	12.4
							P215/75R15 WRANGLER			10%	12.62	12.7
							P225/75R15 WRANGLER			5%	12.51	12.8
	3385	1450	3625	242	L4	YES	P195/75R15 XA4	33	33	10%	12.25	13.6
							P205/75R15 XA4	30	30	45%	12.26	13.8
							P205/75R15 VECTOR			20%	11.98	13.9
							P215/75R15 XMS1			10%	11.22	14.0
							P215/75R15 WRANGLER			10%	11.21	14.2
							P225/75R15 WRANGLER			5%	11.56	14.3
	3337	1451	3625			NO	P195/75R15 XA4	33	33	10%	12.95	12.4
							P205/75R15 XA4	30	30	45%	13.26	12.5
							P205/75R15 VECTOR			20%	12.68	12.6
							P215/75R15 XMS1			10%	11.77	12.7
							P215/75R15 WRANGLER			10%	11.91	12.9
							P225/75R15 WRANGLER			5%	12.16	13.0

SUPERSEDED

ISSUED: 012887

E. O. #A-17-96 Page 5

Engine Family: HAM 242 T5 LN D3

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

JUNE 23, 1986

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 63 PICKUP 4WD	3411	1444	3750	242	M5	YES	P205/75R15 XA4	30	30	30%	12.42	14.1
							P205/75R15 VECTOR			20%	11.80	14.2
							P215/75R15 XMS1			20%	10.92	14.2
							P215/75R15 WRANGLER			20%	11.32	14.5
							P225/75R15 WRANGLER			10%	11.66	14.6
	3352	1445	3625			NO	P205/75R15 XA4	30	30	30%	13.09	12.7
							P205/75R15 VECTOR			20%	12.25	12.8
							P215/75R15 XMS1			20%	11.38	12.8
							P215/75R15 WRANGLER			20%	11.65	13.1
							P225/75R15 WRANGLER			10%	11.68	13.2
	3476	1460	3750	242	L4	YES	P205/75R15 XA4	30	30	30%	12.24	14.5
							P205/75R15 VECTOR			20%	12.13	14.4
							P215/75R15 XMS1			20%	11.21	14.4
							P215/75R15 WRANGLER			20%	11.33	14.6
							P225/75R15 WRANGLER			10%	11.73	14.6
	3417	1461	3750			NO	P205/75R15 XA4	30	30	30%	12.94	13.2
							P205/75R15 VECTOR			20%	12.75	13.1
							P215/75R15 XMS1			20%	11.91	13.1
							P215/75R15 WRANGLER			20%	12.23	13.3
							P225/75R15 WRANGLER			10%	12.46	13.3

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 65 PICKUP 4WD	3515	1463	3875	242	M5	YES	P195/75R15 XA4	33	33	10%	12.92	14.1
							P205/75R15 XA4	30	30	35%	12.64	14.1
							P205/75R15 VECTOR			15%	12.17	14.2
							P215/75R15 XMS1			20%	11.22	14.2
							P215/75R15 WRANGLER			15%	11.57	14.5
							P225/75R15 WRANGLER			5%	12.12	14.6
	3456	1465	3750			NO	P195/75R15 XA4	33	33	10%	13.50	12.8
							P205/75R15 XA4	30	30	35%	13.31	12.8
							P205/75R15 VECTOR			15%	12.61	12.9
							P215/75R15 XMS1			20%	11.67	12.9
							P215/75R15 WRANGLER			15%	12.06	13.2
							P225/75R15 WRANGLER			5%	12.41	13.3
	3578	1478	3875	242	L4	YES	P195/75R15 XA4	33	33	10%	12.66	14.5
							P205/75R15 XA4	30	30	35%	12.67	14.6
							P205/75R15 VECTOR			15%	12.32	14.6
							P215/75R15 XMS1			20%	11.57	14.5
							P215/75R15 WRANGLER			15%	11.82	14.6
							P225/75R15 WRANGLER			5%	12.21	14.6
	3519	1479	3875			NO	P195/75R15 XA4	33	33	10%	13.26	13.2
							P205/75R15 XA4	30	30	35%	13.47	13.3
							P205/75R15 VECTOR			15%	13.05	13.3
							P215/75R15 XMS1			20%	12.21	13.2
							P215/75R15 WRANGLER			15%	12.73	13.3
							P225/75R15 WRANGLER			5%	12.76	13.3

SUPERSEDED

ISSUED: 012887.

Engine Family: HAM 242 T5 LN D3

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

JUNE 23, 1986

SUPERSEDED

VEHICLE	VEHXJ242 TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	TIRES SHOWN Standard tire listed 1st Optional tires also listed: SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	ROADLOAD HP. & COASTDOWN TIMES (SEC.)	HP.
XJ MODEL 73 2-DOOR 2WD	3117	1363	3375	242	M5	YES	P195/75R15 XA4	33	33	10%	12.81	12.6
							P205/75R15 XA4	30	30	50%	12.65	13.0
							P205/75R15 VECTOR			25%	11.86	13.1
							P215/75R15 XMS1			10%	11.07	13.2
							P215/75R15 WRANGLER			5%	11.34	13.6
	3052	1366	3375			NO	P195/75R15 XA4	33	33	20%	13.78	11.5
							P205/75R15 XA4	30	30	45%	13.58	11.8
							P205/75R15 VECTOR			20%	12.70	11.9
							P215/75R15 XMS1			10%	11.82	12.0
							P215/75R15 WRANGLER			5%	12.15	12.4
	3170	1376	3500	242	L4	YES	P195/75R15 XA4	33	33	10%	12.12	13.2
							P205/75R15 XA4	30	30	50%	12.13	13.3
							P205/75R15 VECTOR			25%	11.46	13.4
							P215/75R15 XMS1			10%	10.83	13.4
							P215/75R15 WRANGLER			5%	10.98	13.9
	3106	1379	3375			NO	P195/75R15 XA4	33	33	20%	12.73	11.9
							P205/75R15 XA4	30	30	45%	12.82	11.9
							P205/75R15 VECTOR			20%	12.04	12.0
							P215/75R15 XMS1			10%	11.24	12.1
							P215/75R15 WRANGLER			5%	11.56	12.5

VEHICLE	VEHXJ242 TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	TIRES SHOWN Standard tire listed 1st Optional tires also listed: SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	ROADLOAD HP. & COASTDOWN TIMES (SEC.)	HP.
XJ MODEL 74 4-DOOR 2WD	3165	1397	3500	242	M5	YES	P195/75R15 XA4	33	33	10%	13.34	12.8
							P205/75R15 XA4	30	30	50%	13.01	13.1
							P205/75R15 VECTOR			25%	12.15	13.2
							P215/75R15 XMS1			10%	11.37	13.3
							P215/75R15 WRANGLER			5%	11.41	13.8
	3100	1400	3375			NO	P195/75R15 XA4	33	33	10%	13.78	11.5
							P205/75R15 XA4	30	30	50%	13.58	11.8
							P205/75R15 VECTOR			25%	12.70	11.9
							P215/75R15 XMS1			10%	11.82	12.0
							P215/75R15 WRANGLER			5%	12.15	12.4
	3219	1410	3500	242	L4	YES	P195/75R15 XA4	33	33	10%	12.12	13.2
							P205/75R15 XA4	30	30	50%	12.13	13.3
							P205/75R15 VECTOR			25%	11.46	13.4
							P215/75R15 XMS1			10%	10.83	13.4
							P215/75R15 WRANGLER			5%	10.98	13.9
	3154	1413	3500			NO	P195/75R15 XA4	33	33	10%	13.00	12.0
							P205/75R15 XA4	30	30	50%	13.00	12.1
							P205/75R15 VECTOR			25%	12.24	12.2
							P215/75R15 XMS1			10%	11.53	12.2
							P215/75R15 WRANGLER			5%	11.83	12.6

ISSUED: 012887.

Engine Family: HAM 242 T5 LN D3

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

JUNE 23, 1986

SUPERSEDED

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 75 4-DOOR 4WD	3385	1481	3625	242	M5	YES	P205/75R15 XA4	30	30	70%	12.66	13.6
							P205/75R15 VECTOR			30%	11.84	13.8
	3322	1483	3625			NO	P205/75R15 XA4	30	30	70%	13.63	12.4
							P205/75R15 VECTOR			30%	12.80	12.5
	3438	1494	3750	242	L4	YES	P205/75R15 XA4	30	30	70%	12.43	14.0
							P205/75R15 VECTOR			30%	11.94	14.1
	3374	1496	3625			NO	P205/75R15 XA4	30	30	70%	13.09	12.6
							P205/75R15 VECTOR			30%	12.46	12.7

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 77 2-DOOR 4WD	3349	1430	3625	242	M5	YES	P195/75R15 XA4	33	33	5%	12.89	13.5
							P205/75R15 XA4	30	30	35%	12.66	13.6
							P205/75R15 VECTOR			20%	11.84	13.8
							P215/75R15 XMS1			15%	10.97	13.9
							P215/75R15 WRANGLER			15%	11.42	14.2
							P225/75R15 WRANGLER			10%	11.25	14.2
	3283	1433	3625			NO	P195/75R15 XA4	33	33	5%	14.20	12.3
							P205/75R15 XA4	30	30	35%	13.63	12.4
							P205/75R15 VECTOR			20%	12.80	12.5
							P215/75R15 XMS1			15%	11.76	12.6
							P215/75R15 WRANGLER			15%	12.32	12.9
							P225/75R15 WRANGLER			10%	12.12	12.9
	3404	1442	3750	242	L4	YES	P195/75R15 XA4	33	33	5%	12.30	13.9
							P205/75R15 XA4	30	30	35%	12.43	14.0
							P205/75R15 VECTOR			20%	11.94	14.1
							P215/75R15 XMS1			15%	10.94	14.2
							P215/75R15 WRANGLER			15%	11.25	14.5
							P225/75R15 WRANGLER			10%	11.01	14.4
	3340	1444	3625			NO	P195/75R15 XA4	33	33	5%	12.99	12.5
							P205/75R15 XA4	30	30	35%	13.09	12.6
							P205/75R15 VECTOR			20%	12.46	12.7
							P215/75R15 XMS1			15%	11.52	12.8
							P215/75R15 WRANGLER			15%	11.88	13.0
							P225/75R15 WRANGLER			10%	11.78	13.0

ISSUED: 012887.

Engine Family: HAM 242 T5 LN D3

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

JUNE 23, 1986

VEHXJ242							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	PRESSURE RR	(%) USAGE	(SEC.)	HP.
XJ MODEL 78 4-DOOR 4WD	3343	1431	3625	242	M5	YES	P195/75R15 XA4	33	33	5%	12.89	13.5
							P205/75R15 XA4	30	30	35%	12.66	13.6
							P205/75R15 VECTOR			20%	11.84	13.8
							P215/75R15 XMS1			15%	10.97	13.9
							P215/75R15 WRANGLER			15%	11.42	14.2
							P225/75R15 WRANGLER			10%	11.25	14.2
	3278	1434	3625			NO	P195/75R15 XA4	33	33	5%	14.20	12.3
							P205/75R15 XA4	30	30	35%	13.63	12.4
							P205/75R15 VECTOR			20%	12.80	12.5
							P215/75R15 XMS1			15%	11.76	12.6
							P215/75R15 WRANGLER			15%	12.32	12.9
							P225/75R15 WRANGLER			10%	12.12	12.9
	3399	1443	3750	242	L4	YES	P195/75R15 XA4	33	33	5%	12.30	13.9
							P205/75R15 XA4	30	30	35%	12.43	14.0
							P205/75R15 VECTOR			20%	11.94	14.1
							P215/75R15 XMS1			15%	10.94	14.2
							P215/75R15 WRANGLER			15%	11.25	14.5
							P225/75R15 WRANGLER			10%	11.01	14.4
	3335	1445	3625			NO	P195/75R15 XA4	33	33	5%	12.99	12.5
							P205/75R15 XA4	30	30	35%	13.09	12.6
							P205/75R15 VECTOR			20%	12.46	12.7
							P215/75R15 XMS1			15%	11.52	12.8
							P215/75R15 WRANGLER			15%	11.88	13.0
							P225/75R15 WRANGLER			10%	11.78	13.0

SUPERSEDED

ISSUED: 012887.