State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-175
Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Chrysler Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	(Liters)	Exhaust Emission Control Systems (Special Features)
JCR2.2V5FAD7	135	(2.2)	Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection) (Turbocharger) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.22	2.1	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of March, 1987.

K. D. Drachand, Chief
Mobile Source Division

E.O. # A-9-175

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer CHRYSLER MOTORS CORPORATION

Engine Family JCR2.2V5FAD7

Evaporative Family JCRVA

Engine Type SOHC IN LINE 4

Liters (CID) 2.2 (135)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
ECU-Electronic Control Unit
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
DBC-Dual Bed Catalyst
EGR-Exhaust Gas Recirculation
EIC-Electronic Injection Control
EM-Engine Modification
OC-Oxidation Catalyst
OS-Oxygen Sensor
HOS-Heated Oxygen Sensor
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TWC-Three-Way Catalyst
WUOC-Warm-Up Oxidation Catalyst
WUTWC-Warm-Up Three-Way Catalyt

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection or Throttle Body Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler or Aftercooler
MFI-Mechanical Fuel Injection
OBD-On-Board Diagnostics
TC-Turbocharger

VEHICLE MODELS:	CARLINE:
ETP41	CHRYSLER NEW YORKER TURBO
JCH21,JCP21,KCP41, JCH27,JCP27	CHRYSLER LEBARON
KCP45	CHRYSLER TOWN & COUNTRY WAGON
HCH44,HCP44	CHRYSLER LEBARON GTS
EEH41,EEM41	DODGE 600
GVH24,GVP24	DODGE DAYTONA
HDH44,HDS44	DODGE LANCER
PDH24,PDH44	DODGE SHADOW
EJH41,EJM41	PLYMOUTH CARAVELLE
[illegible]4,PPH44	PLYMOUTH SUNDANCE

Engine: Front XX Mid. _____ Rear _____

Drive: FWD XX RWD _____ 4WD Full Time _____ 4WD Part Time _____

111586

E.O. # A-9-175

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.2V5FAD7

Liter (CID) 2.2 (135) Eng. Type SOHC IN LINE 4

Emission Control Sys. (Special Features) TWC, HOS, (EFI), (TC)

Engine Code	Vehicle Models (If Coded see attachment) See Attachment For (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalys Part No.
M-1	PPH24,PDH24, PPH44,PDH44	M5	3000	5233022 5233706* 5233988**	4307617 4307632	NONE	4301682 4301725 4301734 4301735 4301736
	JCH21,GVH24, HDH44,HCH44, HDS44,HCP44		3125				
	GVP24,JCP21, JCH27,JCP27		3250 +				
M-3	PDH24		3000				
M-4***	PPH24, PDH24, PPH44,PDH44		3000	5233900			
	JCH21, GVH24, HDH44, HCH44, HCP44,HDS44		3125				
	JCP27,GVP24,JCP21, JCH27		3250 +				
M-5***	PDH24		3000				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue _____

Revisions: *04-03-87: R.C. 14, Revise ECU calibration.
**06-03-87: R.C. 31, Revise OBD Portion of the ECU.
***07-27-87: R.C. 23C, Revise ECU calibration.
+02-12-88: R.C. 79C - Production weight update.

030186

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-9-175

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____ Page 3

Manufacturer CHRYSLER MOTORS CORPORATION

Liter (CID) 2.2 (135) Engine Family JCR2.2V5FAD7

Emission Control Sys. (Special Features) TWC,HOS,(EFI),(TC) Eng. Type SOHC IN LINE 4

Engine Code	Vehicle Models (If Coded see attachment) See Attachment For (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalyst Part No.
A-1	PPH24,PDH24, PPH44,PDH44, EJM41,EEM41, EJH41,(KPH45, KDH45)++EEH41	A3	3000+++	5233020 5233702* 5233984**	4307616 4307630	NONE	4301682 4301725 4301734 4301735 4301736
	JCH21,HCH44 GVH24,KCP41, HDH44,HDS44		3125+++				
	JCP21,JCH27, JCP27,ETP41, GVP24, HCP44, KCP45,(GVS24, GVX24)+		3250				
A-3***				5233896***			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue _____

Revisions: *04-03-87: R.C. 14, Revise ECU calibration.
**06-03-87: R.C. 31, Revise OBD Portion of the ECU.
***06-12-87: R.C. 25C, Revise ECU's calibration.
+07-13-87: R.C. 21C, Addition of Models.
++08-04-87: R.C. 47C, Addition of Models.
+++02-12-88: R.C. 79C - Production weight update.

30186

E.O. # A-9-175

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.2V5FAD7

Liter (CID) 2.2 (135) Eng. Type SOHC In Line 4

Emission Control Sys. (Special Features) TWC,HOS,(EFI),(TC)

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Catalyst Part No.
M-6	PPH24,PDH24, PPH44,PDH44		3000	5233254	4307617 4307632	NONE	4301682 4301725 4301734 4301735 4301736
M-8*	JCH21,GVH24 HDH44,HCH44, HCP44,HDS44		3125				
	GVP24,JCP21, JCH27,JCP27		3250+				
M-7 M-9*	PDH24		3000				
[illegible]-4 [illegible]6*	PPH24,PDH24, PPH44,PDH44, EJM41,EEM41, EJH41,(KPH45, KDH45)++	A3	3000	5233252	4307616 4307630		
	JCH21,EEH41, GVH24,KCP41, HDH44		3125				
	JCP21,JCH27, JCP27,ETP41, GVP24,HCH44, HCP44,HDS44, KCP45,(GVS24, GVX24)+		3250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 09-24-87

Revisions: *09-25-87: R.C. #57C. Release 0° Overlap Camshaft.
+02-12-88: R.C. #79C. Production weight update.
R.C. #53C. Revise ECU Calibration. Raise Coolant Temp Point 10° for Hot Spark Transfer.

030186

198[illegible] CHRYSLER CORPORATION VEHICLE DESCR[illegible]ONS CALIFORNIA

ENGINE FAMILY JCR2.2V5FAD7 DISPLACEMENT 2.2L EXHAUST [illegible]TROL SYSTEM 3CL MPI TUR

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVA
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1656	2657	3000	3000	PPH24	62
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1667	2671	3000	3000	PDH24	182
		2.51	P205/50VR15	TPHTADGDY	SBR	38.0	7.4	8.1						
									1668	2695	3000	3000	PPH44	52
									1679	2709	3000	3000	PDH44	152
M-1	M5	2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9	1772	2829	3125	3000	JCH21	1067
		2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9						
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	5.8	6.3						
M-1	M5	2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9	1786	2872	3125A	3000	JCP21	484
		2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9						
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	5.7	6.2						
M-1	M5	2.51	P195/70R14	TKSTADGDY	SBR	35.3	7.5	8.2	1778	2872	3125A	3000	JCH27	360
		2.51	P195/70R14	TKSTADGDY	SBR	35.3	7.5	8.2	1785	2880	3125A	3000	JCP27	122
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.6	7.3						
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	6.3	6.9	1746	2791	3125	3000	GVH24	500
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	5.6	6.2						
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	6.3	6.9						
M-1	M5	2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.3	6.9	1796	2888	3250	3000	GVP24	551
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.3	6.9						
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.3	6.9						
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.3	8.0	1748	2834	3125	3000	HDH44	67
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9	1762	2863	3125	3000	HCH44	236
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.3	8.0						
M-1	M5	2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9	1754	2858	3125	3000	HCP44	237
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9						
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.3	6.9						
M-1	M5	2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9	1777	2881	3125A	3000	HDS44	198
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9						
		2.51	$P205/60VR15	TPETADGDY	SBR	35.4	$ 6.7	$ 7.4						

ISSUE DATE: 6/23/86

REV 8/ 5/86 11/13/86
9/16/86 1/16/87
10/ 7/86 $ 1/23/87
10/27/86
10/30/86

ATTACHMENT TO PGS 2 & 3 - SDS E.O. A-9-175

10.-A 2300

198[illegible] CHRYSLER CORPOPATION VEHICLE DESCR[illegible]ONS CALIFORNIA

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVA
A

ENGINE FAMILY JCR2.2V5FAD7 DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM 3CL MPI TUR

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
M-3	M5	2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1	1667	2671	3000	3000	$PDH24	1100
		2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1						
		2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1						

ISSUE DATE: 2/16/87

REV $ 2/20/87

ATTACHMENT TO PGS 2 & 3 - SDS E.O. A-9-175

10.-A 2301

198[illegible] CHRYSLER CORPORATION VEHICLE DESCR[illegible]ONS CALIFORNIA

ENGINE FAMILY JCR2.2V5FAD7 DISPLACEMENT 2.2L EXHAUST C[illegible]NTROL SYSTEM 3CL MPI TUR

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVA
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-3	M5	2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1	1667	2671	3000	3000	$PDH24
		2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1					
		2.74	P205/50VR15	TPHTADGDY	SBR	41.5	7.4	8.1					

ISSUE DATE: 2/16/87

REV $ 2/20/87

ATTACHMENT TO PGS 2 & 3 - SDS E.O. A-9-175

10.-A 2301

198 CHRYSLER CORPORATION VEHICLE DESCR ONS CALIFORNIA

ENGINE FAMILY JCR2.2V5FAD7 DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM 3CL MPI TUR

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVA
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-1	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.9	8.7	1690	2689	3000	3000	PPH24	$ 249
	AN	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.9	8.7	1701	2703	3000	3000	PDH24	$ 726
		3.02	P205/50VR15	TPHTADGDY	SBR	45.8	7.4	8.1						
									1702	2727	3000	3000	PPH44	$ 208
									1713	2741	3000A	3000	PDH44	$ 609
A-1	A3	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9	1810	2863	3125A	3000	JCH21	$ 2490
	AN	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9	1824	2906	3250	3000	JCP21	$ 1738
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	5.7	6.2						
A-1	A3	3.02	P195/70R14	TKSTADGDY	SBR	42.4	7.5	8.2	1816	2906	3250	3000	JCH27	$ 998
	AN	3.02	P195/70R14	TKSTADGDY	SBR	42.4	7.5	8.2	1823	2914	3250	3000	JCP27	$ 619
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.6	7.3						
A-1	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1735	2756	3000A	3000	EJM41	$ 124
	AN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1738	2761	3000A	3000	EEM41	$ 23
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7						
									1738	2761	3000A	3000	EJH41	$ 105
									1741	2766	3125	3000	EEH41	$ 105
A-1	A3	3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8	1799	2932	3250	3000	ETP41	$ 1008
	AN	3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8						
		3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8						
A-1	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	6.3	6.9	1781	2820	3125	3000	GVH24	$ 413
	AN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	5.6	6.2						
		3.02	P185/70R14	TJ1TADGDY	SBR	43.4	6.3	6.9						
A-1	A3	3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.3	6.9	1831	2917	3250	3000	GVP24	$ 827
	AN	3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.3	6.9						
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.3	6.9						
A-1	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9	1771	2794	3125	3000	KCP41	$ 540
	AN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9						
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9						
A-1	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0	1782	2865	3125	3000	HDH44	$ 254
	AN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1796	2894	3250	3000	HCH44	$ 886
		3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0						

ISSUE DATE: 6/23/86

REV 8/ 5/86 11/13/86
9/16/86 $ 1/16/87
10/ 7/86
10/14/86
10/27/86

ATTACHMENT TO PGS 2 & 3 - SDS E.O. A-9-175

10.-A 2305

ENGINE ILY JCR2.2V5FAD7 DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM 3CL MPI TUR PROJECTED SALES

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAD

VAP FAMILY JCRVA
EVAP CODE A

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	DRIVE AXLE	CURB WEIGHT TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-1	A3	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1788	2889	3250	3000	HCP44	1200
	AN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9						
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.3	6.9						
A-1	A3	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1811	2912	3250	3000	HDS44	747
	AN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9						
		3.02	$P205/60VR15	TPETADGDY	SBR	42.6	$ 6.7	$ 7.4						
A-1	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5	1751	2897	3250	3000	KCP45	227
	AN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5						
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5						

ISSUE DATE: 10/14/86

REV 10/27/86
10/30/86
11/13/86
1/16/87
$ 1/23/87

ATTACHMENT TO PGS 2 & 3 - SDS E.O. A-9-175

10.-A 2310