

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-55  
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JHN2.0V2FFC6	2.0 (119)	Air Injection - Valve Oxygen Sensor Exhaust Gas Recirculation Three-Way Catalysts (Two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	2.5	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16<sup>th</sup> day of July, 1987.

  
K. D. Drachand, Chief  
Mobile Source Division

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-55Page 1

Manufacturer HONDA Engine Family JHN2.OV2FFC6  
 Evaporative Family 88FE Engine Type I - 4  
 Liters (CID) 2.0 (119)

## ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion Chamber Valve
EEC-Electronic Engine Control	AIV-Air Injection-Valve	CFI-Central Fuel Injection
EI-Electronic Ignition	DBC-Dual Bed Catalyst	DID-Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR-Exhaust Gas Recirculation	DIP-Diesel Injection-Prechamber
VA-Vacuum Advance	EIC-Electronic Injection Control	EFI-Electronic Fuel Injection
VR-Vacuum Retard	EM-Engine Modification	IC-Intercooler or Aftercooler
	OC-Oxidation Catalyst	MFI-Mechanical Fuel Injection
	OS-Oxygen Sensor	OBD-On-Board Diagnostics
	HOS-Heated Oxygen Sensor	TC-Turbocharger
	SPL-Smoke Puff Limiter or Throttle Delay	
	TOC-Trap Oxidizer, Continual	
	TOP-Trap Oxidizer, Periodical	
	TWC-Three-way Catalyst	
	WUOC-Warm-Up Oxidation Catalyst	
	WUTWC-Warm-Up Three-Way Catalyst	

Fuel System  
 CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor

VEHICLE MODELS:

Accord HB DX - Manual Transmission  
 Accord Sedan DX - Manual Transmission  
 Accord Sedan LX - Manual Transmission  
 Accord 2 Dr Coupe DX - Manual Transmission

Engine : Front X Mid.        Rear         
 Drive : FWD X RWD        4WD Full Time        4WD Part Time       

030186

ISSUED: 05/11/87 REVISED: 10/14/87 (RC #52; add 2-DR Coupe)

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN2.OV2FFC6  
 Liter (CID) 2.0 (119) Engine Type I - 4  
 Emission Control Sys. (Special Features) AIV, OS, EGR, TWC

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JF1	Accord Sedan DX	M5	2750	CA, EI & VA  Toyo Denso Distributor TD-43K  Hitachi Distributor D4R84-57	Keihin Carburetor ED07G	18710-PH4-6630	18150-PH4-6610  18150-PH4-6620
	Accord HB DX  Accord 2 Dr Coupe DX		2875				
JF1/1	Accord Sedan DX  Accord HB DX  Accord Sedan LX  Accord 2 Dr Coupe DX						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 05/11/87

Revisions: 08/06/87 10/14/87 (RC #52; add 2-Dr Coupe)

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-55

Page 2.1

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN2.0V2FFC6  
 Liter (CID) 2.0 (119) Engine Type I - 4  
 Emission Control Sys. (Special Features) AIV, OS, EGR, TWC

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JF1-45	Accord Sedan DX	M5	2750	CA, EI & VA  Toyo Denso Distributor TD-43K  Hitachi Distributor D4R84-57	Keihin Carburetor ED07G	18710-PH4-6630	18150-PH4-6610  18150-PH4-6620
	Accord HB DX  Accord 2 Dr Coupe DX		2875				
JF1/1-45	Accord Sedan DX  Accord HB DX  Accord Sedan LX  Accord 2 Dr Coupe DX						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct. dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 11/30/87 (RC#45) Revisions:

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-55Page 5

Manufacturer HONDA Engine Family JHN2.OV2FFC6  
 Evaporative Family 88FB Engine Type I - 4  
 Liters (CID) 2.0 (119)

## ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance  
 Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 DBC-Dual Bed Catalyst  
 EGR-Exhaust Gas Recirculation  
 EIC-Electronic Injection Control  
 EM-Engine Modification  
 OC-Oxidation Catalyst  
 OS-Oxygen Sensor  
 HOS-Heated Oxygen Sensor  
 SPL-Smoke Puff Limiter or  
 Throttle Delay  
 TOC-Trap Oxidizer, Continual  
 TOP-Trap Oxidizer, Periodical  
 TWC-Three-way Catalyst  
 WUOC-Warm-Up Oxidation Catalyst  
 WUTWC-Warm-Up Three-Way Catalyst

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 EFI-Electronic Fuel Injection  
 IC-Intercooler or Aftercooler  
 MFI-Mechanical Fuel Injection  
 OBD-On-Board Diagnostics  
 TC-Turbocharger

VEHICLE MODELS:

Accord HB DX - Automatic Transmission  
 Accord Sedan DX - Automatic Transmission  
 Accord Sedan LX - Automatic Transmission  
 Accord 2 Dr Coupe DX - Automatic Transmission

Engine : Front X Mid.        Rear         
 Drive : FWD X RWD        4WD Full Time        4WD Part Time       

030186

ISSUED: 05/11/87 REVISED: 10/14/87 (RC # 52; add 2-Dr Coupe)

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-55

Page 5

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN2.OV2FFC6  
 Liter (CID) 2.0 (119) Engine Type I - 4  
 Emission Control Sys. (Special Features) AIV, OS, EGR, TWC

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JF3	Accord HB DX  Accord Sedan DX  Accord 2 Dr Coupe DX	A4	2875	CA, EI & VA  Toyo Denso Distributor TD-42K  Hitachi Distributor D4R84-58	CL & 2V  Keihin Carburetor ED07H	18710-PH4-6630	18150-PH4-6610  18150-PH4-6620
JF3/1	Accord HB DX  Accord Sedan DX  Accord Sedan LX  Accord 2 Dr Coupe DX						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 05/11/87 Revisions: 08/06/87 10/14/87 (RC #52; add 2-Dr Coupe)

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-55Page 5.1

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel   
 Manufacturer HONDA Engine Family JHN2.OV2FFC6  
 Liter (CID) 2.0 (119) Engine Type I - 4  
 Emission Control Sys. (Special Features) AIV, OS, EGR, TWC(2)

Engine Code	Vehicle Models (If Coded see attachment)  *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
JF3-44	Accord HB DX  Accord Sedan DX  Accord 2 Dr Coupe DX	A4	2875	CA, EI & VA  Toyo Denso Distributor TD-42K	CL & 2V  Keihin Carburetor ED07H	18710-PH4-6630	18150-PH4-6610  18150-PH4-6620
JF3/1-44	Accord HB DX  Accord Sedan DX  Accord Sedan LX  Accord 2 Dr Coupe DX			Hitachi Distributor D4R84-58			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

\*: Please refer to page 08-1 in 1988 Application.

Date of Issued 11/30/87 (RC#44) Revisions: