State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-225
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MCR242T5FEF9 Displacement: 4.0 Liters (242 Cu. In.)

Exhaust Emission Control Systems (Special Features):

Three-Way Catalyst
Heated Oxygen Sensor
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0-3750	0.39	9.0	0.4
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0-3750	0.17	3.2	0.1
3751-5750	0.21	3.4	0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17th day of May, 1990

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Chrysler Corporation Engine Family MCR242T5FEF9

Passenger Cars___ Light-Duty Trucks X Medium-Duty Vehicles___ Gas X Diesel___

Eng. Type I6 Liter (CID) 4.0 (242) Evap. Family MT-242H-1S & MT-242M-1P

Emission Control System
(Use SAE Abbrv.) HO2S, TWC, SMPI

Engine: Front X Mid.___ Rear___ Drive: FWD___ RWD X 4WD-FT___ 4WD-PT X

Eng. Code/ (Cert Std.)	Veh. Models (If Coded See Attachment)	Trans Type A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1A1 (.39/9.0/.4)	MJTL61 XJTL72 XJTL74	A	3500	See Attach -ment	53 006 150 (56 005 715)	None	52 018 103 52 003 725
	MJTL62		3625				
	XJJL72		3750				
1A1 (.50/9.0/1.0)	MJJL61 XJJL74		3750				
	MJJL62		3875				
1A2 (.39/9.0/.4)	XJTL72		3375				
	MJTL61 XJTL74		3500				
	MJTL62 XJJL72		3625				
	XJJL74		3750				
1A2 (.50/9.0/1.0)	MJJL61		3750				
	MJJL62		3875				
1A4 (.39/9.0/.4)	YJJL77	A	3625				

Date of Issue:_____ Revisions:

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Chrysler Corporation. Engine Family MCR242T5FEF9

Passenger Cars___ Light-Duty Trucks X Medium-Duty Vehicles___ Gas X Diesel___

Eng. Type I6 Liter (CID) 4.0 (242) Evap. Family MT-242H-1S & MT-242M-1P

Emission Control System
(Use SAE Abbrv.) HO2S, TWC, SMPI

Engine: Front X Mid.___ Rear___ Drive: FWD___ RWD X 4WD-FT___ 4WD-PT X

Eng. Code/ (Cert Std.)	Veh. Models (If Coded See Attachment)	Trans Type A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1M1 (.39/9.0/.4)	XJTL72	M	3375		53 006 150 (56 005 717)		
	MJTL61 XJTL74		3500				
	MJTL62 XJJL72		3625				
	MJJL61 XJJL74		3750				
1M1 (.50/9.0/1.0)	MJJL62		3875				
1M2 (.39/9.0/.4)	MJTL61 XJTL72		3375				
	MJTL62 XJTL74		3500				
	XJJL72 XJJL74		3625				
	MJJL61		3750				
1M2 (.50/9.0/1.0)	MJJL62		3750				
1M4 (.39/9.0/.4)	YJJL77		3625				

Date of Issue:_____ Revisions:

Chrysler Corporation

APPLICATION FOR CERTIFICATION

MODEL CODES

Engrg. Model Code	EPA Carline Code	Name	Body Style	Wheel Base (in.)	Class
XJJL72	65230	Cherokee 4WD	2 Door Sport Utility	101.4	Special Purpose Veh
XJJL74	65230	Cherokee 4WD	4 Door Sport Utility	101.4	Special Purpose Veh
XJTL72	65235	Cherokee 2WD	2 Door Sport Utility	101.4	Special Purpose Veh
XJTL74	65235	Cherokee 2WD	4 Door Sport Utility	101.4	Special Purpose Veh
MJJL61	65240	Comanche 4WD	Pickup Truck	112.9	Standard Pickup Trk
MJJL62	65240	Comanche 4WD	Pickup Truck	119.4	Standard Pickup Trk
MJTL61	65245	Comanche 2WD	Pickup Truck	113.1	Standard Pickup Trk
MJTL62	65245	Comanche 2WD	Pickup Truck	119.6	Standard Pickup Trk
YJJL77	65250	Wrangler 4WD	Open Body	93.4	Special Purpose Veh

1991 LDT COASTDOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
MJJ AUTO TR. 4.0L ENG	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.28	12.34	12.8	14.2
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	12.94	12.06	12.9	14.2
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.76	11.87	13.2	14.6
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.26	11.44	13.5	14.9
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.17	11.35	13.5	14.9
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				
	3875	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.63	12.67	12.8	14.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.29	12.39	12.8	14.1
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.10	12.19	13.2	14.5
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.59	11.74	13.4	14.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.48	11.65	13.4	14.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				

1991 LDT CC DOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
MJJ MAN TR.	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.54	12.57	12.8	14.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
4.0L ENG		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.19	12.28	12.9	14.2
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.01	12.09	13.2	14.5
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.50	11.64	13.5	14.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.40	11.55	13.5	14.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				
	3875	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.85	12.86	12.8	14.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.50	12.57	12.8	14.2
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.30	12.36	13.2	14.6
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.77	11.90	13.5	14.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.67	11.81	13.5	14.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				

ATTACHMENT TO SDS PG. 1,
EXECUTIVE ORDER A-9-225

1991 LDT COASTDOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
MJT AUTO TR.	3500	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.66	12.69	11.9	13.2
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
4.0L ENG		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.48	12.57	11.5	12.6
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.11	12.17	12.5	13.8
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.55	11.71	12.1	13.4
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.65	11.78	12.6	13.9
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.26	11.46	12.3	13.6
	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.06	13.07	11.9	13.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.87	12.93	11.4	12.5
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.47	12.52	12.5	13.7
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.90	12.04	12.0	13.3
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.00	12.12	12.6	13.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				

ATTACHMENT TO SDS PG. 1,
EXECUTIVE ORDER A-9-225

1991 LDT COAS . JWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
MJT MAN TR. 4.0L ENG	3375	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.45	12.48	11.9	13.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.27	12.36	11.4	12.6
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.90	11.96	12.5	13.7
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.35	11.51	12.1	13.3
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.45	11.58	12.6	13.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.06	11.26	12.3	13.5
	3500	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.90	12.89	12.0	13.2
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.70	12.76	11.5	12.6
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.32	12.35	12.5	13.8
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.74	11.88	12.2	13.4
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.84	11.95	12.7	13.9
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.44	11.61	12.4	13.6
	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.30	13.27	11.9	13.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.09	13.13	11.4	12.6
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.69	12.71	12.5	13.7
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.09	12.21	12.1	13.3
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN,TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.20	12.29	12.6	13.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN,TRP				

ATTACHMENT TO SDS PG. 1,
EXECUTIVE ORDER A-9-225

1991 LDT COAS OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
XJJ SEL.TRAC	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.00	12.16	11.8	13.0
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
4.0L ENG		P195/75R15	MI	XA4	SBR	A/S	33	TNC	12.46	11.68	11.9	13.0
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.36	11.57	12.3	13.6
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	11.80	11.07	12.6	13.9
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	11.80	11.06	12.5	13.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30/35	TRM	11.54	10.86	12.1	13.4
	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.38	12.52	11.8	13.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	12.83	12.04	11.9	13.1
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.73	11.92	12.4	13.6
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.15	11.40	12.7	14.0
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.15	11.39	12.6	13.9
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30/35	TRM	11.88	11.18	12.2	13.5

ATTACHMENT TO SDS PG. 1,
EXECUTIVE ORDER A-9-225

1991 LDT COA JOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
XJJ AUTO TR.	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.10	13.11	11.7	12.9
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
4.0L ENG		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.46	12.56	11.8	13.0
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.35	12.43	12.2	13.5
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.70	11.86	12.6	13.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.69	11.85	12.5	13.7
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.50	13.50	11.8	13.0
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.87	12.94	11.9	13.1
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.75	12.81	12.3	13.6
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.07	12.21	12.6	13.9
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.07	12.20	12.5	13.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				

1991 LDT COAS OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
XJJ MAN TR. 4.0L ENG	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.40	13.38	11.6	12.8
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.74	12.80	11.8	13.0
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.62	12.67	12.2	13.4
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.95	12.07	12.5	13.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.94	12.06	12.4	13.7
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.74	13.70	11.7	12.9
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.08	13.13	11.8	13.0
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.96	12.99	12.2	13.5
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.26	12.37	12.6	13.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.26	12.36	12.5	13.7
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				

1991 LDT COA OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
XJT AUTO TR. 4.0L ENG	3375	P195/75R15 P205/75R15	GY GY	INVICTA GL INVICTA GL	SBR SBR	A/S A/S	33 32	TNC TPF,TPG	14.14	13.13	11.0	12.1
		P195/75R15 P205/75R15 P215/75R15	MI MI MI	XA4 XW4 XW4	SBR SBR SBR	A/S A/S A/S	33 32 32	TNC TPF,TPG TMD,TME	13.66	12.75	10.7	11.8
		P215/75R15	GY	INVICTA GL	SBR	A/S	32	TMD,TME	13.36	12.44	11.2	12.3
		P215/75R15 P225/75R15	GY GY	WRANGLER WRANGLER	SBR SBR	A/T A/T	32 32	TMW TRN	12.75	11.88	11.6	12.8
		P215/75R15 P225/75R15	MI MI	XCAT XCAT	SBR SBR	A/T A/T	32 32	TMW TRN	12.75	11.89	11.5	12.6
	3500	P195/75R15 P205/75R15	GY GY	INVICTA GL INVICTA GL	SBR SBR	A/S A/S	33 32	TNC TPF,TPG	14.60	13.56	11.1	12.2
		P195/75R15 P205/75R15 P215/75R15	MI MI MI	XA4 XW4 XW4	SBR SBR SBR	A/S A/S A/S	33 32 32	TNC TPF,TPG TMD,TME	14.10	13.17	10.8	11.8
		P215/75R15	GY	INVICTA GL	SBR	A/S	32	TMD,TME	13.79	12.84	11.3	12.4
		P215/75R15 P225/75R15	GY GY	WRANGLER WRANGLER	SBR SBR	A/T A/T	32 32	TMW TRN	13.15	12.26	11.7	12.9
		P215/75R15 P225/75R15	MI MI	XCAT XCAT	SBR SBR	A/T A/T	32 32	TMW TRN	13.15	12:27	11.6	12.7

1991 LDT COASTDOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME W/O AC	COASTDOWN TIME W/ AC	DPA SETTING W/O AC	DPA SETTING W/AC
XJT MAN TR.	3375	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.46	13.40	10.9	12.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
4.0L ENG		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.96	13.01	10.7	11.7
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	13.65	12.69	11.1	12.3
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.02	12.11	11.6	12.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.01	12.12	11.4	12.6
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
	3500	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.90	13.82	10.9	12.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.38	13.41	10.6	11.7
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	14.06	13.08	11.1	12.3
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.40	12.47	11.6	12.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.40	12.48	11.4	12.6
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				