State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-210
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Chrysler Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MCR2.5V5FCW1 Displacement: 2.5 Liters (153 Cubic Inches)

Exhaust Emission Control Systems (Special Features):

Exhaust Gas Recirculation
Three Way Catalyst
Heated Oxygen Sensor
Sequential Multipoint Electronic Fuel Injection
(Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0.39	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0.25	4.7	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of January, 1990.

K. D. Drachand, Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-210 Page 1

Manufacturer CHRYSLER CORPORATION Eng. Family MCR2.5V5FCW1

Pass Cars X Lt-Duty Trucks___ Med-Duty Vehicles___ Gas X Diesel___

Eng. Type SOHC4 Liter (CID) 2.5(153) Evap. Family MCRVF

Emission Control Sys. (Use SAE Abbrv.) EGR, TWC, HO_2S, SMPI, (TC)

Engine: Front X Mid.___ Rear___ Drive: FWD X RWD___ 4WD-FT___ 4WD-PT___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
M-1	PPH24,PDH24, PPH44,PDH44	M5	3125	SEE ATTACHMENT	4557595	4287163	4427038
	PDH27,GVL24, APH41,ADH41, APP41,ADP41, ADX41		3250				4427039
	JCH21,GVS24		3375				4427039
	JCH27		3500				
A-1	PPH24,PDH24 PPH44,PDH44	A-4	3125		4557599	4287162	
	PDH27,GVL24, ADH41		3250				
	GVS24,ADP41, ADX41		3375				
	JCH21,JCH27, GVX24		3500				

Date of Issue:_____ Revisions:

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-210 Page 1 (Cont.)

Manufacturer CHRYSLER CORPORATION Eng. Family MCR2.5V5FCW1

Pass Cars X Lt-Duty Trucks___ Med-Duty Vehicles___ Gas X Diesel___

Eng. Type SOCH4 Liter (CID) 2.5(153) Evap. Family MCRVF

Emission Control Sys. (Use SAE Abbrv.) EGR,TWC,HO_2S,SMPI,(TC)

Engine: Front X Mid.___ Rear___ Drive: FWD X RWD___ 4WD-FT___ 4WD-PT___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-2	PPH24,PDH24 PPH44,PDH44	A3	3125	SEE ATTACHMENT	4557599	4287162	4427038 4427039 4427041
	PDH27,GVL24, APH41,ADH41, APP41		3250				
	JCH21,GVS24, GVX24,ADP41, ADX41		3375				
	JCH27		3500				

Date of Issue:_____ Revisions:

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-210 Page 1

Manufacturer CHRYSLER CORPORATION Eng. Family MCR2.5V5FCW1

Pass Cars X Lt-Duty Trucks___ Med-Duty Vehicles___ Gas X Diesel___

Eng. Type SOHC4 Liter (CID) 2.5(153) Evap. Family MCRVF

Emission Control Sys. (Use SAE Abbrv.) EGR, TWC, HO_2S, SMPI, (TC)

Engine: Front X Mid.___ Rear___ Drive: FWD X RWD___ 4WD-FT___ 4WD-PT___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
M-1	PPH24,PDH24, PPH44,PDH44	M5	3125	SEE ATTACHMENT	4557595	4287163	4427038
	PDH27,GVL24, APH41,ADH41, APP41,ADP41, ADX41		3250				4427039
	JCH21,GVS24		3375				4427039
	JCH27		3500				
A-1	PPH24,PDH24 PPH44,PDH44	A-4	3125		4557599	4287162	
	PDH27,GVL24, ADH41		3250				
	GVS24,ADP41, ADX41		3375				
	JCH21,JCH27, GVX24		3500				

Date of Issue:_____ Revisions:

ATTACHMENT TO PG. 1 SDS
FOR
E.O. A-9-210

ENGINE FAMILY: MCR2.5V5FCW1

VEHICLE MODELS:	CARLINE:
JCH21	CHRYSLER LEBARON
JCH27	CHRYSLER LEBARON CONVERTIBLE
ADH41,ADP41,ADX41	DODGE SPIRIT
GVL24,GVS24,GVX24	DODGE DAYTONA
PDH24,PDH44	DODGE SHADOW
PPH24,PPH44	PLYMOUTH SUNDANCE
APH41,APP41	PLYMOUTH ACCLAIM
PDH27	DODGE SHADOW CONVERTIBLE

VEHICLE TEST WEIGHT / HORSE POWER
MCR2.5V5FCW1 ENGINE FAMILY

MODELS	TRANS	TIRES	TIRE DESCRIPTION	TEST WEIGHT (LBS.)	HORSE POWER	COASTDOWN TIME
ADH41	M5	P195/70R14	TKS-GDY: INVICTA GL	3250	8.5	15.80
		P195/70R14	TKS-MIC: XA4	3250	8.2	15.74
		P195/70R14	TKT-GDY: INVICTA GL	3250	8.5	15.80
		P195/70R14	TKT-MIC: XA4	3250	8.2	15.74
		P205/60R15	TPX-GDY: EAGLE GT+4	3250	7.4	14.67
		P205/60R15	TPX-MIC: SPORT EP-X	3250	7.4	14.67
	A3,A4	P195/70R14	TKS-GDY: INVICTA GL	3375	8.4	15.91
		P195/70R14	TKS-MIC: XA4	3375	8.0	15.84
		P195/70R14	TKT-GDY: INVICTA GL	3375	8.4	15.91
		P195/70R14	TKT-MIC: XA4	3375	8.0	15.84
		P205/60R15	TPX-GDY: EAGLE GT+4	3375	7.2	14.78
		P205/60R15	TPX-MIC: SPORT EP-X	3375	7.2	14.78
APH41, APP41	M5	P195/70R14	TKS-GDY: INVICTA GL	3250	8.5	15.80
		P195/70R14	TKS-MIC: XA4	3250	8.2	15.74
		P195/70R14	TKT-GDY: INVICTA GL	3250	8.5	15.80
		P195/70R14	TKT-MIC: XA4	3250	8.2	15.74
	A3	P195/70R14	TKS-GDY: INVICTA GL	3250	8.5	15.43
		P195/70R14	TKS-MIC: XA4	3250	8.1	15.37
		P195/70R14	TKT-GDY: INVICTA GL	3250	8.5	15.43
		P195/70R14	TKT-MIC: XA4	3250	8.1	15.37
ADP41	M5	P195/70R14	TKS-GDY: INVICTA GL	3375	8.5	16.24
		P195/70R14	TKS-MIC: XA4	3375	8.2	16.16
		P195/70R14	TKT-GDY: INVICTA GL	3375	8.5	16.24
		P195/70R14	TKT-MIC: XA4	3375	8.2	16.16
		P205/60R15	TPX-GDY: EAGLE GT+4	3375	7.4	15.06
		P205/60R15	TPX-MIC: SPORT EP-X	3375	7.4	15.06
	A3,A4	P195/70R14	TKS-GDY: INVICTA GL	3375	8.4	15.91
		P195/70R14	TKS-MIC: XA4	3375	8.0	15.84
		P195/70R14	TKT-GDY: INVICTA GL	3375	8.4	15.91
		P195/70R14	TKT-MIC: XA4	3375	8.0	15.84
		P205/60R15	TPX-GDY: EAGLE GT+4	3375	7.2	14.78
		P205/60R15	TPX-MIC: SPORT EP-X	3375	7.2	14.78

VEHICLE TEST WEIGHT / HORSE POWER
MCR2.5V5FCW1 ENGINE FAMILY

MODELS	TRANS	TIRES	TIRE DESCRIPTION	TEST WEIGHT (LBS.)	HORSE POWER	COASTDOWN TIME
ADX41	M5	P205/60R15	TPX-GDY: EAGLE GT+4	3375	7.4	15.06
		P205/60R15	TPX-MIC: SPORT EP-X	3375	7.4	15.06
		P195/70R14	TKS-GDY: INVICTA GL	3375	8.5	16.24
		P195/70R14	TKS-MIC: XA4	3375	8.2	16.16
	A3,A4	P205/60R15	TPX-GDY: EAGLE GT+4	3375	7.2	14.78
		P205/60R15	TPX-MIC: SPORT EP-X	3375	7.2	14.78
		P195/70R14	TKS-GDY: INVICTA GL	3375	8.4	15.91
		P195/70R14	TKS-MIC: XA4	3375	8.0	15.84
JCH21	M5	P205/60R15	TPX-GDY: EAGLE GT+4	3375	6.4	16.23
		P205/60R15	TPX-MIC: SPORT EP-X	3375	6.4	16.23
		P205/55R16	TVP-GDY: EAGLE GT+4	3375	6.4	15.61
	A3	P205/60R15	TPX-GDY: EAGLE GT+4	3375	6.4	16.02
		P205/60R15	TPX-MIC: SPORT EP-X	3375	6.4	16.02
		P205/55R16	TVP-GDY: EAGLE GT+4	3375	6.4	15.42
	A4	P205/60R15	TPX-GDY: EAGLE GT+4	3500	6.6	16.40
		P205/60R15	TPX-MIC: SPORT EP-X	3500	6.6	16.40
		P205/55R16	TVP-GDY: EAGLE GT+4	3500	6.5	15.80
JCH27	M5	P205/60R15	TPX-GDY: EAGLE GT+4	3500	6.9	15.82
		P205/60R15	TPX-MIC: SPORT EP-X	3500	6.9	15.82
		P205/55R16	TVP-GDY: EAGLE GT+4	3500	7.4	14.73
	A3	P205/60R15	TPX-GDY: EAGLE GT+4	3500	7.0	15.75
		P205/60R15	TPX-MIC: SPORT EP-X	3500	7.0	15.75
		P205/55R16	TVP-GDY: EAGLE GT+4	3500	7.5	14.68
	A4	P205/60R15	TPX-GDY: EAGLE GT+4	3625	7.0	16.12
		P205/60R15	TPX-MIC: SPORT EP-X	3625	7.0	16.12
		P205/55R16	TVP-GDY: EAGLE GT+4	3625	7.5	15.74

VEHICLE TEST WEIGHT / HORSE POWER
MCR2.5V5FCW1 ENGINE FAMILY

MODELS	TRANS	TIRES	TIRE DESCRIPTION	TEST WEIGHT (LBS.)	HORSE POWER	COASTDOWN TIME
GVL24	M5	P205/60R15	TPX-GDY: EAGLE GT+4	3250	6.3	16.23
		P205/60R15	TPX-MIC: SPORT EP-X	3250	6.3	16.23
	A3,A4	P205/60R15	TPX-GDY: EAGLE GT+4	3250	6.3	15.86
		P205/60R15	TPX-MIC: SPORT EP-X	3250	6.3	15.86
GVS24	M5	P205/60R15	TPX-GDY: EAGLE GT+4	3250	6.3	16.23
		P205/60R15	TPX-MIC: SPORT EP-X	3250	6.3	16.23
	A3,A4	P205/60R15	TPX-GDY: EAGLE GT+4	3375	6.2	16.23
		P205/60R15	TPX-MIC: SPORT EP-X	3375	6.2	16.23
GVX24	A3	P205/55R16	TVK-GDY: EAGLE VR55	3375	6.2	16.23
	A4	P205/55R16	TVK-GDY: EAGLE VR55	3500	7.0	15.20
PDH24,44, PPH24,44	M5	P185/70R14	TJV-GDY: EAGLE GT+4	3125	7.5	13.94
		P185/70R14	TJV-MIC: SPORT EP-X	3125	8.0	14.95
	A3,A4	P185/70R14	TJV-GDY: EAGLE GT+4	3125	7.5	13.69
		P185/70R14	TJV-MIC: SPORT EP-X	3125	8.0	14.72
PDH27	M5	P195/60R15	TNK-GDY: EAGLE GT+4	3250	8.8	13.28
		P205/60R14	TLK-GDY: EAGLE GT+4	3250	8.9	12.84
		P205/60R14	TLK-MIC: SPORT EP-X	3250	9.2	13.30
	A3,A4	P195/60R15	TNK-GDY: EAGLE GT+4	3250	8.7	13.02
		P205/60R14	TLK-GDY: EAGLE GT+4	3250	8.8	12.60
		P205/60R14	TLK-MIC: SPORT EP-X	3250	9.2	13.03