

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-146
Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: NTK3.0T5FCC3 Displacement: 3.0 Liters (180 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three-Way Catalyst
Heated Oxygen Sensor
Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Non-Methane Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Non-Methane Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3751-5750	0.21	1.8	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of June, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-16-146 Page _____

Manufacturer Mazda Motor Corporation Engine Family NTK3.0T5FCC3Pass Car _____ Lt-Duty Truck X Med-Duty Vehicle _____ Fuel Type UnleadedEngine Config. V-6 Liter (CID) 3.0 (180) Evaporative Family CExhaust ECS & Special Features (incl. CARB, MPI, ect.) TWC, HO2S, MPI
(Use abbreviations per SAE J1930 Jun88)Engine: Front X Mid. _____ Rear _____ Drive: FWD _____ RWD X 4WD-FT _____ 4WD-PT X

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man	Equiv. Test Weight	RLHP	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
CJEM-A	Mazda MPV	A-4	4,000	10.5	Distributor JE07 ECU JE57	---	JE16
CJEM-AC				10.3			
				11.6			
				11.3			
CJEM4-M	Mazda MPV 4x4	M-5	4,250	11.4			
CJEM4-MC				4,500			
CJEM4-A		A-4	4,500	11.9			
CJEM4-AC				13.1			
Cert. Std: NMHC:0.50 CO :9.0 NOx :1.0 Evap.:2.0							