

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-87  
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RFJ2.2VJG1EA Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor.  
Three Way Catalytic Converters (Two)  
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.15	0.9	0.3
100,000	0.17	1.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22<sup>nd</sup> day of April, 1993.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

A-2-87

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# Page 1  
 Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA

Pass Car x Lt-Duty Truck      Med-duty Vehicle      Fuel Type Gasoline  
 Engine Config. HO4 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) HO2S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front x Mid.      Rear      Drive: FWD x RWD      4WD-FT x 4WD-PT     

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CRM (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2  R2.2CRMA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)	M-5	3000	6.8	Electronic Control Unit: Fuji's Part No. 22611AB060	None	Fuji's Part No. Front: 20805AA760 Rear: 20805AA570
				6.6			
				6.2			
	BC6(L)		3125	7.5			
				7.3			
				6.8			
	BJ6(L)		3250	7.9			
				7.7			
				7.2			
	BC6(L) AWD		3250	8.7			
				8.8			
				7.7			
BJ6(L) AWD	3375	9.5					
		9.6					
		8.7					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: March 19, 1993  
 1290

Revisions:

Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA

Pass Car  Lt-Duty Truck  Med-duty Vehicle  Fuel Type Gasoline

Engine Config. HO4 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03

Exhaust ECS & Special Features (incl. CARB, MPI, etc.) HO2S, TWC(2), SFI  
(Use abbreviations per SAE J1930 Jun88)

Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CRA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BJ6(L)	A-4	3250	6.8	Electronic Control Unit: Fuji's Part No. 22611AB051 22611AB101	None	Fuji's Part No. Front: 20805AA760 Rear: 20805AA570
				6.7			
R2.2CRAA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L,LS,LSi)		3250	7.2			
				6.9			
	BJ6(L,LS)		3375	6.4			
				7.5			
				7.4			
				6.7			
				8.7			
				8.6			
	BC6(L) AWD		3500 (3375)#	7.6			
				8.7			
BC6(LS,LSi) AWD	3500		8.6				
			7.6				
BJ6(L) AWD	3500	9.5					
		9.2					
BJ6(LS,LSi) AWD	3625 (3500)#	8.0					
		9.5					
			9.2				
			8.0				

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
\*1 Exhaust emissions standards at 50,000-mile point.  
\*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: March 19, 1993  
1290

Revisions:

E.O. # A-2-87

Vehicle Models

Engine Family RFJ2.2VJG1EA

BC6: LEGACY 4-door Sedan  
LEGACY 4-door Sedan AWD  
BJ6: LEGACY Station Wagon  
LEGACY Station WAGON AWD

Pass Car  Lt-Duty Truck  Med-duty Vehicle  Fuel Type Gasoline  
 Engine Config. HO4 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) HO2S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CHM (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)	M-5	3000	6.8	Electronic Control Unit: Fuji's Part No. 22611AB770	None	Fuji's Part No. Front: 20805AA860 Rear: 20805AA570
				6.6			
6.2							
R2.2CHMA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)		3125	7.5			
				7.3			
				6.8			
BJ6(L)	3250		7.9				
			7.7				
			7.2				
BC6(L) AWD	3250		8.7				
			8.8				
			7.7				
BJ6(L) AWD	3375	9.5					
		9.6					
		8.7					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: May 31, 1993  
 12901

Revisions:

Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA (System #2)

Pass Car  Lt-Duty Truck  Med-duty Vehicle  Fuel Type Gasoline

Engine Config. HO4 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03

Exhaust ECS & Special Features (incl. CARB, MPI, etc.) HO2S, TWC(2), SFI  
(Use abbreviations per SAE J1930 Jun88)

Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CHA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BJ6(L)	A-4	3250	6.8	Electronic Control Unit: Fuji's Part No. 22611AB760 22611AB780	None	Fuji's Part No. Front: 20805AA860 Rear: 20805AA570
				6.7			
6.1							
R2.2CHAA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L,LS,LSi)		3250	7.2			
				6.9			
				6.4			
				7.5			
BJ6(L,LS)	3375		7.4				
			6.7				
			8.7				
BC6(L) AWD	3500 (3375)#		8.6				
			7.6				
BC6(LS,LSi) AWD	3500		8.7				
			8.6				
BJ6(L) AWD	3500	7.6					
		9.5					
BJ6(LS,LSi) AWD	3625 (3500)#	9.2					
		8.0					
		9.5					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

\*1 Exhaust emissions standards at 50,000-mile point.

\*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: May 31, 1993  
1290

Revisions:

EO # A-2-87

Vehicle Models

Engine Family RFJ2.2VJG1EA (System #2)

- BC6: LEGACY 4-door Sedan
- LEGACY 4-door Sedan AWD
- BJ6: LEGACY Station Wagon
- LEGACY Station WAGON AWD

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.#A-2-87 Page 1  
 Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA

Pass Car  Lt-Duty Truck  Med-duty Vehicle  Fuel Type Gasoline  
 Engine Config. H04 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) H02S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CRM (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)	M-5	3000	6.8	Electronic Control Unit: Fuji's Part No. 22611AB770	None	Fuji's Part No. Front: 20805AA760 Rear: 20805AA570
				6.6			
6.2							
R2.2CRMA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)		3125	7.5			
				7.3			
				6.8			
BJ6(L)	3250		7.9				
			7.7				
			7.2				
BC6(L) AWD	3250		8.7				
			8.8				
			7.7				
BJ6(L) AWD	3375	9.5					
		9.6					
		8.7					
BF6(GT) AWD		8.7					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: March 19, 1993  
 1290

Revisions: 004-4/06/'93  
 015-9/10/'93

Pass Car  Lt-Duty Truck \_\_\_\_\_ Med-duty Vehicle \_\_\_\_\_ Fuel Type Gasoline  
 Engine Config. H04 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) H02S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front  Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD  RWD \_\_\_\_\_ 4WD-FT  4WD-PT \_\_\_\_\_

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CRA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BJ6(L)	A-4	3250	6.8	Electronic Control Unit: Fuji's Part No. 22611AB760 22611AB780	None	Fuji's Part No. Front: 20805AA760 Rear: 20805AA570
				6.7			
R2.2CRAA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L,LS,LSi)	A-4	3250	6.1	Fuji's Part No. 22611AB760 22611AB780	None	Fuji's Part No. Front: 20805AA760 Rear: 20805AA570
				7.2			
	BJ6(L,LS)		3250	6.9			
				6.4			
			3375	7.5			
				7.4			
				6.7			
				8.7			
	BC6(L) AWD		3500 (3375)#	8.6			
				7.6			
	BC6(LS,LSi) AWD		3500	8.7			
				8.6			
	BJ6(L) AWD		3500	7.6			
				9.5			
BF6(GT) AWD	3500	9.2					
		8.0					
BJ6(LS,LSi) AWD	3625 (3500)#	8.2					
		9.5					
		9.2					
		8.0					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: March 19, 1993  
 1290

Revisions: 004-4/06/'93  
 015-9/10/'93

EO#A-2-87

22

Vehicle Models

Engine Family RFJ2.2VJG1EA

- BC6: LEGACY 4-door Sedan
- LEGACY 4-door Sedan AWD
- BJ6: LEGACY Station Wagon
- LEGACY Station Wagon AWD
- BF6: LEGACY Touring Wagon AWD

Issue Date: 3/19/'93  
Revision Date: 015-9/10/'93

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.#A-2-87 Page 1  
 Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA (System #2)

Pass Car  Lt-Duty Truck  Med-duty Vehicle  Fuel Type Gasoline  
 Engine Config. HQ4 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) HQ2S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front  Mid  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CHM (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)	M-5	3000	6.8	Electronic Control Unit: Fuji's Part No. 22611AB770	None	Fuji's Part No. Front: 20805AA860 Rear: 20805AA570
				6.6			
R2.2CHMA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L)		3125	7.5			
				7.3			
	BJ6(L)		3250	7.9			
				7.7			
	BC6(L) AWD		3250	8.7			
				8.8			
	BJ6(L) AWD		3375	7.7			
				9.5			
	9.6						
BF6(GT) AWD		8.7					

\*The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: May 31, 1993  
 12901

Revisions: 015-9/10/'93

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-2-87 Page 2  
 Manufacturer Fuji Heavy Industries Ltd. Eng. Family RFJ2.2VJG1EA (System #2)

Pass Car  Lt-Duty Truck \_\_\_\_\_ Med-duty Vehicle \_\_\_\_\_ Fuel Type Gasoline  
 Engine Config. H04 Liter (CID) 2.2(135) Evaporative Family RFJ1030BYM03  
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) H02S, TWC(2), SFI  
 (Use abbreviations per SAE J1930 Jun88)  
 Engine: Front  Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD  RWD \_\_\_\_\_ 4WD-FT  4WD-PT \_\_\_\_\_

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
R2.2CHA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BJ6(L)	A-4	3250	6.8	Electronic Control Unit: Fuji's Part No. 22611AB760 22611AB780	None	Fuji's Part No. Front: 20805AA860 Rear: 20805AA570
				6.7			
R2.2CHAA (0.25/3.4/0.4)*1 (0.31/4.2/NA)*2	BC6(L,LS,LS1)		3250	6.1			
				7.2			
	BJ6(L,LS)		3375	6.9			
				6.4			
				7.5			
				7.4			
				6.7			
				8.7			
	BC6(L) AWD		3500 (3375)#	8.6			
				7.6			
BC6(LS,LS1) AWD	3500		8.7				
			8.6				
BJ6(L) AWD	3500	7.6					
		9.5					
BF6(GT) AWD	3500	9.2					
		8.0					
BJ6(LS,LS1) AWD	3625 (3500)#	8.2					
		9.5					
			9.2				
			8.0				

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).  
 \*1 Exhaust emissions standards at 50,000-mile point.  
 \*2 Exhaust emissions standards at 100,000-mile point.

Date of Issue: May 31, 1993 Revisions: 015-9/10/'93  
 1290

EO# A-2-87

Vehicle Models

Engine Family RFJ2.2VJG1EA (System #2)

- BC6: LEGACY 4-door Sedan
- LEGACY 4-door Sedan AWD
- BJ6: LEGACY Station Wagon
- LEGACY Station Wagon AWD
- BF6: LEGACY Touring Wagon AWD

Issue Date: 3/19/'93  
 Revision Date: 015-9/10/'93