State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-284
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SCR360J8G1FA Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
5751-8500	50,000	0.39	5.0	1.1
	120,000	0.56	7.3	1.53

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
5751-8500	50,000	0.20	3.0	0.4
	120,000	0.21	3.6	0.50

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23rd day of May, 1994.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-284 Page 1 of 1

Manufacturer Chrysler Corporation Engine Family SCR360J8G1FA

Passenger Car ____(PC) Light-Duty Truck ____(T1/T2) Medium-Duty Vehicle x (M1/M2/M3/M4/M5)

Stds. Type: TIER 1 (Tier 0/1,AB965,TLEV,LEV,ULEV) Veh. Type (FFV,HEV(type A/B/C)): ____

Fuel Type: Unleaded Gasoline Evaporative Family: SCR1065AYPOA

Engine Config. V-8 Liter (CID) 5.2/5.9L (318/360)

Engine: Front x Mid. ____ Rear ____ Drive: FWD ____ RWD x 4WD-FT ____ 4WD-PT x

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC, EGR, HO2S, SFI
(use abbreviations per SAE 1930 MAY91)

Engine Code (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Auto. M-Man.	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR Sys. Part No.	Catalyst Part No.
CA-100 (.50/9.0/ 1.0)	AB2L53	A4	6000	S E E	56028465 56028467 56028347 56028348	04287784	52019269
	BR2L62 BR6L31,32			A T T A C H M E N T	56028417 56028419 56028321 56028322		52021160
	AB3L12,13 AB3L52,53		6500		56028465 56028467 56028347 56028348		52019269 52019310
	BR7L62				56028417 56028419 56028321 56028322		52021160
---	---		---		---		---
CA-200 (.50/9.0/ 1.0	AB2L53 AB3L12		6000		56028477 56028479		52019269 52019310

	AB3L13 AB3L52 AB3L53		6500				

	AB3L13 AB3L52 AB3L53		7000				

SDS/95A284.JPR

E.O.# A-9-284

199 5 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: CHRYSLER CORPORATION Exh Engine Family: 5CR360J8G1FA
Evap Std: 50K X Useful Life with R/L___ Evap Engine Family: 5CR106SAYP0A
Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ ; EPA Tier-0___ Tier-1___
Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV
Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40 CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specify)___
Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Gasoline X Diesel___ M85___
CNG___ LNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (e.g.; Otto, Diesel, Turbine)___
Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inch
Engine: Front X Mid___ Rear___ Drive: FWD___ RWD X 4WD-FT___ 4WD-PT___
Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, EGR, SFI, H_2OS
(use abbreviations per SAE J1930 SEP91)

Engine Code (also list A/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyt Convert Part N

Date Issued:

Revisions:

VEHICLE CARLINE / MODELS

Engine / Evap: SCR360J8G1FA/SCR1065AYPOA
Exhaust Control System: TWC, EGR, HO2S, SFI
Evap. Control System: Canister
Engine Displacement: 5.2/5.9L (318/360)

Carline	Model Code
B150/B250 WAGON 2WD	AB2L53
B350 VAN 2WD HDV	AB3L12, 13
B350 WAGON 2WD HDV	AB3L52, 53
BR2500 P/U 4WD	BR6L31, 32
BR2500 P/U 2WD	BR2L62
BR2500 P/U 4WD	BR7L62

1995 Chrysler Corporation

SCR36OJ8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS TEST	GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB2L53	ELF DGR RW	6000	6400	Y	STD	95	TSC	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSC	TAD	TZH	16.42	15.60	35	35
					OPT	95	TSD	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSD	TAD	TZH	16.42	15.60	35	35
					OPT	95	TSF	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSF	TAD	TZH	16.42	15.60	35	35
AB2L53	EML DGR RW	6000	6400	Y	STD	95	TSC	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSC	TAD	TZH	16.42	15.60	35	35
					OPT	95	TSD	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSD	TAD	TZH	16.42	15.60	35	35
					OPT	95	TSF	TAD	TZA	15.92	16.30	35	35
					OPT	95	TSF	TAD	TZH	16.42	16.30	35	35
AB3L12	ELF DGR RW	6000	7500	Y	STD	95	TWP	TAD	TZH	15.12	15.80	50	65
					OPT	95	TVG	TAD	TZH	15.12	15.80	35	35
					OPT	95	TWR	TAD	TZH	15.12	15.80	50	65
AB3L12	ELF DGR RW	6500	8510	Y	STD	95	TWR	TAD	TZH	16.05	15.90	50	65
	EML	6000	7500	Y	STD	95	TWP	TAD	TZH	15.12	15.80	50	65
					OPT	95	TWR	TAD	TZH	15.12	15.80	50	65
AB3L12	EML DGR RW	6000	8510	Y	STD	95	TWR	TAD	TZH	15.12	15.80	50	65
AB3L13	ELF DGR RW	6000	7500	Y	STD	95	TWR	TAD	TZH	15.12	15.80	50	65
		6500	8510	Y	STD	95	TWR	TAD	TZH	16.05	15.90	50	65
AB3L13	EML DGR RW	6500	7500	Y	STD	95	TWR	TAD	TZH	16.05	15.90	50	65
		7000	8510	Y	STD	95	TWR	TAD	TZH	17.15	14.70	50	65
AB3L13	EML DGR RW	7000	9000	Y	STD	95	TYB	TAD	TZH	17.15	14.70	50	65
AB3L52	ELF DGR RW	6500	7500	Y	STD	95	TWP	TAD	TZH	16.05	15.90	50	65
					OPT	95	TWR	TAD	TZH	16.05	15.90	50	65
AB3L52	ELF DGR RW	6500	8510	Y	STD	95	TWR	TAD	TZH	16.05	15.90	50	65
	EML	6500	7500	Y	STD	95	TWP	TAD	TZH	16.05	15.90	50	65
					OPT	95	TWR	TAD	TZH	16.05	15.90	50	65
AB3L52	EML DGR RW	7000	8510	Y	STD	95	TWR	TAD	TZH	17.15	14.70	50	65
AB3L53	ELF DGR RW	6500	7500	Y	STD	95	TWP	TAD	TZH	16.05	15.90	50	65
					OPT	95	TWR	TAD	TZH	16.05	15.90	50	65
AB3L53	ELF DGR RW	6500	8510	Y	STD	95	TWR	TAD	TZH	16.05	15.90	50	65
	EML	6500	7500	Y	STD	95	TWR	TAD	TZH	16.05	15.90	40	40
AB3L53	EML DGR RW	7000	8510	Y	STD	95	TWR	TAD	TZH	17.15	14.70	50	65
BR2L62	ELF DGR RW	6000	7500	Y	STD	95	TWP	TAD	TZH	15.29	13.80	40	65
					OPT	95	TYD	TAD	TZA	15.04	14.70	40	55
					OPT	95	TYH	TAD	TZA	15.03	13.80	40	55
					OPT	95	TYN	TAD	TZA	15.04	14.70	40	55
					OPT	95	TYP	TAD	TZA	15.03	13.80	40	55
BR6L31	ELF DGR 4W	6000	6400	Y	STD	95	TWA	TAD	TZH	14.32	16.30	50	50

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG03 - 400 /

Report Date: 02/02/94
Time: 13:29:00

1995 Chrysler Corporation

SCR36DJ8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	95	TXD	TAD	TZA	13.85	18.30	40	40
					OPT	95	TYK	TAD	TZA	12.32	17.90	35	35
					OPT	95	TYL	TAD	TZA	13.90	17.50	45	45
					OPT	95	TYM	TAD	TZA	13.90	17.50	45	45
BR6L32	ELF DGR 4W	6000	6400	Y	STD	95	TWA	TAD	TZH	14.32	16.30	50	50
					OPT	95	TXD	TAD	TZA	13.85	18.30	40	40
					OPT	95	TYK	TAD	TZA	12.32	17.90	35	35
					OPT	95	TYL	TAD	TZA	13.90	17.50	45	45
					OPT	95	TYM	TAD	TZA	13.90	17.50	35	35
BR7L62	ELF DGR 4W	6500	7500	Y	STD	95	TWP	TAD	TZH	14.73	16.20	50	65
					OPT	95	TYD	TAD	TZA	14.77	16.70	45	55
					OPT	95	TYH	TAD	TZA	14.44	16.60	45	55
					OPT	95	TYN	TAD	TZA	14.77	16.70	45	55
					OPT	95	TYP	TAD	TZA	14.44	16.60	45	55

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 02/02/94
Time: 13:29:00

1995
SCR36DJ8G1FA

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	TRD	MFG	NAME		SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
95	TSC	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	2	BSW	POLYESTER	2	NYLON	1	10
95	TSC	TAD	TZH		(A/S)	P225/75R15	736	SBR	-STEEL/ -POLYESTER	4	BSW	POLYESTER	2	NONE		10
95	TSD	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	1	10
95	TSD	TAD	TZH	XW4	(A/S)	P235/75R15XL	720	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
95	TSF	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NYLON	1	10
95	TSF	TAD	TZH	XW4	(A/S)	P235/75R15XL	720	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		10
95	TVG	TAD	TZH	XPS	(A/S)	LT215/85R16-E	682	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		15
95	TWA	TAD	TZH	LTX	(A/S)	LT225/75R16C	712	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			13
95	TWP	TAD	TZH	LTX	(A/S)	LT225/75R16-D	709	SBR	3-STEEL/2-POLYESTER	5	BSW	POLYESTER	2	NONE		13
95	TWR	TAD	TZH	XCH4	(A/S)	LT225/75R16-E	710	SBR	3-STEEL/2-POLYESTER	5	BSW	POLYESTER	2	NONE		13
95	TXD	TAD	TZA	WRANGLER AT		LT265/75R16C	661	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2			17
95	TYB	TAD	TZH	XCH4	(A/S)	LT245/75R16-E	680	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		14
95	TYD	TAD	TZA	WRANGLER RT/S		LT245/75R16E	683	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			14
95	TYH	TAD	TZA	WRANGLER AT		LT245/75R16E	679	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			16
95	TYK	TAD	TZA	WRANGLER RT/S		LT245/75R16C	683	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			14
95	TYL	TAD	TZA	WRANGLER AT		LT245/75R16C	679	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			16
95	TYM	TAD	TZA	WRANGLER AT		LT245/75R16C	679	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2			16
95	TYN	TAD	TZA	WRANGLER RT/S		LT245/75R16E	683	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2			14
95	TYP	TAD	TZA	WRANGLER AT		LT245/75R16-E	679	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		16

Report Date: 02/02/94
Time: 13:29:00