State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-285
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SCR360H8G1FA Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
3751-5750	50,000	0.32	4.4	0.7
	120,000	0.46	6.4	0.98

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
3751-5750	50,000	0.17	2.9	0.4
	120,000	0.19	3.5	0.50

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23rd day of May, 1994.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-285 Page 1 of 1

Manufacturer Chrysler Corporation Engine Family SCR360H8G1FA

Class Car ____ Light-Duty Truck ____ Medium-Duty Vehicle X Fuel Type Gasoline

Engine Config. V-8 Liter (CID) 5.2/5.91 (318/360) Evaporative Family SCR1065AYPOA

Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC,EGR,SFI,HO2S

(Use abbreviations per SAE J1930 June 88)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT___

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attchmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight.	R L H P	Ign.Sys. ** (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
CA-100 (.32/4.4/ .7) (.46/64/ .98)	AB2L11	A3	5000	S E E A T T A C H M E N T	56028465 56028467	04287784	52019269
	AB1L51 AB2L12		5250		56028348 56028347		
	AB2L12 AB1L51 AB2L52 AB2L53		5500				
	AB1L51 AB2L11 AB2L12 AB2L13 AB2L52 BR1L31 BR1L32 BR1L61 BR1L62 BR6L61 BR6L62	A4	5500		56028417 56028419 56028321 56028322		52021160
---	---		---		---		---
CA-200 (.32/4.4/ .7) (.46/6.4/ .98)	AB2L12		5250		56028477 56028479		52019269
	AB2L12 AB2L13 AB2L52		5500				

SDS/95A285.JPR

E.O.# A-9-285

Page 1 of

199 5 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: CHRYSLER CORPORATION Exh Engine Family: SCR36ØH8G1FA
Evap Std: 50K X Useful Life with R/L___ Evap Engine Family: SCR1Ø65AYPØ4
Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ ; EPA Tier-0___ Tier-1___
Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2 X MDV3___ MDV4___ MDV5___
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV
Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40 CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specify)___
Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Gasoline X Diesel___ M85___
CNG___ LNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (e.g., Otto, Diesel, Turbine)___
Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inch
Engine: Front X Mid___ Rear___ Drive: FWD___ RWD X 4WD-FT___ 4WD-PT___
Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, EGR, HO2S, SFI
(use abbreviations per SAE J1930 SEP91)

Engine Code (also list A/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyt Convert Part N

Date Issued:

Revisions:

ATTACHMENT TO SDS PG. 1
OF EXECUTIVE ORDER A-9-285

VEHICLE CARLINE / MODELS

Engine / Evap: SCR360H8G1FA/SCR1065AYP0A
Exhaust Control System: TWC, EGR, SFI, HO2S
Evap. Control System: CANISTER
Engine Displacement: 5.2L / 5.9L

Carline	Model Code
AB2L11 AB2L12 AB2L13	B150/B250 VAN 2WD
AB1L51 AB2L52 AB2L53	B150/B250 WAGON 2WD
BR1L31 BR1L32	BR1500 P.U. 2WD
BR1L61 BR1L62	BR1500 P.U.
BR6L61 BR6L62	BR1500 P.U. 4WD

1995 Chrysler Corporation

SCR36OH8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L51	ELF DGH RW	5250	6010	Y	STD	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	14.68	16.80	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	14.68	16.80	35	35
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.80	35	35
AB1L51	ELF DGR RW	5500	6010	Y	STD	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	14.68	16.80	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	14.68	16.80	35	35
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.80	35	35
AB2L11	ELF DGH RW	5000	6010	Y	STD	95	TRE	TAD	TZA	14.06	16.50	35	35
					OPT	95	TRF	TAD	TZA	14.06	16.50	35	35
					OPT	95	TSC	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSC	TAD	TZH	14.08	16.30	35	35
					OPT	95	TSD	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSD	TAD	TZH	14.08	16.30	35	35
					OPT	95	TSF	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSF	TAD	TZH	14.08	16.30	35	35
					OPT	95	TW9	TAD	TZA	13.20	13.60	35	35
					OPT	95	TW9	TAD	TZH	13.63	14.20	35	35
AB2L11	ELF DGR RW	5000	6010	Y	STD	95	TRE	TAD	TZA	14.06	16.50	35	35
					OPT	95	TRF	TAD	TZA	14.06	16.50	35	35
					OPT	95	TSC	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSC	TAD	TZH	14.08	16.30	35	35
					OPT	95	TSD	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSD	TAD	TZH	14.08	16.30	35	35
					OPT	95	TSF	TAD	TZA	13.69	16.50	35	35
					OPT	95	TSF	TAD	TZH	14.08	16.30	35	35
AB2L12	ELF DGH RW	5250	6010	Y	STD	95	TRE	TAD	TZA	14.66	16.80	35	35
					OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
					OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	14.68	16.60	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	14.68	16.60	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG02 - 400 /

Report Date: 02/02/94
Time: 14:30:35

1995 Chrysler Corporation

SCR36OH8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.60	35	35
					OPT	95	TW9	TAD	TZA	13.76	14.10	35	35
					OPT	95	TW9	TAD	TZH	14.20	14.60	35	35
AB2L12	ELF DGH RW 5250		6400	Y	STD	95	TRE	TAD	TZA	14.66	16.80	35	35
					OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
					OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	14.68	16.60	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	14.68	16.60	35	35
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.60	35	35
					OPT	95	TW9	TAD	TZA	13.76	14.10	35	35
					OPT	95	TW9	TAD	TZH	14.20	14.60	35	35
AB2L12	ELF DGR RW 5250		6010	Y	STD	95	TRE	TAD	TZA	14.66	16.80	35	35
					OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
					OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.67	16.60	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.67	16.60	35	35
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.60	35	35
AB2L12	ELF DGR RW 5500		6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L12	EML DGR RW 5250		6010	Y	STD	95	TRE	TAD	TZA	14.66	16.80	35	35
					OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
					OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSC	TAD	TZH	14.68	16.60	35	35
					OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSD	TAD	TZH	14.68	16.60	35	35
					OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
					OPT	95	TSF	TAD	TZH	14.68	16.60	35	35
AB2L12	EML DGR RW 5500		6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG02 - 401 /

Report Date: 02/02/94
Time: 14:30:35

1995 Chrysler Corporation

SCR360H8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L13	ELF DGH RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
					OPT	95	TW9	TAD	TZA	14.22	13.80	35	35
					OPT	95	TW9	TAD	TZH	14.66	14.50	35	35
AB2L13	ELF DGR RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L13	EML DGR RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.20	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	ELF DGH RW	5500	6010	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	ELF DGH RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	ELF DGR RW	5500	6010	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 02/02/94
Time: 14:30:35

1995 Chrysler Corporation

SCR360H8G1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB2L52	ELF DGR RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	EML DGR RW	5500	6010	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	EML DGR RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
AB2L53	ELF DGH RW	5500	6400	Y	STD	95	TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH	15.37	16.20	35	35
BR1L31	ELF DGR RW	5500	6400	Y	STD	95	TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95	TRY	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYG	TAD	TZA	14.84	16.00	35	35
BR1L32	ELF DGR RW	5500	6400	Y	STD	95	TRW	TAD	TZA	15.95	15.90	35	35
					OPT	95	TRY	TAD	TZA	15.95	15.90	35	35
					OPT	95	TYF	TAD	TZA	15.95	15.90	35	35
					OPT	95	TYG	TAD	TZA	14.84	16.00	35	35
BR1L61	ELF DGR RW	5500	6400	Y	STD	95	TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95	TRY	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYG	TAD	TZA	14.84	16.00	35	35
BR1L62	ELF DGR RW	5500	6400	Y	STD	95	TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95	TRY	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95	TYG	TAD	TZA	14.84	16.00	35	35
BR6L61	ELF DGR 4W	5500	6400	Y	STD	95	TWA	TAD	TZH	13.29	15.50	50	50

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG02 - 403 /

Report Date: 02/02/94
Time: 14:30:35

1995 Chrysler Corporation

SCR36OHBG1FA FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS TEST	GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	95	TXD	TAD	TZA	12.85	17.60	40	40
					OPT	95	TYK	TAD	TZA	13.31	18.30	35	35
					OPT	95	TYL	TAD	TZA	12.90	16.70	45	45
					OPT	95	TYM	TAD	TZA	12.90	16.70	45	45
BR6L62	ELF DGR 4W	5500	6400	Y	STD	95	TWA	TAD	TZH	13.29	15.50	50	50
					OPT	95	TXD	TAD	TZA	12.85	17.60	40	40
					OPT	95	TYK	TAD	TZA	13.31	18.30	35	35
					OPT	95	TYL	TAD	TZA	12.90	16.70	45	45
					OPT	95	TYM	TAD	TZA	12.90	16.70	45	45

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG02 - 404 /

Report Date: 02/02/94
Time: 14:30:35

1995
SCR36DH8G1FA

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	TRD	MFG	NAME		SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
95	TRE	TAD	TZA	INVICTA-GL	(A/S)	P225/75R15	736	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
95	TRF	TAD	TZA	INVICTA-GL	(A/S)	P225/75R15	736	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
95	TRW	TAD	TZA	WRANGLER AP	(A/S)	P225/75R16	713	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
95	TRY	TAD	TZA	WRANGLER AP	(A/S)	P225/75R16XL	713	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
95	TSC	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	2	BSW	POLYESTER	2	NYLON	1	10
95	TSC	TAD	TZH		(A/S)	P225/75R15	736	SBR	-STEEL/ -POLYESTER	4	BSW	POLYESTER	2	NONE		10
95	TSD	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	1	10
95	TSD	TAD	TZH	XW4	(A/S)	P235/75R15XL	720	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
95	TSF	TAD	TZA	INVICTA-GL	(A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NYLON	1	10
95	TSF	TAD	TZH	XW4	(A/S)	P235/75R15XL	720	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		10
95	TW9	TAD	TZA	WRANGLER AT	(A/S)	LT235/75R15-D	716	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		13
95	TW9	TAD	TZH	XCH4	(A/S)	LT235/75R15-C	720	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
95	TWA	TAD	TZH	LTX	(A/S)	LT225/75R16C	712	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			13
95	TXD	TAD	TZA	WRANGLER AT		LT265/75R16C	661	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2			17
95	TYF	TAD	TZA	WRANGLER AP	(A/S)	P245/75R16	687	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
95	TYG	TAD	TZA	WRANGLER AP	(A/S)	P245/75R16	688	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		11
95	TYK	TAD	TZA	WRANGLER RT/S		LT245/75R16C	683	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			14
95	TYL	TAD	TZA	WRANGLER AT		LT245/75R16C	679	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2			16
95	TYM	TAD	TZA	WRANGLER AT		LT245/75R16C	679	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2			16

Report Date: 02/02/94
Time: 14:30:35