State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-327
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: TCR360H8G1EK Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Sequential Multiport Fuel Injection
Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.32	4.4	0.7	12.5
	120,000	0.46	6.4	0.98	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.19	3.0	0.7	6.8
	120,000	0.20	3.6	0.89	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7 day of July 1995.

John Henderson for
R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: TCR360H8G1EK Evap Fam: TCR1073AYPOB

All Eng Codes in Eng Fam: CA X 49S___ 50S___ AB965___

Exh Std: CA Tier-1 X TLEV___ LEV___ ULEV___ ZEV___; US EPA Tier-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use X

Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2 X MDV3___ MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Bi-Level___ Gasoline X Diesel___
CNG___ LNG___ LPG___ M85___ Other (specify)___

Emis Test Fuel(s): Indo___ Ph2 X CNG___ LPG___ M85___ Other(specify) ___
Diesel: 13 CCR 2282___ or 40 CFR 86.113-90___ or 40 CFR 86.113-94___

Service Accum: Std AMA ___ Mod AMA ___ Mfr ADP ___ Other (Specify) ___

NMOG Test Procedure: N/A X Std___ Equiv___ R/L Test Proce: SHED___ Pt Source___

Hybrid: Type A___ B___ C___, APU Cycle (e.g., Otto, Diesel, Turbine)___

Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inches

Valves per Cylinder: 2 Rated HP: 220 / 230 @ 4400/4000 RPM

Engine: Front X Mid___ Rear___ Drive: FWD___ RWD___ 4WD-FT___ 4WD-PT X

Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, SFI, HO2S(2)
(use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100'	AB2L11	A3	5000	SEE ATTACHED	56031106		52020285
	AB1L51 AB2L12		5250				
	AB2L12 AB2L13 AB2L52 AB2L53		5500				
CA-150	AB2L11 AB2L12	A4	5250		56031104		
	AB1L51 AB2L12 AB2L13 AB2L52		5500				

*** Test weights reflect ALVW.**

Date Issued: 6/9/95

Revisions: ___

TJ02-SDS/96

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
(cont'd.)

Manufacturer: Chrysler Corporation Exh Eng Fam: TCR360H8G1EK Evap Fam: TCR1073AYP0B

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-200	AB2L12	A4	5250	SEE ATTACHMENT	56031108	None	52020285
	AB2L12 AB2L13 AB2L52		5500				
CA-300	AN1L61 AN1L62		5000		56031657		52020283
CA-400	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62		5500		56031662		52019294
CA-500	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62				56031665		
CM-100	BR6L61 BR6L62 BR1L31 BR1L32 BR1L61 BR1L62	M5	5500		56027996		
CM-200	AN1L61 AN1L62		5000		56031656		52020293

* Test Weights reflect ALVW.

Date Issued: 6/9/95

Revisions: _____

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L51	ELF DGH RW	5000	6010	Y	STD	96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT	96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT	96	TW9	TAD	TZH	13.98	15.20	35	35
AB1L51	ELF DGT RW	5000	6010	Y	STD	96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT	96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT	96	TW9	TAD	TZH	13.98	15.20	35	35
AB2L11	ELF DGH RW	4500	6010	Y	STD	96	TRE	TAD	TZA	13.20	16.40	35	35
					OPT	96	TRF	TAD	TZA	13.20	16.40	35	35
					OPT	96	TSC	TAD	TZA	12.81	16.50	35	35
					OPT	96	TSC	TAD	TZH	13.07	16.00	35	35
					OPT	96	TSF	TAD	TZA	12.81	16.50	35	35
					OPT	96	TSF	TAD	TZH	13.07	16.00	35	35
					OPT	96	TW9	TAD	TZA	12.51	15.30	35	35
					OPT	96	TW9	TAD	TZH	12.95	15.40	35	35
AB2L11	ELF DGT RW	4500	6010	Y	STD	96	TRE	TAD	TZA	13.20	16.40	35	35
					OPT	96	TRF	TAD	TZA	13.20	16.40	35	35
					OPT	96	TSC	TAD	TZA	12.81	16.50	35	35
					OPT	96	TSC	TAD	TZH	13.07	16.00	35	35
					OPT	96	TSF	TAD	TZA	12.81	16.50	35	35
					OPT	96	TSF	TAD	TZH	13.07	16.00	35	35
					OPT	96	TW9	TAD	TZA	12.51	15.30	35	35
					OPT	96	TW9	TAD	TZH	12.95	15.40	35	35
AB2L12	ELF DGH RW	4750	6010	Y	STD	96	TRE	TAD	TZA	13.85	16.40	35	35
					OPT	96	TRF	TAD	TZA	13.85	16.40	35	35
					OPT	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ02 - 400 /

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGH RW	4750	6400	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGH RW	4750	6800	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGT RW	4750	6010	Y	STD	96	TRE	TAD	TZA	13.85	16.40	35	35
					OPT	96	TRF	TAD	TZA	13.85	16.40	35	35
					OPT	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGT RW	4750	6400	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ02 - 401 /

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	ELF DGT RW	4750	6800	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	EML DGT RW	4750	6010	Y	STD	96	TRE	TAD	TZA	13.85	16.40	35	35
					OPT	96	TRF	TAD	TZA	13.85	16.40	35	35
					OPT	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	EML DGT RW	4750	6400	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L12	EML DGT RW	4750	6800	Y	STD	96	TSC	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSC	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSD	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSD	TAD	TZH	13.72	16.00	35	35
					OPT	96	TSF	TAD	TZA	13.43	16.60	35	35
					OPT	96	TSF	TAD	TZH	13.72	16.00	35	35
					OPT	96	TW9	TAD	TZA	13.12	15.40	35	35
					OPT	96	TW9	TAD	TZH	13.57	15.50	35	35
AB2L13	ELF DGH RW	5000	6400	Y	STD	96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSC	TAD	TZH	14.19	15.70	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ02 - 402 /

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT	96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT	96	TW9	TAD	TZH	13.98	15.20	35	35
AB2L13	ELF DGT RW 5000		6400	Y	STD	96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT	96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT	96	TW9	TAD	TZH	13.98	15.20	35	35
AB2L13	EML DGT RW 5000		6400	Y	STD	96	TSC	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSC	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSD	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSD	TAD	TZH	14.19	15.70	35	35
					OPT	96	TSF	TAD	TZA	13.84	16.30	35	35
					OPT	96	TSF	TAD	TZH	14.19	15.70	35	35
					OPT	96	TW9	TAD	TZA	13.53	14.90	35	35
					OPT	96	TW9	TAD	TZH	13.98	15.20	35	35
AB2L52	ELF DGH RW 5250		6400	Y	STD	96	TSC	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSC	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSD	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSF	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSF	TAD	TZH	14.74	15.50	35	35
					OPT	96	TW9	TAD	TZA	14.03	14.50	35	35
					OPT	96	TW9	TAD	TZH	14.49	14.90	35	35
AB2L52	ELF DGT RW 5250		6400	Y	STD	96	TSC	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSC	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSD	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSF	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSF	TAD	TZH	14.74	15.50	35	35
					OPT	96	TW9	TAD	TZA	14.03	14.50	35	35
					OPT	96	TW9	TAD	TZH	14.49	14.90	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB2L52	EML DGT RW	5250	6400	Y	STD	96	TSC	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSC	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSD	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSD	TAD	TZH	14.74	15.50	35	35
					OPT	96	TSF	TAD	TZA	14.34	16.20	35	35
					OPT	96	TSF	TAD	TZH	14.74	15.50	35	35
					OPT	96	TW9	TAD	TZA	14.03	14.50	35	35
					OPT	96	TW9	TAD	TZH	14.49	14.90	35	35
AB2L53	ELF DGH RW	5500	6400	Y	STD	96	TSC	TAD	TZA	14.90	15.80	35	35
					OPT	96	TSC	TAD	TZH	15.28	15.40	35	35
					OPT	96	TSD	TAD	TZA	14.90	15.80	35	35
					OPT	96	TSD	TAD	TZH	15.28	15.40	35	35
					OPT	96	TSF	TAD	TZA	14.90	15.80	35	35
					OPT	96	TSF	TAD	TZH	15.28	15.40	35	35
AN1L61	ELF DDC RW	4000	6170	Y	STD	96	TMK	TAD	TZH	13.98	13.30	30	35
	ELF DGT RW	4000	6170	Y	STD	96	TMK	TAD	TZH	12.98	13.40	30	35
AN1L62	ELF DDC RW	4000	6260	Y	STD	96	TMK	TAD	TZH	13.98	13.30	30	35
	ELF DGT RW	4250	6260	Y	STD	96	TMK	TAD	TZH	13.68	13.30	35	35
BR1L31	ELF DDC RW	5000	6400	Y	STD	96	TRY	TAD	TZA	15.56	15.80	35	35
					OPT	96	TYF	TAD	TZA	15.56	15.80	35	35
					OPT	96	TYG	TAD	TZA	15.56	15.80	35	35
					OPT	96	TYK	TAD	TZA	15.56	15.80	35	35
BR1L31	ELF DGT RW	5000	6400	Y	STD	96	TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYG	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYK	TAD	TZA	14.64	16.00	35	35
BR1L31	EML DGT RW	5000	6400	Y	STD	96	TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYG	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYK	TAD	TZA	14.64	16.00	35	35
BR1L32	ELF DDC RW	5250	6400	Y	STD	96	TRY	TAD	TZA	16.20	15.90	35	35
					OPT	96	TYF	TAD	TZA	16.20	15.90	35	35
					OPT	96	TYG	TAD	TZA	16.20	15.90	35	35
					OPT	96	TYK	TAD	TZA	16.20	15.90	35	35
BR1L32	ELF DGT RW	5250	6400	Y	STD	96	TRY	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYF	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYG	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYK	TAD	TZA	15.14	16.00	35	35
BR1L32	EML DGT RW	5250	6400	Y	STD	96	TRY	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYF	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYG	TAD	TZA	15.14	16.00	35	35
					OPT	96	TYK	TAD	TZA	15.14	16.00	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
BR1L61	ELF DDC RW	4750	6400	Y	STD	96	TRY	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYF	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYG	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYK	TAD	TZA	15.12	15.70	35	35
BR1L61	ELF DGT RW	4750	6400	Y	STD	96	TRY	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYF	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYG	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYK	TAD	TZA	14.14	15.80	35	35
BR1L61	EML DGT RW	4750	6400	Y	STD	96	TRY	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYF	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYG	TAD	TZA	14.14	15.80	35	35
					OPT	96	TYK	TAD	TZA	14.14	15.80	35	35
BR1L62	ELF DDC RW	4750	6400	Y	STD	96	TRY	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYF	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYG	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYK	TAD	TZA	15.12	15.70	35	35
BR1L62	ELF DGT RW	5000	6400	Y	STD	96	TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYG	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYK	TAD	TZA	14.64	16.00	35	35
BR1L62	EML DGT RW	5000	6400	Y	STD	96	TRY	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYF	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYG	TAD	TZA	14.64	16.00	35	35
					OPT	96	TYK	TAD	TZA	14.64	16.00	35	35
BR6L61	ELF DDC 4W	5250	6400	Y	STD	96	TWA	TAD	TZH	13.70	16.50	40	35
					OPT	96	TXD	TAD	TZA	13.25	18.30	35	35
					OPT	96	TYK	TAD	TZA	13.86	17.60	35	35
					OPT	96	TYL	TAD	TZA	13.56	17.20	35	35
					OPT	96	TYM	TAD	TZA	13.56	17.20	35	35
BR6L61	ELF DGT 4W	5250	6400	Y	STD	96	TWA	TAD	TZH	12.94	16.50	40	35
					OPT	96	TXD	TAD	TZA	12.54	18.40	35	35
					OPT	96	TYK	TAD	TZA	13.08	17.70	35	35
					OPT	96	TYL	TAD	TZA	12.82	17.30	35	35
					OPT	96	TYM	TAD	TZA	12.82	17.30	35	35
BR6L61	EML DGT 4W	5250	6400	Y	STD	96	TWA	TAD	TZH	12.94	16.50	40	35
					OPT	96	TXD	TAD	TZA	12.54	18.40	35	35
					OPT	96	TYK	TAD	TZA	13.08	17.70	35	35
					OPT	96	TYL	TAD	TZA	12.82	17.30	35	35
					OPT	96	TYM	TAD	TZA	12.82	17.30	35	35
BR6L62	ELF DDC 4W	5250	6400	Y	STD	96	TWA	TAD	TZH	13.70	16.50	40	35
					OPT	96	TXD	TAD	TZA	13.25	18.30	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 03/11/95
Time: 09:44:56

1996 Chrysler Corporation

TCR360H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	96	TYK	TAD	TZA	13.86	17.60	35	35
					OPT	96	TYL	TAD	TZA	13.56	17.20	35	35
					OPT	96	TYM	TAD	TZA	13.56	17.20	35	35
BR6L62	ELF DGT 4W	5250	6400	Y	STD	96	TWA	TAD	TZH	12.94	16.50	40	35
					OPT	96	TXD	TAD	TZA	12.54	18.40	35	35
					OPT	96	TYK	TAD	TZA	13.08	17.70	35	35
					OPT	96	TYL	TAD	TZA	12.82	17.30	35	35
					OPT	96	TYM	TAD	TZA	12.82	17.30	35	35
BR6L62	EML DGT 4W	5500	6400	Y	STD	96	TWA	TAD	TZH	13.55	14.60	40	35
					OPT	96	TXD	TAD	TZA	12.95	17.10	35	35
					OPT	96	TYK	TAD	TZA	13.64	16.50	35	35
					OPT	96	TYL	TAD	TZA	13.53	15.80	35	35
					OPT	96	TYM	TAD	TZA	13.53	15.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ02 - 406 /

Report Date: 03/11/95
Time: 09:44:56

1996
TCR36OH8G1EK

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	TRD	MFG	NAME	SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
96	TMK	TAD	TZH	XCH4 (A/S)	LT215/75R15-D	752	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
96	TRE	TAD	TZA	INVICTA-GL (A/S)	P225/75R15	736	SBR	2-STEEL/2-POLYESTER	4	BSW	Polyester	2	None		10
96	TRF	TAD	TZA	INVICTA-GL (A/S)	P225/75R15	736	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
96	TRY	TAD	TZA	WRANGLER AP (A/S)	P225/75R16-XL	711	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
96	TSC	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NYLON	1	10
96	TSC	TAD	TZH	XW4 (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
96	TSD	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	1	10
96	TSD	TAD	TZH	XW4 (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
96	TSF	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NYLON	1	10
96	TSF	TAD	TZH	XW4 (A/S)	P235/75R15XL	724	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		10
96	TW9	TAD	TZA	WRANGLER AT (A/S)	LT235/75R15-D	716	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		13
96	TW9	TAD	TZH	XCH4 (A/S)	LT235/75R15-C	720	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
96	TWA	TAD	TZH	LTX (A/S)	LT225/75R16-C	712	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	None		13
96	TXD	TAD	TZA	WRANGLER (A/T)	LT265/75R16-C	661	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	None		17
96	TYF	TAD	TZA	WRANGLER AP (A/S)	P245/75R16	687	SBR	2-STEEL/2-POLYESTER	4	BSW	Polyester	2	None		12
96	TYG	TAD	TZA	WRANGLER AP (A/S)	P245/75R16	687	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		12
96	TYK	TAD	TZA	WRANGLER RT/S (A/S)	LT245/75R16-C	683	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	None		14
96	TYL	TAD	TZA	WRANGLER (A/T)	LT245/75R16-C	679	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	None		16
96	TYM	TAD	TZA	WRANGLER (A/T)	LT245/75R16-C	679	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	None		16

Report Date: 03/11/95
Time: 09:44:56

1996 MY HORIBA 48 INCH DYNAMOMETER 20F SET UP INFORMATION

CALLOUT	MODEL	ENGINE	TRANS	IWC	40% FILL CERT DAW	TIRE SIZE	CODE	NAME	TIRE PRESS	SET COEFFICIENTS A LBS	B LBS/MPH	C LBS/MPH^2
TJ02-4	BR6L61	5.2	A-4	5250	1967	LT265/75R16C	TXD	WRANGLER AT	35	77.32	-2.6236	0.07463

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: TCR360H8G1EK
Evaporative Fam: TCR1073AYPDB

Certificate #:

Model ID	Car Line	California Sales
AN1L61	Dakota Pickup 2WD	YES
AN1L62	Dakota Pickup 2WD	YES
BR1L31	Ram 1500 Pickup 2WD	YES
BR1L32	Ram 1500 Pickup 2WD	YES
BR1L61	Ram 1500 Pickup 2WD	YES
BR1L62	Ram 1500 Pickup 2WD	YES
BR6L61	Ram 1500 Pickup 4WD	YES
BR6L62	Ram 1500 Pickup 4WD	YES
AB2L11	Ram Van 2500 2WD	YES
AB2L12	Ram Van 2500 2WD	YES
AB2L13	Ram Van 2500 2WD	YES
AB1L51	Ram Wagon 1500 2WD	YES
AB2L52	Ram Wagon 2500 2WD	YES
AB2L53	Ram Wagon 2500 2WD	YES

Model Codes
BR 2 L 62

--- 1st digit:
3=Club Cab
6=Regular Cab

2nd digit:
1=119" or 139" wb
2=135" or 155" wb
3=139" wb Chassis Cab
4=163" wb Chassis Cab

------ Price Class
L=Covers all trim levels
C=Chassis Cab

-------- Model:
1=1500 6=1500 4X4
2=2500 7=2500 4X4
3=3500 8=3500 4X4

---------- Body Code:
Ram Pickup
Ram Club Cab
Ram Chassis Cab

Model Codes
AB 1 L 11

--- 1st digit:
1=Van
5=Wagon

2nd digit:
1=109.6" wb
2=127.6" wb
3=127.6" maxi wb

------ Price Class

-------- Model:
1=B1500
2=B2500
3=B3500

---------- Body Code:
Vans
Wagons

Model Codes
AN 1 L 31

--- 1st digit:
3=Club Cab
6=Regular Cab

2nd digit:
1=119" or 130.9" wb
2=123.9" wb

------ Price Class

-------- Model:
1=2 wheel drive
5=4 wheel drive

---------- Body Code:
Dakota Pickup