

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-344
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: VCR122VJG2EK Displacement: 2.0 Liters (122 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Three Way Catalytic Converter
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1997 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.059	0.6	0.2	0.002	5.3
100,000	0.068	0.8	0.2	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25th day of June 1996.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: VCRI22VJG2EK Evap Fam: VCRI098AYP10
 All Eng Codes in Eng Fam: CA 49S 50S AB965
 Std: CA Tier-1 TLEV LEV ULEV ZEV ; US EPA Tier-1
 Evap Std: 50K Useful Life with R/L In-Use Exh Std: Full In Use Alt In Use
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Bi-Level Gasoline Diesel
 CNG LNG LPG M85 Other (specify) _____
 Emis Test Fuel(s): Indo Ph2 CNG LPG M85 Other(specify) _____
 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or 40 CFR 86.113-94
 Service Accum: Std AMA Mod AMA Mfr ADP Other (Specify) _____
 NMOG Test Procedure: N/A Std Equiv R/L Test Proce: SHED Pt Source
 Hybrid: Type A B C APU Cycle (e.g., Otto, Diesel, Turbine) _____
 Engine Configuration: I-4 Displacement: _____ / 2.0 Liters _____ / 122 Cubic Inches
 Valves per Cylinder: 4 Rated HP: 127 @ 5600 RPM
 Engine: Front Mid Rear Drive: FWD RWD 4WD-FT 4WD-PT
 Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, HO2S(2), SFI, TWC, OBDII
 (use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	PLDH42	A3	2875	S E E A T T A C H M E N T	05269980AA	04287603	04546669 05278542
	PLDL42						
	PLDS22						
	PLDS42		2750A				
	PLPH42						
	PLPL42						
	PLPS22		2750				
	PLPS42						
	PLDL22						
PLPL22							

Revisions: _____
 Issued: _____
 vb01-sds

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: VCR122VJG2EK
Evaporative Fam: VCR108BAYP10

Certificate #:

Model ID	Car Line	California Sales
PLDH22	Neon	YES
PLDH42	Neon	YES
PLDL22	Neon	YES
PLDL42	Neon	YES
PLDS22	Neon	YES
PLDS42	Neon	YES
PLPH22	Neon	YES
PLPH42	Neon	YES
PLPL22	Neon	YES
PLPL42	Neon	YES
PLPS22	Neon	YES
PLPS42	Neon	YES

* For U.S. Possessions the nameplate will read Chrysler

Model Codes

JA C H 41

- Body Style
 - 22=2 door coupe
 - 27=2 door convertible
 - 41=4 door sedan
 - 42=4 door subcompact sedan
- Trim Level
 - H=High Line S=Sport
 - P=Premium L=Low Line
- Division
 - L=Chrysler D=Dodge
 - X=Eagle P=Plymouth
- Car Line
 - JA=Girrus, Stratus, Breeze PL=Neon
 - JX=Sebring Convertible
 - LH=Concorde, New Yorker, LHS, Vision, Intrepid
 - SR=Viper

