State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-349
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VCR215VJG1EK Displacement: 3.5 Liters (215 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Dual Heated Oxygen Sensors (two)
Three Way Catalytic Converter
Dual Three Way Catalytic Converters
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20° F)
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20° F)
50,000	0.13	1.3	0.1	8.4
100,000	0.16	1.5	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway-emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of July, 1996.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O. # A-9-349
Page 1 of 1

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: VCR215VJG1EK Evap Fam: VCR1073AYP00

All Eng Codes in Eng Fam: CA X 49S___ 50S___ AB965___

Std: CA Tier-1 X TLEV___ LEV___ ULEV___ ZEV___; US EPA Tier-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use X Alt In Use___

Veh Class(es): PC X LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Bi-Level___ Gasoline X Diesel___
CNG___ LNG___ LPG___ M85___ Other (specify)___

Emis Test Fuel(s): Indo___ Ph2 X CNG___ LPG___ M85___ Other(specify) ___
Diesel: 13 CCR 2282___ or 40 CFR 86.113-90___ or 40 CFR 86.113-94___

Service Accum: Std AMA ___ Mod AMA X Mfr ADP ___ Other (Specify) ___

NMOG Test Procedure: N/A X Std___ Equiv___ R/L Test Proce: SHED___ Pt Source___

Hybrid: Type A___ B___ C___, APU Cycle (e.g., Otto, Diesel, Turbine)___

Engine Configuration: V-6 Displacement: / 3.5 Liters / 215 Cubic Inches

Valves per Cylinder: 4 Rated HP: 214 @ 5850 RPM

Engine: Front X Mid___ Rear___ Drive: FWD X RWD___ 4WD-FT___ 4WD-PT___

Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, 2HO2S(2), SFI, 2TWC, TWC, OBDII
(use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	LHCH41 LHCP41 LHDH41 LHDP41 LHLP41 LHXP41 LHXS41 LHDP41 LHXS41	A4	3875A 3875	S E E A T T A C H M E N T	04606347AA 04606546AA	04287634	04764035 04764038 04764039 04764484 04764485
CA-200 (CA)							

Date Issued:

Revisions: ___ | ___ | ___ | ___ | ___

vh02-sds

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: VCR215VJG1EK
Evaporative Fam: VCR1073AYP00

Certificate #:

Model ID	Car Line	California Sales
LHLP41	Concorde	YES
LHDH41	Intrepid	YES
LHDP41	Intrepid	YES
LHCH41	New Yorker / LHS	YES
LHCP41	New Yorker / LHS	YES
LHXP41	Vision	YES
LHXS41	Vision	YES

* - For U.S. Possessions the nameplate will read Chrysler

Model Codes
JA C H 41

--- Body Style
22=2 door coupe
27=2 door convertible
41=4 door sedan
42=4 door subcompact sedan

------ Trim Level
H=High Line S=Sport
P=Premium L=Low Line

-------- Division
L,C=Chrysler D=Dodge
X=Eagle P=Plymouth

---------- Car Line
JA=Cirrus, Stratus, Breeze PL=Neon
JX=Sebring Convertible
LH=Concorde, New Yorker, LHS, Vision, Intrepid
SR=Viper

1997
VCRZ15VJG1EK

Chrysler Corporat
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	LOADED VEHICLE WEIGHT: COLD CO ELECTRIC DYNO COEFFICIENTS TARGET A	B	C	SET A	B	C (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)	ADJUSTED LOADED VEHICLE WGT: ALVW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
LHCH41	EGE	DGX	FW Y O		C	4000	STD	97	TRU	TZA		17.91	6.1	30	30											
LHCP41	EGE	DGX	FW Y O		C	4000	STD	97	TRU	TZA		17.91	6.1	30	30											
LHDH41	EGE	DGX	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
LHDP41	EGE	DGX	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
							OPT	97	TRS	TZH		17.21	5.8	35	35											
LHDP41	EGE	DHD	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
							OPT	97	TRS	TZH		17.21	5.8	35	35											
LHLP41	EGE	DGX	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
LHXP41	EGE	DGX	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
LHXS41	EGE	DGX	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
							OPT	97	TRS	TZH		17.21	5.8	35	35											
LHXS41	EGE	DHD	FW Y O		C	3875	STD	97	TRU	TZA		18.29	5.7	32	32											
							OPT	97	TRS	TZH		17.21	5.8	35	35											

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - VH02 - 400 /

Report Date: 04/25/96
Time: 14:55:34