State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-755
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Ford Motor Company exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: WFMXT03.0HAA Displacement: 3.0 Liters (183 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters
Three Way Catalytic Converter
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gases (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.023	n/a

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.070	1.3	0.1	0.001	4.9
	100,000	0.079	1.6	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of July 1997.

R. B. Summerfield, Chief
Mobile Source Operations Division

E.O.# A-10-755

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: WFMXT03.0HAA

Evap Standard: 50K ____ Useful Life with R/L X Evap Family: WFMXE0105B1E

Exhaust Std: Tier 0 __ Tier 1 __ TLEV X LEV __ ULEV __ ZEV __ ; EPA Tier 0 __ Tier 1

Vehicle Class(es): PC __ LDT1 __ LDT2 X MDV1 __ MDV2 __ MDV3 __ MDV4 __ MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 __ Diesel: 13 CCR 2282 __ or 40 CFR 86.113-90 __ or -94
M85 __ CNG __ LPG __ Other (specify)

Fuel Type(s): Dedicated X Flex-Fuel __ Dual-Fuel __ Gasoline X Diesel __ M85
CNG __ LNG __ LPG __ Other (specify)

Hybrid: Type A __ B __ C __, APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Config: V-6 Liter (CID): 3.0 (183)

Engine: Front X Mid.__ Rear__ Drive: FWD __ RWD X 4WD-FT __ 4WD-PT X

Exhaust ECS & Special Features: SFI/2HO2S(2)/EGR/2TWC/TWC
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No.
856SR00A	B-Series 4x2 SKS	L4	3750	12.4	F87-AFA	F87E-GA	F87A-5F250-CE
	Ranger 4x2 SKS	L4	3750	12.4			F87A-5E212-ED
856RR00N	Ranger 4x4 RKL	L4	3875	13.0	F87F-ADA	F87E-GA	
	Ranger 4x4 RKS	L4	3875	13.0			
	Ranger 4x4 SKS 4dr	L4	4000	13.0			
	Ranger 4x4 SKS 2dr	L4	4000	13.0			
	B-Series 4x4 RKS	L4	3875	13.0			
	B-Ser. 4x4 SKS 4dr	L4	4000	13.0			
	B-Ser. 4x4 SKS 2dr	L4	4000	13.0			
856RR00A	Ranger 4x4 RKL	L4	3875*	14.3			
	Ranger 4x4 RKS	L4	3875	14.3			
	Ranger 4x4 SKS 2dr	L4	4000	14.3			
	Ranger 4x4 SKS 4dr	L4	4000*	14.3			
	B-Ser.4x4 SKS 4dr	L4	4250	14.3			
	B-Series 4x4 RKS	L4	3875	14.3			
	B-Ser. 4x4 SKS 2dr	L4	4000	14.3			

* Ford elects to conduct certification tests in the next higher ETW.

E.O.# A-10-755

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: WFMXT03.0HAA

Evap Standard: 50K ____ Useful Life with R/L X Evap Family: WFMXE0105B1E

Exhaust Std: Tier 0 _ Tier 1 _ TLEV X LEV _ ULEV _ ZEV _ ; EPA Tier 0 __ Tier 1

Vehicle Class(es): PC _ LDT1 __ LDT2 X MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 2282 _ or 40 CFR 86.113-90 _ or -94
M85 _ CNG _ LPG _ Other (specify)

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Gasoline X Diesel _ M85
CNG __ LNG __ LPG __ Other (specify)

Hybrid: Type A __ B __ C __, APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Config: V-6 Liter (CID): 3.0 (183)

Engine: Front X Mid.__ Rear__ Drive: FWD __ RWD X 4WD-FT _ 4WD-PT X

Exhaust ECS & Special Features: SFI/2HO2S/EGR/2TWC/TWC
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No.
855RR00N	Ranger 4x4 RKL	M5	3875	13.0	F87F-Za	F87E-GA	F87A-5F250-CE
	Ranger 4x4 RKS	M5	3750	13.0			F87A-5E212-ED
	Ranger 4x4 SKS	M5	4000	13.0			
	Ranger 4x4 SKS 4dr	M5	4000	13.0			
	B-Ser 4x4 SKS 2dr	M5	4000	13.0			
	B-Ser 4x4 SKS 4dr	M5	4000	13.0			
855RR00A	Ranger 4x4 RKL	M5	3875	14.3			
	Ranger 4x4 RKS	M5	3875	14.3			
	Ranger 4x4 SKS 2dr	M5	4000	14.3			
	Ranger 4x4 SKS 4dr	M5	4000	14.3			
	B-Ser 4x4 SKS 2dr	M5	4000	14.3			
	B-Series 4x4 RKS	M5	3875	14.3			
	B-Ser 4x4 SKS 4dr	M5	4000	14.3			

EO# A-10-755

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: WFMXT03.0HAA

Evap Standard: 50K _ _ Useful Life with R/L X Evap Family: WFMXE0105B1E

Exhaust Std: Tier 0 _ Tier 1 _ TLEV X LEV _ ULEV _ ZEV _ ; EPA Tier 0 __ Tier 1

Vehicle Class(es): PC _ LDT1 __ LDT2 X MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 2282 _ or 40 CFR 86.113-90 _ or -94
M85 _ CNG _ LPG _ Other (specify)

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Gasoline X Diesel _ M85
CNG __ LNG __ LPG __ Other (specify)

Hybrid: Type A __ B __ C __, APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Config: V-6 Liter (CID): 3.0 (183)

Engine: Front X Mid.__ Rear__ Drive: FWD __ RWD X 4WD-FT _ 4WD-PT X

Exhaust ECS & Special Features: SFI/2HO2S(2)/EGR/2TWC/TWC
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No.
856SR05A	B-Series 4x2 SKS	L4	3750	12.4	F87-AFB	F87E-GA	F87A-5F250-CE
	Ranger 4x2 SKS	L4	3750	12.4			F87A-5E212-ED
856RR05N	Ranger 4x4 RKL	L4	3875	13.0	F87F-ADB	F87E-GA	
	Ranger 4x4 RKS	L4	3875	13.0			
	Ranger 4x4 SKS 4dr	L4	4000	13.0			
	Ranger 4x4 SKS 2dr	L4	4000	13.0			
	B-Series 4x4 RKS	L4	3875	13.0			
	B-Ser. 4x4 SKS 4dr	L4	4000	13.0			
	B-Ser. 4x4 SKS 2dr	L4	4000	13.0			
856RR05A	Ranger 4x4 RKL	L4	3875*	14.3			
	Ranger 4x4 RKS	L4	3875	14.3			
	Ranger 4x4 SKS 2dr	L4	4000	14.3			
	Ranger 4x4 SKS 4dr	L4	4000*	14.3			
	B-Ser.4x4 SKS 4dr	L4	4250	14.3			
	B-Series 4x4 RKS	L4	3875	14.3			
	B-Ser. 4x4 SKS 2dr	L4	4000	14.3			

* Ford elects to conduct certification tests in the next higher ETW.

E.O.# A-10-755

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: WFMXT03.0HAA

Evap Standard: 50K _ _ Useful Life with R/L X Evap Family: WFMXE0105B1E

Exhaust Std: Tier 0 _ Tier 1 _ TLEV X LEV _ ULEV _ ZEV _ ; EPA Tier 0 __ Tier 1

Vehicle Class(es): PC _ LDT1 __ LDT2 X MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 2282 _ or 40 CFR 86.113-90 _ or -94
M85 _ CNG _ LPG _ Other (specify)

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Gasoline X Diesel _ M85
CNG __ LNG __ LPG __ Other (specify)

Hybrid: Type A __ B __ C __, APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Config: V-6 Liter (CID): 3.0 (183)

Engine: Front X Mid.__ Rear__ Drive: FWD __ RWD X 4WD-FT _ 4WD-PT X

Exhaust ECS & Special Features: SFI/2HO2S/EGR/2TWC/TWC
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No.
855RR05N	Ranger 4x4 RKL	M5	3875	13.0	F87F-ZB	F87E-GA	F87A-5F250-CE
	Ranger 4x4 RKS	M5	3750	13.0			F87A-5E212-ED
	Ranger 4x4 SKS	M5	4000	13.0			
	Ranger 4x4 SKS 4dr	M5	4000	13.0			
	B-Ser 4x4 SKS 2dr	M5	4000	13.0			
	B-Ser 4x4 SKS 4dr	M5	4000	13.0			
855RR05A	Ranger 4x4 RKL	M5	3875	14.3			
	Ranger 4x4 RKS	M5	3875	14.3			
	Ranger 4x4 SKS 2dr	M5	4000	14.3			
	Ranger 4x4 SKS 4dr	M5	4000	14.3			
	B-Ser 4x4 SKS 2dr	M5	4000	14.3			
	B-Series 4x4 RKS	M5	3875	14.3			
	B-Ser 4x4 SKS 4dr	M5	4000	14.3			

E.O.# A-10-755

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: WFMXT03.0HAA

Evap Standard: 50K ____ Useful Life with R/L X Evap Family: WFMXE0105B1E

Exhaust Std: Tier 0 _ Tier 1 _ TLEV X LEV _ ULEV _ ZEV _ ; EPA Tier 0 ___ Tier 1

Vehicle Class(es): PC _ LDT1 __ LDT2 X MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 2282 _ or 40 CFR 86.113-90 _ or -94
M85 _ CNG _ LPG _ Other (specify)

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Gasoline X Diesel _ M85
CNG ___ LNG ___ LPG ___ Other (specify)

Hybrid: Type A ___ B ___ C ___, APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Config: V-6 Liter (CID): 3.0 (183)

Engine: Front X Mid.__ Rear__ Drive: FWD __ RWD X 4WD-FT _ 4WD-PT X

Exhaust ECS & Special Features: SFI/2HO2S(2)/EGR/2TWC/TWC
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No.
856SR15A	B-Series 4x2 SKS	L4	3750	12.4	F87-BSA	F87E-GA	F87A-5F250-CE
	Ranger 4x2 SKS	L4	3750	12.4			F87A-5E212-ED
856RR15N	Ranger 4x4 RKL	L4	3875	13.0	F87F-BRA	F87E-GA	
	Ranger 4x4 RKS	L4	3875	13.0			
	Ranger 4x4 SKS 4dr	L4	4000	13.0			
	Ranger 4x4 SKS 2dr	L4	4000	13.0			
	B-Series 4x4 RKS	L4	3875	13.0			
	B-Ser. 4x4 SKS 4dr	L4	4000	13.0			
	B-Ser. 4x4 SKS 2dr	L4	4000	13.0			
856RR15A	Ranger 4x4 RKL	L4	3875*	14.3			
	Ranger 4x4 RKS	L4	3875	14.3			
	Ranger 4x4 SKS 2dr	L4	4000	14.3			
	Ranger 4x4 SKS 4dr	L4	4000*	14.3			
	B-Ser.4x4 SKS 4dr	L4	4250	14.3			
	B-Series 4x4 RKS	L4	3875	14.3			
	B-Ser. 4x4 SKS 2dr	L4	4000	14.3			

* Ford elects to conduct certification tests in the next higher ETW.