State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-792-A
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WGMXV03.1043 Displacement: 3.1 Liters (191 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.13	1.5	0.1	9.2
100,000	0.14	1.7	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of July 1997.

R. B. Summerfield, Chief
Mobile Source Operations Division

(FOR CARB USE ONLY)

E.O. #A-6-792-A

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS: 1 J C 3 7 (EXAMPLE)

Digit 1 - Selling Division

1 - Chevrolet
2 - Pontiac
3 - Oldsmobile
4 - Buick
6 - Cadillac
8 - Saturn

Digit 2 - Body Designation

C - Park Avenue
E - Eldorado
F - Camaro, Firebird/Formula
G - Riviera, Aurora
H - Bonneville, Eighty-Eight/Regency, LeSabre
J - Cavalier, Sunfire
K - Seville
Ksp - Deville, Limousine, Funeral Coach/Hearse
N - Grand Am, Achieva, Skylark, Malibu, Cutlass
V - Catera
W - Grand Prix, Regal, Century, Lumina, Monte Carlo, Intrigue
Y - Corvette
Z - Saturn SC, SL, SW, EV1

Digit 3 - Trim Level (Examples)

B, C, D, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y, Z

Digits 4 & 5 - Body Style (Examples)

07 - 2Dr Sport Coupe
08 - 2Dr Hatchback Coupe
11 - 2Dr Notchback
15 - 2Dr Station Wagon
19 - 4Dr Sedan
23 - 4Dr Aux. Seat Sedan
27 - 2Dr (Notchback) Coupe
29 - 4Dr Sedan
35 - 4Dr Station Wagon
37 - 2Dr Hardtop Coupe
47 - 2Dr Hardtop Coupe
57 - 2Dr Hardtop Coupe
67 - 2Dr Convertible Coupe
68 - 4Dr Hatchback Sedan
69 - 4Dr (Notchback) Sedan
77 - 2Dr Hatchback Coupe
87 - 2Dr Hatchback Coupe
90 - Commercial Chassis

ISSUED: ML-WP140 REVISED:

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXR0124912

ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES (X) NO ( )

EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )

VEH CLASS(ES): PC (X) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 ( ) MDV4 ( ) MDV5 ( )

EVAP STD USEFUL LIFE (X)

SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA

FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) PHASE 2 (X)

EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)

SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )

R/L TEST PROCEDURE: PT SOURCE (X)

ENGINE CONFIGURATION: I4 ( ) V6 (X) V8 ( ) DISPLACEMENT: 3.1 LITERS / 191 CU. IN.

VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 160 @ 5200 RPM

ENGINE LOCATION: FRONT (X) DRIVE: FWD (X) RWD ( ) 4WD-FT ( ) 4WD-PT ( )

EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-H02S (2) - SFI

RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
12	C	2WJ37 2WJ69	A4/A	3625	17096154	24506762, 24507886, 24508103
14		4WS69 4WY69				

*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
PONTIAC GRAND PRIX	07055
BUICK CENTURY	01062

ISSUED: ML-WP140 REVISED: ML-WR060

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXR0133918

ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES (X) NO ( )

EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )

VEH CLASS(ES): PC (X) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 ( ) MDV4 ( ) MDV5 ( )

EVAP STD USEFUL LIFE (X)

SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA

FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) PHASE 2 (X)

EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)

SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )

R/L TEST PROCEDURE: PT SOURCE (X)

ENGINE CONFIGURATION: I4 ( ) V6 (X) V8 ( ) DISPLACEMENT: 3.1 LITERS / 191 CU. IN.

VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 160 @ 5200 RPM

ENGINE LOCATION: FRONT (X) DRIVE: FWD (X) RWD ( ) 4WD-FT ( ) 4WD-PT ( )

EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-H02S (2) - SFI

RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
12A, 12B	C	2WJ37 2WJ69	A4/A	3625	17096154	24506762, 24507886, 24508103
14A, 14B		4WS69 4WY69				

CARLINE NAME	CARLINE CODE
PONTIAC GRAND PRIX	07055
BUICK CENTURY	01062

ISSUED: ML-WR027 REVISED: ML-WR045, ML-WR060

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXR0124912

ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES (X) NO ( )

EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )

VEH CLASS(ES): PC (X) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 ( ) MDV4 ( ) MDV5 ( )

EVAP STD USEFUL LIFE (X)

SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA

FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) PHASE 2 (X)

EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)

SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )

R/L TEST PROCEDURE: PT SOURCE (X)

ENGINE CONFIGURATION: I4 ( ) V6 (X) V8 ( ) DISPLACEMENT: 3.1 LITERS / 191 CU. IN.

VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 150 @ 4800 RPM

ENGINE LOCATION: FRONT (X) DRIVE: FWD (X) RWD ( ) 4WD-FT ( ) 4WD-PT ( )

EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-H02S (2) - SFI

RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
16	C	1ND69 1NE69 3NB69 3NG69	A4/D	3375	17096154	24507564, 24507053

*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
CHEVROLET MALIBU	03130
OLDSMOBILE CUTLASS	06030

ISSUED: ML-WP140 REVISED:

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXE095904

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
10	16200870	09350634	NA	NA
10A		09351544		
10B		09352634		

ISSUED: ML-WP140 REVISED: ML-WR027, ML-WR045

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXR0124912

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
12	16200870	09350624	NA	NA
14		09350234		
16		09351854		
16A		09352854		
16B		09353354		

ISSUED: ML-WP140 REVISED: ML-WR041, ML-WR045, ML-WR060

(FOR CARB USE ONLY)

E.O. #A-6-792-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXV03.1043 EVAP FAMILY: WGMXR0133918

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
12A	16200870	09350224	NA	NA
12B		09352614		
14A		09350234		
14B		09352624		

ISSUED: ML-WR027 REVISED: ML-WR045, ML-WR060