State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-431
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XCRXA0360J31 Displacement: 5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
5751-8500	50,000	0.195	5.0	0.6	0.022	12.5
	120,000	0.280	7.3	0.9	0.032	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
5751-8500	50,000	0.144	4.9	0.5	0.002	9.4
	120,000	0.184	6.6	0.7	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

E.O. # A-9-431

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: XCRXA0360J31 Evap Fam: XCRXE0174G3H & G4H
XCRXE0174G5H & G6H

All Eng Codes in Eng Fam: CA X 49S ____ 50S ____ AB965 ____ ORVR: YES ____ NO X

Exh Std: CA Tier-1 ____ TLEV ____ LEV X ULEV ____ SULEV ____; US EPA Tier-1 ____

Veh Class(es): PC ____ LDT1 ____ LDT2 ____ MDV1 ____ MDV2 ____ MDV3 X MDV4 X MDV5 ____

Single Cert Std for Multi-Class Eng Fam: MDV3 (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel ____ Dual-Fuel ____ Bi-Level ____ Gasoline X Diesel ____
CNG ____ LNG ____ LPG ____ M85 ____ Other (specify) ____

Emis Test Fuel(s): Indo ____ CBG X CNG ____ LPG ____ M85 ____ Other(specify) ____
Diesel: 13 CCR 2282 ____ or 40 CFR 86.113-90 ____ or 40 CFR 86.113-94 ____

Evaporative Emission Test Procedure: California ____ Federal X

Service Accum: Std AMA ____ Mod AMA X Mfr ADP ____ Other (Specify) ____

NMOG Test Procedure: N/A ____ Std ____ Equiv X R/L Test Proce: SHED ____ Pt Source X

Engine Configuration: V-8 Displacement: 5.9 Liters 360 Cubic Inches

Valves per Cylinder: 2 Rated HP: 245 @ 4000 RPM

Engine: Front X Mid ____ Rear ____ . Drive: FWD ____ RWD X 4WD-FT ____ 4WD-PT X

Exhaust ECS (eg., EGR, MFI, TC, CAC): HO2S(2), TWC, SFI, OBD II
(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	AB1X12	A4	6000	S E E A T T A C H M E N T	56040144AA 56040144AB	--	52103531AA
	AB2L12 AB2L13 AB2L52 AB2X12		6500				
	AB3L12 AB3L13 AB3L53 AB3X12 AB3X13		7000				
	AB3L53		7500				

Date Issued: 6/22/98
Revisions: ____

TJ09-SDS/99

E.O. # A-9-431

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: XCRXA0360J31 Evap Fam: XCRXE0174G3H & G4H
XCRXE0174G5H & G6H

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-200 (CA)	BE1L34	A4	6000	SEE ATTACHMENT	56040151AA 56040151AB	--	52103224AA
	BE2L31 BE2L32 BE2L33 BE2L34 BR2L62		7000				
	BR2L65 BR3L62		8000				
	BE3L34		8500				
	BR3L63 BR3L64		9000				
CA-300 (CA)	BE6L31 BE6L32 BE6L33 BE6L34		6000		56040151AA 56040151AB		
	BE7L31 BE7L33 BR7L62		7000				
	BE7L32 BE7L34		7500				
	BR7L65 BR8L62		8000				
	BE8L34		8500				
	BR8L63 BR8L64		9000				

Date Issued: 6/22/98
Revisions:

TJ09-SDS/99

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	LOADED VEHICLE WEIGHT COAST DOWN TIME	*DYNO HP	TIRE PRES F	R	COLD CO ELECTRIC DYNO COEFFICIENTS TARGET A (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)	B	C	SET A	B	C	ADJUSTED LOADED VEHICLE WGT ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	R
BE2L34	EML	DGT	RW	Y 8800	C	5500	STD	99	TYD	TZH		14.89	14.5	40	40	67.09		0.04461				7000	18.08	12.3	55	80
																60.99		0.04055								
							OPT	99	TY1	TZH		14.12	16.3	40	40	79.12		0.04385					16.65	14.4	55	80
																71.93		0.03986								
							OPT	99	TY2	TZH		14.12	16.3	40	40	79.12		0.04385					16.65	14.4	55	80
																71.93		0.03986								
							OPT	99	TYN	TZH		14.89	14.5	40	40	67.09		0.04461					18.08	12.3	55	80
																60.99		0.04055								
BE3L34	EML	DGT	RW	Y 10500	C	6500	STD	99	TV1	TZH		14.14	18.3	45	40	83.60		0.05636				8500	17.66	20.3	55	60
																76.00		0.05124								
							OPT	99	TV2	TZH		13.91	18.1	45	40	84.13		0.05774					17.17	20.3	55	60
																76.48		0.05249								
BE6L31	EML	DGT	4W	Y 6600	C	5500	STD	99	TYU	TZA		14.48	15.3	35	35	63.33		0.04795				6000	15.13	15.5	35	35
																57.57		0.04359								
							OPT	99	TXW	TZA		13.88	16.1	35	35	65.08		0.05066					14.52	16.3	35	35
																59.16		0.04605								
							OPT	99	TYV	TZH		14.55	15.5	35	35	60.61		0.04864					15.23	15.4	35	35
																55.10		0.04422								
							OPT	99	TYX	TZA		13.23	15.6	35	35	72.46		0.05169					13.80	15.7	35	35
																65.87		0.04699								
							OPT	99	TYZ	TZA		13.23	15.6	35	35	72.46		0.05169					13.80	15.7	35	35
																65.87		0.04699								
BE6L32	EML	DGT	4W	Y 6600	C	6000	STD	99	TYU	TZA		15.60	15.5	35	35	65.61		0.04795				6000	15.13	15.5	35	35
																59.65		0.04359								
							OPT	99	TXW	TZA		14.96	16.3	35	35	67.43		0.05066					14.52	16.3	35	35
																61.30		0.04605								
							OPT	99	TYV	TZH		15.69	15.7	35	35	62.80		0.04864					15.23	15.4	35	35
																57.09		0.04422								
							OPT	99	TYX	TZA		14.25	15.8	35	35	75.07		0.05169					13.80	15.7	35	35
																68.25		0.04699								
							OPT	99	TYZ	TZA		14.25	15.8	35	35	75.07		0.05169					13.80	15.7	35	35
																68.25		0.04699								
BE6L33	EML	DGT	4W	Y 6600	C	5500	STD	99	TYU	TZA		14.48	15.3	35	35	63.33		0.04795				6000	15.13	15.5	35	35
																57.57		0.04359								
							OPT	99	TXW	TZA		13.88	16.1	35	35	65.08		0.05066					14.52	16.3	35	35
																59.16		0.04605								
							OPT	99	TYV	TZH		14.55	15.5	35	35	60.61		0.04864					15.23	15.4	35	35
																55.10		0.04422								
							OPT	99	TYX	TZA		13.23	15.6	35	35	72.46		0.05169					13.80	15.7	35	35
																65.87		0.04699								
							OPT	99	TYZ	TZA		13.23	15.6	35	35	72.46		0.05169					13.80	15.7	35	35
																65.87		0.04699								
BE6L34	EML	DGT	4W	Y 6600	C	6000	STD	99	TYU	TZA		15.60	15.5	35	35	65.61		0.04795				6000	15.13	15.5	35	35
																59.65		0.04359								

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ09 - 402 /

Report Date: 06/22/98
Time: 10:24:25

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	LOADED VEHICLE WEIGHT COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	TARGET (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)	COLD CO ELECTRIC DYNO COEFFICIENTS A	B	C	SET A	B	C	ADJUSTED LOADED VEHICLE WGT ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
							OPT	99	TXW	TZA		14.96	16.3	35	35	67.43		0.05066						14.52	16.3	35	35
																61.30		0.04605									
							OPT	99	TYV	TZH		15.69	15.7	35	35	62.80		0.04864						15.23	15.4	35	35
																57.09		0.04422									
							OPT	99	TYX	TZA		14.25	15.8	35	35	75.07		0.05169						13.80	15.7	35	35
																68.25		0.04699									
							OPT	99	TYZ	TZA		14.25	15.8	35	35	75.07		0.05169						13.80	15.7	35	35
																68.25		0.04699									
BE7L31	EML	DGT 4W	Y	8800	C	6000	STD	99	TYD	TZH		14.00	17.1	40	40	76.52		0.05268					7000	15.84	13.7	65	80
																69.57		0.04789									
							OPT	99	TY1	TZH		13.63	18.7	40	40	75.04		0.05561						15.26	15.3	65	80
																68.22		0.05055									
							OPT	99	TY2	TZH		13.63	18.7	40	40	75.04		0.05561						15.26	15.3	65	80
																68.22		0.05055									
							OPT	99	TYN	TZH		14.00	17.1	40	40	76.52		0.05268						15.84	13.7	65	80
																69.57		0.04789									
BE7L32	EML	DGT 4W	Y	8800	C	6000	STD	99	TYD	TZH		14.00	17.1	40	40	76.52		0.05268					7500	16.83	14.9	65	80
																69.57		0.04789									
							OPT	99	TY1	TZH		13.63	18.7	40	40	75.04		0.05561						16.20	16.4	65	80
																68.22		0.05055									
							OPT	99	TY2	TZH		13.63	18.7	40	40	75.04		0.05561						16.20	16.4	65	80
																68.22		0.05055									
							OPT	99	TYN	TZH		14.00	17.1	40	40	76.52		0.05268						16.83	14.9	65	80
																69.57		0.04789									
BE7L33	EML	DGT 4W	Y	8800	C	6000	STD	99	TYD	TZH		14.00	17.1	40	40	76.52		0.05268					7000	15.84	13.7	65	80
																69.57		0.04789									
							OPT	99	TY1	TZH		13.63	18.7	40	40	75.04		0.05561						15.26	15.3	65	80
																68.22		0.05055									
							OPT	99	TY2	TZH		13.63	18.7	40	40	75.04		0.05561						15.26	15.3	65	80
																68.22		0.05055									
							OPT	99	TYN	TZH		14.00	17.1	40	40	76.52		0.05268						15.84	13.7	65	80
																69.57		0.04789									
BE7L34	EML	DGT 4W	Y	8800	C	6000	STD	99	TYD	TZH		14.00	17.1	40	40	76.52		0.05268					7500	16.83	14.9	65	80
																69.57		0.04789									
							OPT	99	TY1	TZH		13.63	18.7	40	40	75.04		0.05561						16.20	16.4	65	80
																68.22		0.05055									
							OPT	99	TY2	TZH		13.63	18.7	40	40	75.04		0.05561						16.20	16.4	65	80
																68.22		0.05055									
							OPT	99	TYN	TZH		14.00	17.1	40	40	76.52		0.05268						16.83	14.9	65	80
																69.57		0.04789									
BE8L34	EML	DGT 4W	Y	11000	C	7000	STD	99	TV1	TZH		13.06	20.8	65	40	103.10		0.06393					8500	15.36	24.1	70	60
																93.73		0.05812									
							OPT	99	TV2	TZH		12.95	20.4	65	40	108.13		0.06284						15.00	22.7	70	60
																98.30		0.05713									

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ09 - 403 /

Report Date: 06/22/98
Time: 10:24:25

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	LOADED VEHICLE WEIGHT COAST DOWN TIME	*DYNO HP	TIRE PRES F	R	COLD CO ELECTRIC DYNO COEFFICIENTS TARGET A (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)	B	C	SET A	B	C	ADJUSTED LOADED VEHICLE WGT ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	R
BR2L62	EML	DGT	RW	Y 8800	C	5250	STD	99	TYD	TZH		14.43	14.4	40	40	64.24		0.04461				7000	18.08	12.3	55	80
																58.40		0.04055								
							OPT	99	TY1	TZH		13.72	16.1	40	40	75.75		0.04385					16.65	14.4	55	80
																68.86		0.03986								
							OPT	99	TY2	TZH		13.72	16.1	40	40	75.75		0.04385					16.65	14.4	55	80
																68.86		0.03986								
							OPT	99	TYN	TZH		14.43	14.4	40	40	64.24		0.04461					18.08	12.3	55	80
																58.40		0.04055								
BR2L65	EML	DGT	RW	Y 8800	C	7500	STD	99	TYD	TZH		0.00	35.0	40	40							8000	0.00	35.0	55	80
							OPT	99	TY1	TZH		0.00	35.0	40	40								0.00	35.0	55	80
							OPT	99	TY2	TZH		0.00	35.0	40	40								0.00	35.0	55	80
							OPT	99	TYN	TZH		0.00	35.0	40	40								0.00	35.0	55	80
BR3L62	EML	DGT	RW	Y 10500	C	6000	STD	99	TV1	TZH		13.41	18.2	45	40	77.46		0.05636				8000	16.81	20.6	55	60
																70.42		0.05124								
							OPT	99	TV2	TZH		13.18	18.0	45	40	77.94		0.05774					16.35	20.6	55	60
																70.86		0.05249								
BR3L63	EML	DGT	RW	Y 11000	C	8000	STD	99	TV1	TZH		0.00	48.0	45	40							9000	0.00	48.0	55	60
							OPT	99	TV2	TZH		0.00	48.0	45	40								0.00	48.0	55	60
							OPT	99	TXB	TZH		0.00	48.0	45	40								0.00	48.0	55	60
BR3L64	EML	DGT	RW	Y 11000	C	8000	STD	99	TV1	TZH		0.00	48.0	45	40							9000	0.00	48.0	55	60
							OPT	99	TV2	TZH		0.00	48.0	45	40								0.00	48.0	55	60
							OPT	99	TXB	TZH		0.00	48.0	45	40								0.00	48.0	55	60
BR7L62	EML	DGT	4W	Y 8800	C	6000	STD	99	TYD	TZH		14.00	17.1	40	40	76.52		0.05268				7000	15.84	13.7	65	80
																69.57		0.04789								
							OPT	99	TY1	TZH		13.63	18.7	40	40	75.04		0.05561					15.26	15.3	65	80
																68.22		0.05055								
							OPT	99	TY2	TZH		13.63	18.7	40	40	75.04		0.05561					15.26	15.3	65	80
																68.22		0.05055								
							OPT	99	TYN	TZH		14.00	17.1	40	40	76.52		0.05268					15.84	13.7	65	80
																69.57		0.04789								
BR7L65	EML	DGT	4W	Y 8800	C	7500	STD	99	TYD	TZH		0.00	35.0	40	40							8000	0.00	35.0	65	80
							OPT	99	TY1	TZH		0.00	35.0	40	40								0.00	35.0	65	80
							OPT	99	TY2	TZH		0.00	35.0	40	40								0.00	35.0	65	80
							OPT	99	TYN	TZH		0.00	35.0	40	40								0.00	35.0	65	80
BR8L62	EML	DGT	4W	Y 10500	C	6000	STD	99	TV1	TZH		11.72	20.3	65	40	91.19		0.06393				8000	14.58	24.0	70	60
																82.90		0.05812								
							OPT	99	TV2	TZH		11.64	19.8	65	40	95.64		0.06284					14.24	22.5	70	60
																86.94		0.05713								
BR8L63	EML	DGT	4W	Y 11000	C	8000	STD	99	TV1	TZH		0.00	48.0	65	40							9000	0.00	48.0	70	60
							OPT	99	TV2	TZH		0.00	48.0	65	40								0.00	48.0	70	60
							OPT	99	TXB	TZH		0.00	48.0	65	40								0.00	48.0	70	60
BR8L64	EML	DGT	4W	Y 11000	C	8000	STD	99	TV1	TZH		0.00	48.0	65	40							9000	0.00	48.0	70	60
							OPT	99	TV2	TZH		0.00	48.0	65	40								0.00	48.0	70	60

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ09 - 404 /

Report Date: 06/22/98
Time: 10:24:25

1999
XCRXA0360J31

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	LOADED VEHICLE WEIGHT COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	COLD CO ELECTRIC DYNO COEFFICIENTS TARGET A B C (LINE 1 IS 20 DEG COEFFS,	SET A B C LINE 2 IS 50 DEG WHEN NEEDED)	ADJUSTED LOADED VEHICLE WGT ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
							OPT	99	TXB	TZH		0.00	48.0	65	40				0.00	48.0	70	60

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TJ09 - 405 /

Report Date: 06/22/98
Time: 10:24:25

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	MFG	OPT	NAME	SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
99	TRB	TZA		WRANGLER APC	P225/75R16-XL	716	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	12
99	TSC	TZH		XW4 (A/S)	P235/75R15-XL	720	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	10
99	TSD	TZH		XW4 (A/S)	P235/75R15-XL	720	SBR	2-Steel/2-Polyester	4	WSW	Polyester	2	None	0	10
99	TSF	TZA		INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	10
99	TV1	TZH		LTX (A/S)	LT215/85R16-E	682	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	13
99	TV2	TZH		LTX (M/S)	LT215/85R16-E	683	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	17
99	TW9	TZA		WRANGLER AT (A/S)	LT235/75R15-D	716	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	13
99	TWT	TZH		LTX (A/S)	LT225/75R16-E	711	SBR	3-Steel/2-Polyester	5	BSW	Polyester	2	None	0	14
99	TWY	TZH		LTX (A/S)	LT225/75R16-D	712	SBR	3-Steel/2-Polyester	5	OWL	Polyester	2	None	0	13
99	TWZ	TZH		LTX (A/S)	LT225/75R16-D	712	SBR	3-Steel/2-Polyester	5	BSW	Polyester	2	None	0	13
99	TXB	TZH		XPS (RIB)	LT215/85R16-E	687	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	15
99	TXW	TZA		WRANGLER RTS (A/T)	P265/75R16	660	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	15
99	TY1	TZH		LTX (M/S)	LT245/75R16-E	678	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	14
99	TY2	TZH		LTX (M/S)	LT245/75R16-E	678	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	14
99	TYD	TZH		LTX A/S	LT245/75R16E	679	SBR	3-STEEL/2-POLYESTER	5	BSW	POLYESTER	2	None	0	14
99	TYN	TZH		LTX A/S	LT245/75R16E	679	SBR	3-STEEL/2-POLYESTER	5	OWL	POLYESTER	2	None	0	14
99	TYT	TZH		LTX (A/S)	LT245/75R16-E	679	SBR	3-Steel/2-Polyester	5	BSW	Polyester	2	None	0	14
99	TYU	TZA		WRANGLER APC	P245/75R16	689	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	12
99	TYV	TZH		LTX A/S	P245/75R16	691	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	10
99	TYX	TZA		WRANGLER RTS (A/S)	P245/75R16	692	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	13
99	TYZ	TZA		WRANGLER RTS (A/S)	P245/75R16	692	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	13

Report Date: 06/22/98
Time: 10:24:25

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXA0360J31
Evaporative Fam: XCRXE0174G3H

Certificate #:

Model ID	Car Line	California Sales
BE6L31	Ram 1500 Pickup 4WD	YES
BE6L33	Ram 1500 Pickup 4WD	YES

```
Model Codes
BE 8 L  34
|  | |  |
|  | |  -- 1st digit:    2nd digit:
|  | |     3=Club Cab     1=139" wb w/2 Doors
|  | |                    2=155" wb w/2 Doors
|  | |                    3=139" wb w/4 Doors
|  | |                    4=155" wb w/4 Doors
|  | |
|  | ----- Price Class
|  |       L=Covers all trim levels
|  |
|  ------- Model:
|          1=1500    6=1500 4X4
|          2=2500    7=2500 4X4
|          3=3500    8=3500 4X4
|
---------- Body Code:
           Ram Club Cab
```

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXA0360J31
Evaporative Fam: XCRXE0174G4H

Certificate #:

Model ID	Car Line	California Sales
BE1L34	Ram 1500 Pickup 2WD	YES
BE6L32	Ram 1500 Pickup 4WD	YES
BE6L34	Ram 1500 Pickup 4WD	YES
AB1X12	Ram Van 1500 2WD	YES
AB2L12	Ram Van 2500 2WD	YES
AB2L13	Ram Van 2500 2WD	YES
AB2X12	Ram Van 2500 2WD	YES
AB2L52	Ram Wagon 2500 2WD	YES

```
Model Codes
AB 1 L  11
|  | |  |
|  | |  -- 1st digit: 2nd digit:
|  | |       1=Van      1=109.6" wb
|  | |       5=Wagon    2=127.6" wb
|  | |                  3=127.6" maxi wb
|  | |
|  | ----- Price Class
|  |         L=Low Line
|  |         X=Premium
|  |
|  ------- Model:
|           1=B1500
|           2=B2500
|           3=B3500
|
---------- Body Code:
            Vans
            Wagons
```

```
Model Codes
BE 8 L  34
|  | |  |
|  | |  -- 1st digit:    2nd digit:
|  | |       3=Club Cab   1=139" wb w/2 Doors
|  | |                    2=155" wb w/2 Doors
|  | |                    3=139" wb w/4 Doors
|  | |                    4=155" wb w/4 Doors
|  | |
|  | ----- Price Class
|  |         L=Covers all trim levels
|  |
|  |
|  ------- Model:
|           1=1500   6=1500 4X4
|           2=2500   7=2500 4X4
|           3=3500   8=3500 4X4
|
---------- Body Code:
            Ram Club Cab
```

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXA0360J31
Evaporative Fam: XCRXE0174G5H

Certificate #:

Model ID	Car Line	California Sales
BR7L62	Ram 2500 Pickup 4WD	YES
BE2L31	Ram 2500 Pickup HDV 2WD	YES
BE2L32	Ram 2500 Pickup HDV 2WD	YES
BE2L33	Ram 2500 Pickup HDV 2WD	YES
BE2L34	Ram 2500 Pickup HDV 2WD	YES
BR2L62	Ram 2500 Pickup HDV 2WD	YES
BE7L31	Ram 2500 Pickup HDV 4WD	YES
BE7L32	Ram 2500 Pickup HDV 4WD	YES
BE7L33	Ram 2500 Pickup HDV 4WD	YES
BE7L34	Ram 2500 Pickup HDV 4WD	YES
BE3L34	Ram 3500 Pickup 2WD	YES
BR3L62	Ram 3500 Pickup 2WD HDV	YES
BE8L34	Ram 3500 Pickup 4WD	YES
BR8L62	Ram 3500 Pickup 4WD	YES
AB3L13	Ram Van 3500 2WD	YES
AB3X13	Ram Van 3500 2WD	YES
AB3L12	Ram Van B3500 2WD	YES
AB3X12	Ram Van B3500 2WD	YES
AB3L53	Ram Wagon 3500 2WD HDV	YES

```
Model Codes
AB 1 L  11
|  | |  |
|  | |  -- 1st digit: 2nd digit:
|  | |     1=Van      1=109.6" wb
|  | |     5=Wagon    2=127.6" wb
|  | |                3=127.6" maxi wb
|  | |
|  | ----- Price Class
|  !        L=Low Line
|  !        X=Premium
|  !
|  ------- Model:
|           1=B1500
|           2=B2500
|           3=B3500
|
---------- Body Code:
            Vans
            Wagons
```

```
Model Codes
BE 8 L  34
|  | |  |
|  | |  -- 1st digit:    2nd digit:
|  | |     3=Club Cab     1=139" wb w/2 Doors
|  | |                    2=155" wb w/2 Doors
|  | |                    3=139" wb w/4 Doors
|  | |                    4=155" wb w/4 Doors
|  | |
|  | ----- Price Class
|  |        L=Covers all trim levels
|  |
|  |
|  ------- Model:
|           1=1500   6=1500 4X4
|           2=2500   7=2500 4X4
|           3=3500   8=3500 4X4
|
---------- Body Code:
            Ram Club Cab
```

```
Model Codes
BR 2 L  62
|  | |  |
|  | |  -- 1st digit:    2nd digit:
|  | |     6=Regular Cab 1=119" or 139" wb
|  | |                   2=135" or 155" wb
|  | |                   3=139" wb Chassis Cab
|  | |                   4=163" wb Chassis Cab
|  | |                   5=135" wb Chassis Cab
|  | ----- Price Class
|  |        L=Covers all trim levels
|  |
|  |
|  ------- Model:
|           1=1500   6=1500 4X4
|           2=2500   7=2500 4X4
|           3=3500   8=3500 4X4
|
---------- Body Code:
            Ram Pickup
            Ram Club Cab
            Ram Chassis Cab
```

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXA0360J31
Evaporative Fam: XCRXE0174G6H

Certificate #:

Model ID	Car Line	California Sales
BR7L65	Ram 2500 Cab Chassis 4WD HDV	YES
BR2L65	Ram 2500 Pickup HDV 2WD	YES
BR8L63	Ram 3500 Cab Chassis 4WD HDV	YES
BR3L63	Ram 3500 Pickup 2WD HDV	YES
BR3L64	Ram 3500 Pickup 2WD HDV	YES
BR8L64	Ram 3500 Pickup 4WD HDV	YES

```
Model Codes
BR 2 L  62
|  | |  |
|  | |  -- 1st digit:    2nd digit:
|  | |     6=Regular Cab 1=119" or 139" wb
|  | |                   2=135" or 155" wb
|  | |                   3=139" wb Chassis Cab
|  | |                   4=163" wb Chassis Cab
|  | |                   5=135" wb Chassis Cab
|  | ----- Price Class
|  |        L=Covers all trim levels
|  |        C=Chassis Cab
|  |
|  ------- Model:
|           1=1500   6=1500 4X4
|           2=2500   7=2500 4X4
|           3=3500   8=3500 4X4
|
---------- Body Code:
            Ram Pickup
            Ram Club Cab
            Ram Chassis Cab
```