State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-407
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XCRXV02.0VBO Displacement: 2.0 Liters (122 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection
Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.16	2.7	0.2	6.5
100,000	0.18	3.2	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21st day of May 1998.

R. B. Summerfield, Chief
Mobile Source Operations Division

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: XCRXV02.0VB0 Evap Fam: XCRXE0101G1A

All Eng Codes in Eng Fam: CA X 49S X 50S ____ AB965 ____ ORVR: YES ____ NO X

Exh Std: CA Tier-1 X TLEV ____ LEV ____ ULEV ____ SULEV ____: US EPA Tier-1 ____

Veh Class(es): PC X LDT1 ____ LDT2 ____ MDV1 ____ MDV2 ____ MDV3 ____ MDV4 ____ MDV5 ____

Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel ____ Dual-Fuel ____ Bi-Level ____ Gasoline X Diesel ____

CNG ____ LNG ____ LPG ____ M85 ____ Other (specify) ____

Emis Test Fuel(s): Indo ____ CBG X CNG ____ LPG ____ M85 ____ Other(specify) ____

Diesel: 13 CCR 2282 ____ or 40 CFR 86.113-90 ____ or 40 CFR 86.113-94 ____

Evaporative Emission Test Procedure: California ____ Federal X

Service Accum: Std AMA ____ Mod AMA X Mfr ADP ____ Other (Specify) ____

NMOG Test Procedure: N/A X Std ____ Equiv ____ R/L Test Proce: SHED ____ Pt Source X

Engine Configuration: I-4 Displacement: / 2.0 Liters / 122 Cubic Inches

Valves per Cylinder: 4 Rated HP: 132 @ 6000 RPM

Engine: Front X Mid ____ Rear ____ Drive: FWD X RWD ____ 4WD-FT ____ 4WD-PT ____

Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, HO2S(2), SFI, TWC, OBDII

(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CM-100 (CA)	PLDH42	M5	2875	S	05269815AE	04287602	05278476
	PLPH42			E			
				E			
	PLDH22		2750				
	PLDL22			A			
	PLDL42			T			
	PLPH22			T			
	PLPL22			A			
	PLPL42			C			
				H			
CM-200	PLDL42	M5	2750	M	05269817AD		
	PLPL42			E			
				N			
				T			

te Issued: 02/10/98

Revisions: ____

t-SDS/99

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXV02.0VB0
Evaporative Fam: XCRXE0101G1A

Certificate #:

Model ID	Car Line	California Sales
PLDH22	Neon	YES
PLDH42	Neon	YES
PLDL22	Neon	YES
PLDL42	Neon	YES
PLPH22	Neon	YES
PLPH42	Neon	YES
PLPL22	Neon	YES
PLPL42	Neon	YES

Model Codes
JA C H 41

--- Body Style
22=2 door coupe
27=2 door convertible
41=4 door sedan
42=4 door subcompact sedan

------ Trim Level
H=High Line S=Sport
P=Premium L=Low Line

-------- Division
L,C=Chrysler D=Dodge
X=Eagle P=Plymouth

---------- Car Line
JA=Cirrus, Stratus, Breeze PL=Neon
JX=Sebring Convertible
LH=Concorde, New Yorker, LHS, Vision, Intrepid
SR=Viper , PR=Prowler

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	LOADED VEHICLE WEIGHT: TARGET (LINE 1 IS 20 DEG	COLD CO ELECTRIC DYNO COEFFICIENTS: A	B	C	SET A	B	C (LINE 2 IS 50 DEG WHEN NEEDED)	ADJUSTED LOADED VEHICLE WGT: ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
PLDH22	ECB	DD5	FW Y 0		C	2750	STD	99	TJY	TZA		15.24	6.1	32	32	38.80			0.02020								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDH22	ECB	DD5	FW Y 0		F	2750	STD	99	TJY	TZA		15.24	6.1	32	32	38.80			0.02020								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDH22	ECB	DGC	FW Y 0		F	2875	STD	99	TJY	TZA		14.65	6.1	32	32	41.42			0.02224								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93			0.02160								
PLDH42	ECB	DD5	FW Y 0		C	2875	STD	99	TJY	TZA		15.78	6.1	32	32	39.66			0.02020								
							OPT	99	TEW	TZA		16.04	6.1	32	32	41.60			0.01889								
PLDH42	ECB	DD5	FW Y 0		F	2875	STD	99	TJY	TZA		15.78	6.1	32	32	39.66			0.02020								
							OPT	99	TEW	TZA		16.04	6.1	32	32	41.60			0.01889								
PLDH42	ECB	DGC	FW Y 0		F	2875	STD	99	TJY	TZA		14.65	6.1	32	32	41.42			0.02224								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93			0.02160								
PLDL22	ECB	DD5	FW Y 0		C	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL22	ECB	DD5	FW Y 0		F	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL22	ECB	DGC	FW Y 0		F	2750	STD	99	TEX	TZA		15.63	5.9	32	32	32.43			0.02167								
							OPT	99	TEW	TZA		14.09	5.9	32	32	42.40			0.02160								
PLDL42	ECB	DD4	FA Y 0		C	2750	STD	99	TJJ	TZA		14.41	6.0	32	32	41.77			0.02125								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL42	ECB	DD4	FA Y 0		F	2750	STD	99	TJJ	TZA		14.41	6.0	32	32	41.77			0.02125								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL42	ECB	DD5	FW Y 0		C	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL42	ECB	DD5	FW Y 0		F	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLDL42	ECB	DGC	FW Y 0		F	2875	STD	99	TEX	TZA		16.26	5.9	32	32	32.84			0.02167								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93			0.02160								
PLPH22	ECB	DD5	FW Y 0		C	2750	STD	99	TJY	TZA		15.24	6.1	32	32	38.80			0.02020								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLPH22	ECB	DD5	FW Y 0		F	2750	STD	99	TJY	TZA		15.24	6.1	32	32	38.80			0.02020								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLPH22	ECB	DGC	FW Y 0		F	2875	STD	99	TJY	TZA		14.65	6.1	32	32	41.42			0.02224								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93			0.02160								
PLPH42	ECB	DD5	FW Y 0		C	2875	STD	99	TJY	TZA		15.78	6.1	32	32	39.66			0.02020								
							OPT	99	TEW	TZA		16.04	6.1	32	32	41.60			0.01889								
PLPH42	ECB	DD5	FW Y 0		F	2875	STD	99	TJY	TZA		15.78	6.1	32	32	39.66			0.02020								
							OPT	99	TEW	TZA		16.04	6.1	32	32	41.60			0.01889								
PLPH42	ECB	DGC	FW Y 0		F	2875	STD	99	TJY	TZA		14.65	6.1	32	32	41.42			0.02224								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93			0.02160								
PLPL22	ECB	DD5	FW Y 0		C	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69			0.01889								
PLPL22	ECB	DD5	FW Y 0		F	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61			0.01865								

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - VA01 - 400 /

Report Date: 02/25/98
Time: 12:59:17

Chrysler Corporation
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	LOADED VEHICLE WEIGHT: TARGET A (LINE 1 IS 20 DEG COEFFS)	B	C	COLD CO ELECTRIC DYNO COEFFICIENTS: SET A (LINE 2 IS 50 DEG WHEN NEEDED)	B	C	ADJUSTED LOADED VEHICLE WGT: ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69		0.01889								
PLPL22	ECB	DGC	FW Y	0	F	2750	STD	99	TEX	TZA		15.63	5.9	32	32	32.43		0.02167								
							OPT	99	TEW	TZA		14.09	5.9	32	32	42.40		0.02160								
PLPL42	ECB	DD4	FA Y	0	C	2750	STD	99	TJJ	TZA		14.41	6.0	32	32	41.77		0.02125								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69		0.01889								
PLPL42	ECB	DD4	FA Y	0	F	2750	STD	99	TJJ	TZA		14.41	6.0	32	32	41.77		0.02125								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69		0.01889								
PLPL42	ECB	DD5	FW Y	0	C	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61		0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69		0.01889								
PLPL42	ECB	DD5	FW Y	0	F	2750	STD	99	TEX	TZA		16.98	6.1	32	32	32.61		0.01865								
							OPT	99	TEW	TZA		15.50	6.1	32	32	40.69		0.01889								
PLPL42	ECB	DGC	FW Y	0	F	2875	STD	99	TEX	TZA		16.26	5.9	32	32	32.84		0.02167								
							OPT	99	TEW	TZA		14.64	6.0	32	32	42.93		0.02160								

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Report Date: 02/25/98
Time: 12:59:17