State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-854
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Ford Motor Company exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: XFMXA06.8JBC Displacement: 6.8 Liters (411 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Oxides of Nitrogen
5751-8500	50,000	0.39	5.0	1.1
	120,000	0.56	7.3	1.53

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Oxides of Nitrogen
5751-8500	50,000	0.19	1.4	0.3
	120,000	0.28	2.1	0.38

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18th day of December 1997.

R. B. Summerfield, Chief
Mobile Source Operations Division

E.O. #A-10-854

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMX406.8JBC (XA6.8JBC) Evap Family: XFMXE0155B0H & XFMXE0155B1H

All Engine Engine Codes in Engine Family: CA X 49S__ 50S___ AB965 ____, ORVR: Yes ___No X

Exhaust Std: CA Tier-1 X TLEV___ LEV___ ULEV___ SULEV___ , US EPA TIER-1_____

Vehicle Class(es): PC____ LDT1____ LDT2____ MDV1____ MDV2____ MDV3 X___ MDV4____ MDV5____

Single Certification Standard for Multi-Class Engine Family: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex Fuel___ Dual-Fuel___ Bi-Fuel___ Gasoline X Diesel___
CNG___ LNG___ LPG___ M85___ Other (specify)_____

Exhaust Emission Test Fuel(s): Indo___ CBG X CNG___ LPG M85___ Other (specify) _____
Diesel: 13 CCR 2282___ 40CFR 86.113-90___ 40CFR 86.113-94___

Evaporative Emissions Test Procedures: California X Federal_____

Service Accumulation: Standard AMA ____ Modified AMA X Manufacturers ADP____ Other (specify) _____

NMOG Test Procedure: N/A X Standard___ Equivalent___ Running Loss Test Procedure: SHED___ Point Source X

Engine Configuration V-~~8~~ V10 Displ: 6.8L (411 CI) Liters (CI) Valves/Cyl: 2 Rated HP: 265 @ 4250 RPM

Engine: Front X Mid__ Rear__ Drive: Fwd__ RWD X 4WD-FT__ 4WD-PT X

Exhaust Control System and Special Features: TWC, 2HO2S, HO2S, EGR, SFI
(Use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
896TR05N	E350 CWL 2WD	A(DE)	7500	*	F8UF-ACB	F75E-CA	F7UA-PE
896TR05A	E350 CWL	A(DE)	7500				
896TR05N	E350 RVL	A(DE)	7500				
896TR05A	E350 RVL	A(DE)	7500				
896TR05N	E350 SVL	A(DE)	7500				
896TR05A	E350 SVL	A(DE)	7500				
896TR05N	E350 SWL-10P	A(DE)	7500				
896TR05A	E350 SWL-10P	A(DE)	7500				
896TR05N	E350 SWL-12P	A(DE)	8000				
896TR05A	E350 SWL-12P	A(DE)	8000				
896TR05N	E350 SWL-15P	A(DE)	8000				
896TR05A	E350 SWL-15P	A(DE)	8000				
9WAABDBN	F250 CCS 2WD	A(DE)	7500	*	XC3F-BDB	F57E-CA	F81A-CD
9WAABDBN	F250 CCL 2WD	A(DE)	7500				
9WAABDBA	F250 CCS 2WD	A(DE)	7500				
9WAABDBA	F250 CCL 2WD	A(DE)	7500				
9WAABDBN	F250 RCL 2WD	A(DE)	7000				
9WAABDBA	F250 RCL 2WD	A(DE)	7000				

* See DPA chart on page 20.09.17.03 - 1.

Engine Family: XA6.8JBC

Issue Date: OCT 27 1997
Revised:

CWL = CLUB WAGON, LONG WB
RVL = REGULAR VAN LONG WB
SVL = SUPER VAN LONG WB
SWL = SUPER WAGON LONG WB
CCS = CREW CAB, SHORT WB
CCL = CREW CAB, LONG WB
RCL = REGULAR CAB, LONG WB

E.O.# A-10-854

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMXA06.8JBC (XA6.8JBC) **Evap Family:** XFMXE0155B0H & XFMXE0155B1H

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
9WAABDBN	F250 SCS 2WD	A(DE)	7500	*	XC3F-BDB	F75E-CA	F81A-CD
9WAABDBN	F250 SCL 2WD	A(DE)	7500				
9WAABDBA	F250 SCS 2WD	A(DE)	7500				
9WAABDBA	F250 SCL 2WD	A(DE)	7500				
9WAABDBN	F250 CCS 4WD	A(DE)	7500				
9WAABDBN	F250 CCL 4WD	A(DE)	7500				
9WAABDBA	F250 CCS 4WD	A(DE)	7500				
9WAABDBA	F250 CCL 4WD	A(DE)	7500				
9WAABDBN	F250 RCS 4WD	A(DE)	7500				
9WAABDBA	F250 RCL 4WD	A(DE)	7500				
9WAABDBN	F250 SCS 4WD	A(DE)	7500				
9WAABDBN	F250 SCL 4WD	A(DE)	7500				
9WAABDBA	F250 SCS 4WD	A(DE)	7500				
9WAABDBA	F250 SCL 4WD	A(DE)	7500				
9WAABDBN	F350 CCS 2WD	A(DE)	8000				
9WAABDBN	F350 CCL 2WD	A(DE)	8000				
9WAABDBA	F350 CCS 2WD	A(DE)	8000				
9WAABDBA	F350 CCL 2WD	A(DE)	8000				
9WAABDBN	F350 CCS 2WD	A(DE)	8500				
9WAABDBN	F350 CCL 2WD	A(DE)	8500				
9WAABDBA	F350 CCS 2WD	A(DE)	8500				
9WAABDBA	F350 CCL 2WD	A(DE)	8500				
9WAABDBN	F350 RCL 2WD	A(DE)	7500				
9WAABDBA	F350 RCL 2WD	A(DE)	7500				
9WAABDBN	F350 RCL 2WD DRW	A(DE)	8500				
9WAABDBA	F350 RCL 2WD DRW	A(DE)	8500				
9WAABDBN	F350 SCS 2WD	A(DE)	7500				
9WAABDBN	F350 SCL 2WD	A(DE)	7500				
9WAABDBA	F350 SCS 2WD	A(DE)	7500				
9WAABDBA	F350 SCL 2WD	A(DE)	8000				
9WAABDBN	F350 SCL 2WD DRW	A(DE)	8500				
9WAABDBA	F350 SCL 2WD DRW	A(DE)	8500				
9WAABDBN	F350 CCS 4WD	A(DE)	8000				
9WAABDBN	F350 CCL 4WD	A(DE)	8000				
9WAABDBA	F350 CCS 4WD	A(DE)	8000				
9WAABDBA	F350 CCL 4WD	A(DE)	8000				
9WAABDBN	F350 CCS 4WD DRW	A(DE)	9000				
9WAABDBN	F350 CCL 4WD DRW	A(DE)	9000				
9WAABDBA	F350 CCS 4WD DRW	A(DE)	9000				
9WAABDBA	F350 CCL 4WD DRW	A(DE)	9000				
9WAABDBN	F350 RCL 4WD	A(DE)	8000				
9WAABDBN	F350 RCL 4WD	A(DE)	8000				
9WAABDBN	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDBA	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDBN	F350 SCS 4WD	A(DE)	8000				
9WAABDBN	F350 SCL 4WD	A(DE)	8000				
9WAABDBA	F350 CCS 4WD	A(DE)	8000				
9WAABDBA	F350 CCL 4WD	A(DE)	8000				
9WAABDBN	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDBA	F350 RCL 4WD DRW	A(DE)	8500				

* See DPA chart on page 20.09.17.03 - 1.

SCS = SUPER CAB, SHORT WB
DRW = DUAL REAR WHEEL

Engine Family: XA6.8JBC

Issue Date: OCT 27 1997
Revised:

E.O.# A-10-864

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMXA06.8JBC (XA6.8JBC) Evap Family: XFMXE0155B0H & XFMXE0155B1H

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
9WAMBFBN	F250 CCS 2WD	M(RD)	7500	*	XC3F-BNB	F75E-CA	F81A-CD
9WAMBFBN	F250 CCL 2WD	M(RD)	7500				
9WAMBFBA	F250 CCL 2WD	M(RD)	7500				
9WAMBFBA	F250 CCL 2WD	M(RD)	7500				
9WAMBFBN	F250 RCL 2WD	M(RD)	7000				
9WAMBFBA	F250 RCL 2WD	M(RD)	7000				
9WAMBFBN	F250 SCS 2WD	M(RD)	7500				
9WAMBFBN	F250 SCL 2WD	M(RD)	7500				
9WAMBFBA	F250 SCS 2WD	M(RD)	7500				
9WAMBFBA	F250 SCL 2WD	M(RD)	7500				
9WAMBFBN	F250 CCS 4WD	M(RD)	7500				
9WAMBFBN	F250 CCL 4WD	M(RD)	7500				
9WAMBFBA	F250 RCS 4WD	M(RD)	7500				
9WAMBFBA	F250 CCL 4WD	M(RD)	7500				
9WAMBFBN	F250 RCL 4WD	M(RD)	7500				
9WAMBFBA	F250 RCL 4WD	M(RD)	7500				
9WAMBFBN	F250 SCS 4WD	M(RD)	7500				
9WAMBFBN	F250 SCL 4WD	M(RD)	7500				
9WAMBFBA	F250 SCS 4WD	M(RD)	7500				
9WAMBFBA	F250 SCL 4WD	M(RD)	7500				
9WAMBFBN	F350 CCS 2WD	M(RD)	8000				
9WAMBFBN	F350 CCL 2WD	M(RD)	8000				
9WAMBFBA	F350 CCL 2WD	M(RD)	8000				
9WAMBFBA	F350 CCL 2WD	M(RD)	8000				
9WAMBFBN	F350 CCS 2WD DRW	M(RD)	8500				
9WAMBFBN	F350 CCL 2WD DRW	M(RD)	8500				
9WAMBFBA	F350 CCS 2WD DRW	M(RD)	8500				
9WAMBFBA	F350 CCL 2WD DRW	M(RD)	8500				
9WAMBFBN	F350 RCL 2WD	M(RD)	7500				
9WAMBFBA	F350 RCL 2WD	M(RD)	7500				
9WAMBFBN	F350 RCL 2WD DRW	M(RD)	8500				
9WAMBFBA	F350 RCL 2WD DRW	M(RD)	8500				
9WAMBFBN	F350 SCS 2WD	M(RD)	7500				
9WAMBFBN	F350 SCL 2WD	M(RD)	7500				
9WAMBFBA	F350 SCS 2WD	M(RD)	7500				
9WAMBFBA	F350 SCL 2WD	M(RD)	7500				
9WAMBFBN	F350 SCL 2WD DRW	M(RD)	8500				
9WAMBFBA	F350 SCL 2WD DRW	M(RD)	8500				
9WAMBFBN	F350 CCS 4WD	M(RD)	8000				
9WAMBFBN	F350 CCL 4WD	M(RD)	8000				
9WAMBFBA	F350 CCS 4WD	M(RD)	8000				
9WAMBFBA	F350 CCL 4WD	M(RD)	8000				
9WAMBFBN	F350 CCS 4WD DRW	M(RD)	9000				
9WAMBFBN	F350 CCL 4WD DRW	M(RD)	9000				
9WAMBFBA	F350 CCS 4WD DRW	M(RD)	9000				
9WAMBFBA	F350 CCL 4WD DRW	M(RD)	9000				
9WAMBFBN	F350 RCL 4WD	M(RD)	8000				
9WAMBFBA	F350 RCL 4WD	M(RD)	8000				

* See DPA chart on page 20.09.17.03 - 1.

Engine Family: XA6.8JBC

Issue Date: OCT 2 1997
Revised:

E.O.# A-10-854

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMX406.8JBC (XA6.8JBC) Evap Family: XFMXE0155B0H & XFMXE0155B1H

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
9WAMBFBN	F350 RCL 4WD DRW	M(RD)	8500	*	XC3F-BNB	F75E-CA	F81A-CD
9WAMBFBA	F350 RCL 4WD DRW	M(RD)	8500				
9WAMBFBN	F350 SCS 4WD	M(RD)	8000				
9WAMBFBN	F350 SCL 4WD	M(RD)	8000				
9WAMBFBA	F350 SCS 4WD	M(RD)	8000				
9WAMBFBA	F350 SCL 4WD	M(RD)	8000				
9WAMBFBN	F350 SCL 4WD	M(RD)	8500				
9WAMBFBA	F350 SCL 4WD	M(RD)	8500				

** See DPA chart on page 20.09.17.03 - 1.*

Engine Family: XA6.8JBC

Issue Date: OCT 27 1997
Revised:

E.O.# A-10-854

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMXE06.8JBC (XA6.8JBC) Evap Family: XFMXE0155B0H & XFMXE0155B1H

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
9WAABDCN	F250 CCS 2WD	A(DE)	7500	*	XC3F-BDC	F57E-CA	F81A-CD
9WAABDCN	F250 CCL 2WD	A(DE)	7500				
9WAABDCA	F250 CCS 2WD	A(DE)	7500				
9WAABDCA	F250 CCL 2WD	A(DE)	7500				
9WAABDCN	F250 RCL 2WD	A(DE)	7000				
9WAABDCA	F250 RCL 2WD	A(DE)	7000				
9WAABDCN	F250 SCS 2WD	A(DE)	7500				
9WAABDCN	F250 SCL 2WD	A(DE)	7500				
9WAABDCA	F250 SCS 2WD	A(DE)	7500				
9WAABDCA	F250 SCL 2WD	A(DE)	7500				
9WAABDCN	F250 CCS 4WD	A(DE)	7500				
9WAABDCN	F250 CCL 4WD	A(DE)	7500				
9WAABDCA	F250 CCS 4WD	A(DE)	7500				
9WAABDCA	F250 CCL 4WD	A(DE)	7500				
9WAABDCN	F250 RCS 4WD	A(DE)	7500				
9WAABDCA	F250 RCL 4WD	A(DE)	7500				
9WAABDCN	F250 SCS 4WD	A(DE)	7500				
9WAABDCN	F250 SCL 4WD	A(DE)	7500				
9WAABDCA	F250 SCS 4WD	A(DE)	7500				
9WAABDCA	F250 SCL 4WD	A(DE)	7500				
9WAABDCN	F350 CCS 2WD	A(DE)	8000				
9WAABDCN	F350 CCL 2WD	A(DE)	8000				
9WAABDCA	F350 CCS 2WD	A(DE)	8000				
9WAABDCA	F350 CCL 2WD	A(DE)	8000				
9WAABDCN	F350 CCS 2WD	A(DE)	8500				
9WAABDCN	F350 CCL 2WD	A(DE)	8500				
9WAABDCA	F350 CCS 2WD	A(DE)	8500				
9WAABDCA	F350 CCL 2WD	A(DE)	8500				
9WAABDCN	F350 RCL 2WD	A(DE)	7500				
9WAABDCA	F350 RCL 2WD	A(DE)	7500				
9WAABDCN	F350 RCL 2WD DRW	A(DE)	8500				
9WAABDCA	F350 RCL 2WD DRW	A(DE)	8500				
9WAABDCN	F350 SCS 2WD	A(DE)	7500				
9WAABDCN	F350 SCL 2WD	A(DE)	7500				
9WAABDCA	F350 SCS 2WD	A(DE)	7500				
9WAABDCA	F350 SCL 2WD	A(DE)	8000				
9WAABDCN	F350 SCL 2WD DRW	A(DE)	8500				
9WAABDCA	F350 SCL 2WD DRW	A(DE)	8500				
9WAABDCN	F350 CCS 4WD	A(DE)	8000				
9WAABDCN	F350 CCL 4WD	A(DE)	8000				
9WAABDCA	F350 CCS 4WD	A(DE)	8000				
9WAABDCA	F350 CCL 4WD	A(DE)	8000				
9WAABDCN	F350 CCS 4WD DRW	A(DE)	9000				
9WAABDCN	F350 CCL 4WD DRW	A(DE)	9000				
9WAABDCA	F350 CCS 4WD DRW	A(DE)	9000				
9WAABDCA	F350 CCL 4WD DRW	A(DE)	9000				
9WAABDCN	F350 RCL 4WD	A(DE)	8000				
9WAABDCN	F350 RCL 4WD	A(DE)	8000				
9WAABDCN	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDCA	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDCN	F350 SCS 4WD	A(DE)	8000				
9WAABDCN	F350 SCL 4WD	A(DE)	8000				
9WAABDCA	F350 CCS 4WD	A(DE)	8000				
9WAABDCA	F350 CCL 4WD	A(DE)	8000				
9WAABDCN	F350 RCL 4WD DRW	A(DE)	8500				
9WAABDCA	F350 RCL 4WD DRW	A(DE)	8500				

* See DPA chart on page 20.09.17.03 - 1.

Engine Family: XA6.8JBC

Issue Date: DEC 2 2 1997
Revised:

E.O.# A-10-854

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FORD MOTOR COMPANY

Exhaust Engine Family: XFMXE06.8JBC (XA6.8JBC) Evap Family: XFMXE0155B0H & XFMXE0155B1H

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
9WAMBFCN	F250 CCS 2WD	M(RD)	7500	*	XC3F-BNC	F75E-CA	F81A-CD
9WAMBFCN	F250 CCL 2WD	M(RD)	7500				
9WAMBFCA	F250 CCL 2WD	M(RD)	7500				
9WAMBFCA	F250 CCL 2WD	M(RD)	7500				
9WAMBFCN	F250 RCL 2WD	M(RD)	7000				
9WAMBFCA	F250 RCL 2WD	M(RD)	7000				
9WAMBFCN	F250 SCS 2WD	M(RD)	7500				
9WAMBFCN	F250 SCL 2WD	M(RD)	7500				
9WAMBFCA	F250 SCS 2WD	M(RD)	7500				
9WAMBFCA	F250 SCL 2WD	M(RD)	7500				
9WAMBFCN	F250 CCS 4WD	M(RD)	7500				
9WAMBFCN	F250 CCL 4WD	M(RD)	7500				
9WAMBFCA	F250 RCS 4WD	M(RD)	7500				
9WAMBFCA	F250 CCL 4WD	M(RD)	7500				
9WAMBFCN	F250 RCL 4WD	M(RD)	7500				
9WAMBFCA	F250 RCL 4WD	M(RD)	7500				
9WAMBFCN	F250 SCS 4WD	M(RD)	7500				
9WAMBFCN	F250 SCL 4WD	M(RD)	7500				
9WAMBFCA	F250 SCS 4WD	M(RD)	7500				
9WAMBFCA	F250 SCL 4WD	M(RD)	7500				
9WAMBFCN	F350 CCS 2WD	M(RD)	8000				
9WAMBFCN	F350 CCL 2WD	M(RD)	8000				
9WAMBFCA	F350 CCL 2WD	M(RD)	8000				
9WAMBFCA	F350 CCL 2WD	M(RD)	8000				
9WAMBFCN	F350 CCS 2WD DRW	M(RD)	8500				
9WAMBFCN	F350 CCL 2WD DRW	M(RD)	8500				
9WAMBFCA	F350 CCS 2WD DRW	M(RD)	8500				
9WAMBFCA	F350 CCL 2WD DRW	M(RD)	8500				
9WAMBFCN	F350 RCL 2WD	M(RD)	7500				
9WAMBFCA	F350 RCL 2WD	M(RD)	7500				
9WAMBFCN	F350 RCL 2WD DRW	M(RD)	8500				
9WAMBFCA	F350 RCL 2WD DRW	M(RD)	8500				
9WAMBFCN	F350 SCS 2WD	M(RD)	7500				
9WAMBFCN	F350 SCL 2WD	M(RD)	7500				
9WAMBFCA	F350 SCS 2WD	M(RD)	7500				
9WAMBFCA	F350 SCL 2WD	M(RD)	7500				
9WAMBFCN	F350 SCL 2WD DRW	M(RD)	8500				
9WAMBFCA	F350 SCL 2WD DRW	M(RD)	8500				
9WAMBFCN	F350 CCS 4WD	M(RD)	8000				
9WAMBFCN	F350 CCL 4WD	M(RD)	8000				
9WAMBFCA	F350 CCS 4WD	M(RD)	8000				
9WAMBFCA	F350 CCL 4WD	M(RD)	8000				
9WAMBFCN	F350 CCS 4WD DRW	M(RD)	9000				
9WAMBFCN	F350 CCL 4WD DRW	M(RD)	9000				
9WAMBFCA	F350 CCS 4WD DRW	M(RD)	9000				
9WAMBFCA	F350 CCL 4WD DRW	M(RD)	9000				
9WAMBFCN	F350 RCL 4WD	M(RD)	8000				
9WAMBFCA	F350 RCL 4WD	M(RD)	8000				
9WAMBFCN	F350 RCL 4WD DRW	M(RD)	8500				
9WAMBFCA	F350 RCL 4WD DRW	M(RD)	8500				
9WAMBFCN	F350 SCS 4WD	M(RD)	8000				
9WAMBFCN	F350 SCL 4WD	M(RD)	8000				
9WAMBFCA	F350 SCS 4WD	M(RD)	8000				
9WAMBFCA	F350 SCL 4WD	M(RD)	8000				
9WAMBFCN	F350 SCL 4WD	M(RD)	8500				
9WAMBFCA	F350 SCL 4WD	M(RD)	8500				

* See DPA chart on page 20.09.17.03 - 1.

Engine Family: XA6.8JBC

Issue Date:
Revised: DEC 2 2 1997

Engine Family: XA6.8JBC

Issue Date: OCT 27 1997

Revised:

20.09.17.03 - 1

1999 ARB SUPPLEMENTAL DATA SHEET E.O. #A-10-854

1998 TRUCK DPA CHART

VEHICLE LINE	ETW	< - - - CDT	NON - CODE	AC DPA	- - - > TRLHP (HP)	< - - - CDT	A CODE	C DPA	- - - > TRLHP (HP)	Ambient Dyno Coefficients A (LBS)	B (LBS/MPH)	C (LBS/(MPH)^2)	Truck Force Coefficients F0 (LBS)	F2 LBS/(MPH)^2
		% = LVW/ALVW (BOTH)				♦ = ALVW								
E-SERIES (VN127) - (HD)														
ECON. E-250 REGULAR VAN														
4.2L/4R70W ♦	7000	16.85	(A)	16.4	25.61	16.98	(A)	17.8	27.00				70.94	0.04851
LT245/75R16 A/S "E" TIRE														
- - - - - - - - - - - - -	- - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - - - -	- - - - -	- - - - - -	- - - - - - - - - -	- - - - - - - -	- - - - - - - -
5.4L/E40D ♦	7000	17.76	(A)	16.6	24.32	16.79	(A)	17.0	25.72				64.20	0.04728
LT225/75R16 A/S "E" TIRE														
ECON. E-250 SUPER VAN														
4.2L/4R70W ♦	7000	16.99	(A)	16.5	25.40	16.10	(A)	16.9	26.80				71.70	0.04768
LT245/75R16 A/S "E" TIRE														
- - - - - - - - - - - - -	- - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - - - -	- - - - -	- - - - - -	- - - - - - - - - -	- - - - - - - -	- - - - - - - -
5.4L/E40D ♦	7000	17.90	(A)	16.5	24.11	16.92	(A)	17.9	25.60				65.08	0.04636
LT225/75R16 A/S "E" TIRE														
ECON. E-250 CUTAWAY ♦	7000	- - - - -	(CB/A)	TBD	- - - - -	- - - - -	(CB/A)	TBD	- - - - -					
4.2L/ALL TRANS														
53 SQ.FT.														
- - - - - - - - - - - - -	- - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - - - -	- - - - -	- - - - - -	- - - - - - - - - -	- - - - - - - -	- - - - - - - -
ECON. E-250 STRIP CHASSIS ♦	7000	- - - - -	(CB/A)	26.5	- - - - -	- - - - -	(CB/A)	27.9	- - - - -				59.66	0.06558
4.2L/ALL TRANS														
58 SQ. FT.														
ECONOLINE E-350 ♦	7500	18.02	(A)	17.4	25.66	17.06	(A)	18.8	27.07				76.33	0.04652
5.4/6.8L REGULAR VAN														
E40D TRANS														
LT245/75R16 A/S TIRE														
- - - - - - - - - - - - -	- - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - -	- - - - -	- - - - -	- - - - -	- - - - - - - - -	- - - - -	- - - - - -	- - - - - - - - - -	- - - - - - - -	- - - - - - - -

(C) Certification point, (R) Regressed point,
(A) Adjusted, (CB) Cookbook, (P) Projection
97DPATRK.xls

12/18/96