California Environmental Protection Agency	ISUZU MOTORS	Executive Order: A-020-0266 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	LIMITED	Medium-Duty Vehicles Page 1 of 5

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	PINFOR	RMATION	1 1				
MODEL	_	TEST GR	OUP	VEHIC	LE CLASS(ES)		FUEL CATEGORY			JEL TYPE		
2014	2014 ESZXD03.03FA MDV5							SINGLE FUEL HICLE	DIESEL			
U	JSEFL	JL LIFE (miles)	VE	HICLE EMISSIO	N CATE	GORY	INTERIM / INT	ERMEDIA	TE IN-USE STD		
EXH/	EXH/ORVR EVAP FT				FTP	SI	FTP	FTP		SFTP		
120	0000		*	LEV	LEV2 ULEV * *				*			
SPEC	CIAL	FEATURE		XHAUST EMISSI	ON CONTROL		OBD ST	TATUS	ENGINE	DISPLACEMENT (L)		
1 0	oc, :	SCR-U, 1		HO2S, NOXS (2 RC, TC, CAC), DFI, EGR,		FULL	*				
*	*						PARTIAL	*	3.0			
*	*					PAI	RTIAL WITH FINES	ALL MODELS				
			1	EVAPORATIVE 8	REFUELING (E	VAP/O	RVR) FAMILY	INFORMATION				
EVAP	P/OR		LY	EVAPORATIV	E STD CATEGO	DRY	EVAP EMIS		SPECIA	L FEATURES		
		*			*		- *			*		
					EMISSION CRE	DIT INF	ORMATION					
		ALLOWA	NCE	FOR TEST GROU	IP		G CREDIT FO	NMOG CR		OPTIONAL EXH		
BASE	LINE	PZEV	A	T PZEV	TZEV		EVAP	DC	R	TRUCKS		
* * *					*	N N			N			
				NMO	AND FLEET A	VERAG	EINFORMAT	TION				
NMOG RAF CH4 RAF FTP NMOG/NMHC RATIO			HCHO/NMH			OX FLEET STD (0-3750 LVW) g/mi)	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)					
*		* ,		1.07	*			*	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. California Environmental Protection Agency

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG or NMOG+NOx, as applicable, Fleet Average" (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$75 per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2014 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

California Environmental Protection Agency OB Air Resources Board

The Bureau of Automotive Repair will be notified by copy of this Executive Order. Executed at El Monte, California on this 3/2 day of January 2014.

nnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

O Air Resources Board

ISUZU MOTORS LIMITED Executive Order: A-020-0266 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 5

-	
ΔΤΤΔ	CHMENT
AIIA	OT HULET T

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

 FUEL TYPE
 CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

					NMHC CO (g/mi) (g/m			Dx mi)		HO /mi)	PM (g/mi)			
			CEF			STD	CERT	STD	CERT	STD		STD		
FTP@50K		*	*	*	*	*	*	*	*	*	*	*		
FTP@UL	DIES	SEL-EPA	0.0	05 0.1	57 0.06	7.3	0.4	0.4	5.0	21	0.004	0.06		
50°F @4K		*	*	*	*	*	*	*	*	*				
					NOx	(g/mi)			CO (g/mi)					
		FUEL TYPE		C	ERT	S			CERT		STD			
HWFET @ 50K HWFET @ UL				50K *			*		*					
				0	. 02		0.8			A CHART				
20°F @ !	50K	*					Martin Ar	1	*		*			

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		SF	IP EXHAU	USIEM	ISSION S	TANDA	RDS AN	D CERTIFICA	TION LEVE	LS	-		
				US06 /	UC (LA9	2)		SC03	3		COMPOS	ITE	
	FUEL TY	PE	NMHC+I (g/mi		CO (g/mi)	P (mg	M /mi)	NMHC+NOx (g/mi)	CO (g/mi)	1	IC+NOx g/mi)	CO (g/mi)	
@ 4K *		CERT	*		*		and the second	*	*			ALL STA	
		STD			*	Finger Ch	ALS TO THE	*	*				
		CERT	*		*		+	*	*	*		*	
@ UL *	*	STD	*		*			*	*		*	*	
		BIN		成一部				·····································			*	Here and the second second	
		WHOLE VE	HICLE EV	APORA	TIVE EM	SSION	STANDA	RDS AND CE	RTIFICATI	ON LEV	ELS		
	ODATIVE			W	HOLE VE		VAPOR	ATIVE TESTIN	IG			A.I.I.	
	ORATIVE	FUEL TYP	PE 3DHS (g		IS (g/test) @ UL		2DHS (g/test) @		DUL		RL (g/mi) @ l		
			CEF	RT S	STD	FEL	CERT	STD	FEL	CE	RT	STD	
	*	*	*		*	*	*	*	*	*		*	
(DRVR / FUE	EL ONLY / C	ANISTER	BLEED	EVAPOR	RATIVE	EMISSIC	N STANDAR	DS AND CE	RTIFIC	ATION LE	VELS	
							FUEL	ONLY EVAP	& CANISTE	R BLEE	ED		
EVAPORATIVE OF		IVE ORVR (g/gallon) @ UL		FUEL TYPE		3DHS RIG TEST (g/test) @ UL					CANISTER (/test) @ 4K		
		FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
	*	*	*	*	*		*	*	*	*	*	*	

California Environmental Protection Agency	ISUZU MOTORS LIMITED	Executive Order: A-020-0266 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 5 of 5
*: not applicable; #: pounds; UL: useful life; PC: pass LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 600 8500#ALVW; MDV: medium-duty vehicle; MDV4: ML duty passenger vehicle; ECS: emission control syste vehicle weight rating; LVW: loaded vehicle weight; A super ULEV; ZEV: zero-emission vehicle; PZEV: par TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsor adsorption catalyst; SCR-U or SCRC/SCR-N or SCR oxidation catalyst; CTOX/PTOX: continuous/periodic ignited engine; HO2S/O2S: heated/oxygen sensor; V sensor; PMS: PM sensor; RDQS: reductant quality s cooler; AIR/AIRE: secondary air injection (belt driven DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/su diagnostic; DOR: direct ozone reducing; HCT: hydro. CNG/LNG: compressed/liquefied natural gas; LPG: I E85-EPA: 85% ethanol+15% Tier2 unleaded gasolin ethanol+90% Tier2 unleaded gasoline; A: automatic lock-up automatic transmission; CV: continuously va transmission	01-8500#GVWR,3751-5750 DV 8501-10000#GVWR; MI m; CERT: certification; STE LVW: adjusted LVW; LEV: I tial ZEV; AT PZEV: advance bing TWC; HAC: HC adsort C-NH3: selective catalytic i trap oxidizer; DPF: diesel p VR-HO2S or AFS: wide ran ensor; NH3S: ammonia ser)/(electric driven); PAIR: pu per charger; CAC: charge a carbon trap; BCAN: bleed c iquefied petroleum gas; E8 e; E10-CARB: 10% ethano transmission; M: manual tr	0#ALVW; LDT4: LDT 6001-8500#GVWR,5751- DV5: MDV 10001-14000#GVWR; MDPV: medium- D: standard; FEL: family emission limit; GVWR: gross low emission vehicle; ULEV: ultra LEV; SULEV: ed technology PZEV; TZEV: transitional ZEV; bing catalyst; WU: warm-up catalyst; NAC: NOx reduction-urea/ammonia; NH3OC: ammonia particulate filter (active); GPF: PM filter for spark- ge/linear/heated air-fuel ratio sensor; NOXS: NOx nsor; EGR: exhaust gas recirculation; EGRC: EGR ulsed AIR; SFI/MFI: sequential/multiport fuel injection air cooler; F/P/\$: full/partial/partial with fines on-board carbon canister; prefix 2: parallel; (2) suffix: series; 5-CARB: 85% ethanol+15% CA Phase2 gasoline; I+90% CA Phase2 gasoline; E10-EPA: 10% ransmission; SA: semi-automatic transmission; L:
2014 MODEL YEAR	: VEHICLE MOD	ELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
ISUZU	NPR ECOMAX (WITH OR WITHOUT AIR ROOF FAIRING)	MDV5	2.998	A	*	1	Ş	*
ISUZU	STRIPPED CHASSIS FOR WALK IN VAN	MDV5	2.998	A	*	1	\$	*