# California Environmental Protection Agency

**OB** Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0616

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORM	MATION			
MODEL YEAR	TEST GROUP VEHIC			/EHICL	LE CLASS(ES)			FUEL C	ATEGORY	FUEL TYPE	
2015	2015 FHNXV02.43K3			PC					SINGLE FUEL	GASOLINE	
USEFUL LIFE (miles) VEHICLE I						E EMISSION CATEGORY			INTERIM / INTERMEDIA		TE IN-USE STD
EXH/ORVR EVAP			AP	FTP			SFI	P	FTP	SFTP	
150000 150000			000	LEV3	SULEV30	10 LEV 3 COMPOSI		MPOSITE	. NMOG+NOX	NMOG+NOX	
SPECIA	L FEATUR		EXHAUST EI	WISSIO	N CONTRO	DL		OBD ST	TATUS	ENGINE	DISPLACEMENT (L)
1	WU-TWC, TWC, WR-HO2S, HO2S, DFI						-	FULL	ALL MODELS	2.4	
*	*						P	ARTIAL	*		
*	*						PARTIAL WITH FINES		*		
1			EVAPORAT	IVE & F	REFUELING	G (EVA	PIOR	/R) FAMILY	INFORMATION		_
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						GORY	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES	
FHNXR0121VFA				LEV 2			PC			*	
				E	MISSION C	REDIT	INFO	RMATION			
	ALLOW	ANCE	FOR TEST	GROUP	•			CREDIT FO	NMOG CR		OPTIONAL EXH STD FOR WORK
BASELINE PZEV AT PZEV				V TZEV			EVAP		DC	DOR	
* *			*	*			N		N	1	N
				NMOG	AND FLEE	TAVE	RAGE	INFORMAT	TION		
NMOG RA	F CH4 RA	(F	FTP NMOG/N RATIO	P NMOG/NMHC HCHO/NMHC		MHC R	RATIO PC+LDT		OX FLEET STD (0-3750 LVW) g/mi)	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)	
* * 1.1			1.10		0.05			0.100		0.119	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

## California Environmental Protection Agency

**⊘** Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0616

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG or NMOG+NOX, as applicable, Fleet Average" (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of August 2014.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

HONDA MOTOR CO., LTD. Executive Order: A-023-0616

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **Om Air Resources Board**

						A	TTAC	MH	ENT						
	EXH	AUS	TANDE	VAPOR	RATIV	E EMI	SSION	STAN	IDARI	DS AN	DCERT	IFICATIO	N LEVEL	S	
		EXH	AUST EM	SSION	STAND	ARDS A	ND CER	TIFICA	TION	LEVELS	(FTP, HV	/FET, 50°F,	20°F)		
	FU	C m a		oxide; N stment fa /R [g HC	Ox: oxi actor; 2 /gallon	des of ni DHS/3D dispens	trogen; F HS [g HC ed]: on-b	ICHO: C/test]: oard re	formald 2/3 day fueling	lehyde; f s diurna vapor re	PM: particularly p	HC: non-CH4 ulate matter; RL [g HC/r gram; mg: r S: suppleme	RAF: react mi]: running milligram; m	ivity loss:	
				NMOG+NOx (g/mi)			CO (g/mi)		NOx (g/mi)			HCHO (mg/mi)		PM ;	
			CE	RT	STD	CER	TST	D	CERT	STD	CER	T STD	CERT	STD	
FTP@50K *			*	*	*	*		*	*	*	*	* '	*		
FTP@UL GASOLINE- LEV3 E10		1 0	017	0.030	0.1	1.	0	*	*	*	4	*	0.01		
50°F @	4K	*		*	*	*	*		*	*	*	*			
1 1 1 1		EII	EL TYPE	VDE		NMOG-	NOx (g/	(g/mi)			С		CO (g/mi)		
		10	PUELTIPE		CERT			STD			CER	Т	STD		
HWFET @ 50K *		*	*			* .									
HWEET (6) III			SOLINE- EV3 E10	0 005			0.030				-				
20°F @ 50K COI		COL	SOLINE- D CO LOW CTANE	LOW					0.		0.6		10.	10.0	
			SFT	PEXHA	UST EI	MISSION	STAND	ARDS	AND C	ERTIFIC	ATION L	EVELS			
						US06			SC03			C	OMPOSITI	OMPOSITE	
1,0	FUEL 1	YPE	NMOG+NOx (g/mi)			CO (g/mi)					CO (g/mi)	NMOG+No (g/mi)	Ox CO (g/mi)	PM (mg/mi)	
		* CEF		*		*	*		* .		*	-			
@ 4K	*			*		*			*		*	-		1	
			CERT	*	*		* *		*		*	0.023	0.53	*	
@		GASOLINE- LEV3 E10 BIN		*		*		*		*	*	0.140	4.2	. *	
												0.050	4	N A E	
		W	OLE VEH	ICLE EV	APOR	ATIVE E	MISSION	N STAI	NDARD	SAND	CERTIFIC	ATION LEV	ELS		
FVAP	ORATIV	F			-		/EHICLE	EVAP					RL (g/mi) @	อ บเ	
FAMILY		-   1	FUEL TYPE		3DHS (g/test) @						@ UL				
		CA SOL THE		CE	RT STD		FEL	CE	RT STD		FE	L CE	ERT	STD	
FHNXR0121VFA		CARB	ARB 0.24 0		0.50			22				.00			
(	DRVR / F	UEL	ONLY / CA	NISTER	BLEE	D EVAP	ORATIV					CERTIFIC		ELS	
EVAPORATIVE FAMILY		E	ORVR (g/	gallon) (	lon) @ UL		30		UEL ONLY EVA OHS RIG TEST g/test) @ UL		2DHS	RIG TEST st) @ UL	BLEED C	BLEED CANISTER TEST (g/test) @ 4K	
		FI	JEL TYPE	L TYPE   CERT   STD			FUEL TYPE		RT	STD	CERT				
FHNXR0121VFA		GA A	SOLINE - TIER 2 NLEADED	-			*		*	*	*	*	*	\$TD	

California Environmental Protection Agency

@ Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0616

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

t not applicable: #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW: MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission: OT: other transmission

2015 MODEL YEAR: VEHICLE MODELS INFORMATION										
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE		
HONDA	ACCORD	PC	2.4	CV1,SCV7	FHNXR0121VFA	1	F	*		